


Up to 4'-0" Overhangs on Steel Girders



Design Load PSF	Slab Thickness	Bracket "D" Dimension	Screed Load Per Bracket = S1						
			1,500 lbs.	1,250 lbs.	750 lbs.	500 lbs.	250 lbs.	0 lbs.	Insert SWL
Load 1 31	THICKHESS	Dilliension		Е	racket "A" Dime	nsion = 18" to 20)"	•	
			7'-11"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8000
		30"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
125	6"	45"	7'-11"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8000
125	0	45	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	7'-11"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8000
		60	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		30"	6'-9"	7'-2"	8'-0"	8'-0"	8'-0"	8'-0"	8000
		30	7'-5"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
150	8"	" 45"	6'-9"	7'-2"	8'-0"	8'-0"	8'-0"	8'-0"	8000
150	8		8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	6'-9"	7'-2"	8'-0"	8'-0"	8'-0"	8'-0"	8000
		60	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		30"	5'-11"	6'-3"	7'-0"	7'-4"	7'-8"	8'-0"	8000
		30	6'-9"	7'-3"	8'-0"	8'-0"	8'-0"	8'-0"	11300
175	10"	45"	6'-0"	6'-3"	7'-0"	7'-4"	7'-8"	8'-0"	8000
113	10	45	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	6'-0"	6'-3"	7'-0"	7'-4"	7'-8"	8'-0"	8000
		00	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		30"	5' 3"	5'-7"	6'-3"	6'-8"	7'-0"	7'-4"	8000
		30	6'-0"	6'-9"	8'-0"	8'-0"	8'-0"	8'-0"	11300
200	12"	45"	5' 3"	5'-7"	6'-3"	6'-8"	7'-0"	7'-4"	8000
200	12	40	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	5' 3"	5'-7"	6'-3"	6'-8"	7'-0"	7'-4"	8000
		00	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300

Notes:

- 1. Design includes 50 PSF live load on walkway area.
- Overhang form lumber must be checked to mae sure it will span the selected spacing.


Warning

Contact Dayton Superior Technical Assistance for recommended spacings when conditions on your specific project vary from those shown.

104 01/19



Over 4'-0" to 5'-0" Overhangs on Steel Girders



	Slab Thickness	Bracket "D"	Screed Load Per Bracket = S1									
Design Load PSF			1,500 lbs.	1,250 lbs.	750 lbs.	500 lbs.	250 lbs.	0 lbs.	Insert SWL			
1 31	THICKHESS	Difficiation		В	racket "A" Dime	nsion = 18" to 2	O"					
			5'-6"	6'-6"	8'-0"	8'-0"	8'-0"	8'-0"	8000			
		30"	5'-6"	6'-6"	8'-0"	8'-0"	8'-0"	8'-0"	11300			
125	6"	45"	6'-9"	7'-3"	8'-0"	8'-0"	8'-0"	8'-0"	8000			
123	0	43	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300			
		60"	6'-9"	7'-3"	8'-0"	8'-0"	8'-0"	8'-0"	8000			
		60	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0" 8'-0" 8'-0"	11300			
		30"	5'-0"	5'-9"	7'-0"	7'-3"	7'-8"	8'-0"	8000			
		30	5'-0"	5'-9"	7'-4"	8'-0"	8'-0"	8'-0"	11300			
150	8"	45"	5'-10"	6'-3"	6'-11"	7'-3"	7'-8"	8'-0"	8000			
150	8	45	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300			
		60"	5'-10"	6'-3"	6'-11"	7'-3"	7'-8"	8'-0"	8000			
		60	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300			
		30"	4'-3"	5'-0"	6'-0"	6'-3"	6'-8"	7'-0"	8000			
		30	4'-3"	5'-0"	6'-6"	7'-3"	8'-0"	8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 7'-0" 8'-0" 7'-0" 8'-0" 7'-0" 8'-0" 6'-2" 8'-0" 6'-2"	11300			
175	10"	45"	5'-1"	5'-4"	6'-0"	6'-4"	6'-8"	7'-0"	8000			
1/5	10	43	7'-6"	7'-9"	8'-0"	8'-0"	8'-0"	8'-0"	11300			
					60"	5'-1"	5'-4"	6'-0"	6'-4"	6'-8"	7'-0"	8000
		60	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300			
		30"	3'-9"	4'-6"	5'-3"	5'-7"	5'-10"	6'-2"	8000			
			3'-9"	4'-6"	5'-9"	6'-5"	7'-1"	7'-9"	11300			
200	12"	45"	4'-5"	4'-9"	5'-3"	5'-7"	5'-10"	6'-2"	8000			
200	۱۷		6'-9"	7'-4"	7'-10"	8'-0"	8'-0"	8'-0"	11300			
		60"	4'-5"	4'-8"	5'-3"	5'-7"	5'-10"	6'-2"	8000			
		00	7'-0"	7'-4"	7'-10"	8'-0"	8'-0"	8'-0"	11300			

Notes

Design includes 50 PSF live load on walkway area.

Overhang form lumber must be checked to mae sure it will span the selected spacing.


Warning

Contact Dayton Superior Technical Assistance for recommended spacings when conditions on your specific project vary from those shown.

01/19



Up to 3'-0" Overhangs on Precast/Prestressed Concrete Girders



	Slab Thickness	Bracket "D" Dimension	Screed Load Per Bracket = S1						
Design Load PSF			1,500 lbs.	1,250 lbs.	750 lbs.	500 lbs.	250 lbs.	0 lbs.	Insert SWL
FSF	THICKHESS	Dimension		E	Bracket "A" Dime	nsion = 12" to 16	5"		
			7'-8"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8000
		30"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
125	6"	45"	7'-8"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8000
123	0	45	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	7'-8"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8000
		60	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		30"	6'-8"	7'-1"	8'-0"	8'-0"	8'-0"	8'-0"	8000
	8"	30	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
150		45"	6'-8"	7'-1"	8'-0"	8'-0"	8'-0"	8'-0"	8000
130			8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	6'-8"	7'-1"	8'-0"	8'-0"	8'-0"	8'-0"	8000
		00	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		30"	6'-0"	6'-4"	7'-1"	7'-5"	7'-10"	8'-0"	8000
		30	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
175	10"	45"	6'-0"	6'-4"	7'-1"	7'-5"	7'-10"	8'-0"	8000
1/3	10	40	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	6'-0"	6'-4"	7'-1"	7'-5"	7'-10"	8'-0"	8000
		00	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		30"	5' 4"	5'-8"	6'-4"	6'-8"	7'-0"	7'-4"	8000
			8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
200	12"	45"	5' 4"	5'-8"	6'-4"	6'-8"	7'-0"	7'-4"	8000
200	14		8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	5' 4"	5'-8"	6'-4"	6'-8"	7'-0"	7'-4"	8000
		00	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300

Notes:

- 1. Design includes 50 PSF live load on walkway area.
- 2. Overhang form lumber must be checked to mae sure it will span the selected spacing.


Warning

Contact Dayton Superior Technical Assistance for recommended spacings when conditions on your specific project vary from those shown.

106 01/19



Over 3'-0" to 4'-0" Overhangs on Precast/Prestressed Concrete Girders



	Slab Thickness	Bracket "D"	Screed Load Per Bracket = S1						
Design Load PSF			1,500 lbs.	1,250 lbs.	750 lbs.	500 lbs.	250 lbs.	0 lbs.	Insert SWL
1 31	THICKHESS	Difficiation		E	racket "A" Dime	ension = 12" to 16	5"		
		221	6'-9"	7'-2"	8'-0"	8'-0"	8'-0"	8'-0"	8000
		30"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
105	6"	45"	6'-9"	7'-2"	8'-0"	8'-0"	8'-0"	8'-0"	8000
125	O	45	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	6'-9"	7'-2"	8'-0"	8'-0"	8'-0"	8'-0"	8000
		60	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0" 8'-0" 8'-0"	11300
		30"	5'-9"	6'-3"	6'-10"	7'-3"	7'-7"	7'-11"	8000
		30	7'-8"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
150	50 8"	45"	5'-9"	6'-3"	6'-10"	7'-3"	7'-7"	7'-11"	8000
150		45	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	5'-9"	6'-3"	6'-10"	7'-3"	7'-7"	7'-11"	8000
		60	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		30"	5'-0"	5'-4"	6'-0"	6'-3"	6'-7"	6'-11"	8000
		30	6'-9"	7'-6"	8'-0"	8'-0"	8'-0"	8'-0"	11300
175	10"	45"	5'-0"	5'-4"	6'-0"	6'-3"	6'-7"	6'-11"	8000
175	10	45	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		60"	5'-0"	5'-4"	6'-0"	6'-3"	8'-0" 8'-0"	8000	
		00	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300
		30"	4'-6"	4'-9"	5'-3"	5'-7"	5'-10"	6'-2"	8000
		30	6'-1"	6'-8"	7'-11"	8'-0"	8'-0"	8'-0"	11300
200	12"	45"	4'-6"	4'-9"	5'-3"	5'-7"	5'-10"	6'-2"	8000
200	۱۷		7'-3"	7'-7"	7'-11"	8'-0"	8'-0"	8'-0"	11300
		60"	4'-6"	4'-9"	5'-3"	5'-7"	5'-10"	6'-2"	8000
		00	7'-3"	7'-7"	7'-11"	8'-0"	8'-0"	8'-0"	11300

Notes:

- 1. Design includes 50 PSF live load on walkway area.
- 2. Overhang form lumber must be checked to mae sure it will span the selected spacing.


Warning

Contact Dayton Superior Technical Assistance for recommended spacings when conditions on your specific project vary from those shown.

01/19



Over 4'-0" to 5'-0" Overhangs on Precast/Prestressed Concrete Girders



	Slab Thickness	Bracket "D"	Screed Load Per Bracket = S1								
Design Load PSF			1,500 lbs.	1,250 lbs.	750 lbs.	500 lbs.	250 lbs.	0 lbs.	Insert SWL		
1 31	THICKHESS	Difficiation		В	racket "A" Dime	nsion = 12" to 16	5"				
		2211	4'-8"	5'-5"	7'-0"	7'-4"	7'-8"	8'-0"	8000		
		30	4'-8"	5'-5"	7'-0"	7'-9"	8'-0"	8'-0"	11300		
125	6 "	4 E"	5'-11"	6'-3"	7'-0"	7'-4"	7'-8"	8'-0"	8000		
123	0	43	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300		
		60 "	5'-11"	6'-3"	7'-0"	7'-4"	7'-8"	8'-0"	8000		
		60	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300		
		20"	4'-0"	4'-8"	5'-11"	6'-2"	6'-6"	6'-10"	8000		
		30	4'-0"	4'-8"	6'-0"	6'-9"	7'-5"	8'-0"	11300		
150	0"	Bracket "D" 1,500 lbs. 1,250 lbs. 750 lbs. 500 lbs. 250 lbs.	6'-10"	8000							
150	8" 45" 5'-0" 5	8'-0"	8'-0'	8'-0"	8'-0"	8'-0"	11300				
		6O"	5'-0"	5'-4"	5'-11'	6'-4"	6'-6"	6'-10"	8090		
		60	7'-10"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	11300		
		20"	3'-6"	4'-1"	5'-1"	5'-5"	5'-8"	5'-11"	8000		
		30	3'-6"	4'-1"	5'-4"	5'-11"	6'-8"	7'-1"	11300		
175	10"	4E"	4'-4"	4'-7"	5'-1"	5'-5"	5'-8"	5'-11"	8000		
175	10	40	6'-5"	7'-1"	7'-7"	7'-10"	8'-0"	8'-0"	11300		
		60"	4'-4"	4'-7"	5'-1"	5-5"	5'-8"	5'-11"	8000		
		00	6'-9"	7'-1"	7'-7"	7'-10"	8'-0"	8'-0"	11300		
		30"	3'-1"	3'-8"	4'-6"	4'-9"	5'-0"	5'-3"	8000		
			3'-1"	3'-8"	4'-8"	5'-3"	5'-9"	6'-3"	11300		
200	12"	45"	3'-10"	4'-1"	4'-6' '	4'-9"	5'-0"	5'-8"	8000		
200	14		5'-9"	6'-3"	6'-8"	6'-11"	7'-2"	7-5"	11300		
		(0"	3'-10"	4'-1"	4'-6' '	4'-9"	5'-0"	5'-3"	8000		
				00	6'-0"	6'-8"	6'-8"	6'-11"	7'-2"	7'-5"	11300

Notes:

- 1. Design includes 50 PSF live load on walkway area.
- 2. Overhang form lumber must be checked to mae sure it will span the selected spacing.

Warning

Contact Dayton Superior Technical Assistance for recommended spacings when conditions on your specific project vary from those shown.

108 01/19