Printing date 12/10/2020

Reviewed on 12/10/2020

1 Identification

- · Product identifier
- · Trade name: 1107 AdvantageTM Grout
- · Article number: 83-67435
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 1A H350 May cause cancer.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- *Hazard-determining components of labeling: Cement, portland, chemicals Quartz (SiO2)*
- Hazard statements Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer.

May cause respiratory irritation.

· Precautionary statements

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.


(Contd. on page 2)

Printing date 12/10/2020


Reviewed on 12/10/2020

Trade name: 1107 AdvantageTM Grout

(Contd. of page 1)



 $\begin{array}{c} Health = 1\\ Fire = 0\\ Reactivity = 0 \end{array}$



HEALTH1Health = 1FIRE0Fire = 0PHYSICAL HAZARD0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
14808-60-7	Quartz (SiO2)	<i>≥</i> 10-<60%
65997-15-1	Cement, portland, chemicals	<i>≥</i> 20-<40%
7778-18-9	calcium sulphate, natural	<2.75%
· Additional i	<i>nformation:</i> For the wording of the listed hazard phrases refer to section 16.	

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek medical treatment.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

(Contd. on page 3)

Printing date 12/10/2020

Reviewed on 12/10/2020

Trade name: 1107 AdvantageTM Grout

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow product to reach sewage system or any water course. No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
1480	8-60-7 Quartz (SiO2)
PEL	Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m3/%SiO2+2
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV	Long-term value: 0.025* mg/m³ *as respirable fraction
6599	7-15-1 Cement, portland, chemicals
PEL	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
	Long-term value: 1* mg/m³ E; *as respirable fraction
	(Contd. on page 4
]

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/10/2020

Reviewed on 12/10/2020

Trade name: 1107 AdvantageTM Grout

7778-18-9 calcium sulphate, natural

PEL Long-term value: 15* 5** mg/m³ *total dust **respirable fraction

REL Long-term value: 10* 5** mg/m³ *total dust **respirable fraction

TLV Long-term value: 10* mg/m³ *as inhalable fraction

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- *Eye protection:* Wear appropriate eye protection to prevent eye contact.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:		
Form:	Solid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
• Change in condition Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	>999 °C (>1,830.2 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
	(Con	td. on page 5)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 12/10/2020

Reviewed on 12/10/2020

Trade name: 1107 AdvantageTM Grout

	(Con	td. of page 4)
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C (68 °F):	2.8386 g/cm ³ (23.68812 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/we	ater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Keep away from heat and sources of ignition.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: May cause skin irritation.
- on the eye: No irritating effect known.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
14808-60-7	Quartz (SiO2)	1
1309-37-1	diiron trioxide	3
13463-67-7	titanium dioxide	2B
· NTP (Natio	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
	(Co	ontd. on page 6)

Printing date 12/10/2020

Reviewed on 12/10/2020

Trade name: 1107 AdvantageTM Grout

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:
- Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to Federal, State, and Local regulations.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group		
DOT, ADR, IMDG, IATA	Not Regulated	
Environmental hazards:		
Marine pollutant:	No	
Transport in bulk according to Annex II of M	ARPOL73/78	
and the IBC Code	Not applicable.	

Printing date 12/10/2020

Reviewed on 12/10/2020

Trade name: 1107 AdvantageTM Grout

	(Contd. of page 6)
· Transport/Additional information:	
· ADR · U.S. Domestic Ground Shipments: · U.S. Domestic Ground Non-Bulk (119 gal or less per	Same as listed for Standard Shipments above.
container) Shipments:	Same as listed for Standard Shipments above.
· Emergency Response Guide (ERG) Number:	Not determine
· UN "Model Regulation":	Not Regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings): This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

1344-28-1 aluminium oxide	<0.5%
• TSCA (Toxic Substances Control Act):	
14808-60-7 Quartz (SiO2)	ACTIV
65997-15-1 Cement, portland, chemicals	ACTIV
7778-18-9 calcium sulphate, natural	ACTIV
1344-28-1 aluminium oxide	ACTIV
9084-06-4 Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	ACTIV
9069-79-8 Naphthalenesulfonic acid, polymer with formaldehyde, potassium salt	ACTIV
1309-37-1 diiron trioxide	ACTIV
13463-67-7 titanium dioxide	ACTIV
1344-95-2 Silicic acid, calcium salt	ACTIV
21645-51-2 aluminium hydroxide	ACTIV
1310-73-2 sodium hydroxide	ACTIV
497-19-8 sodium carbonate	ACTIV
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to the State of California (Prop. 65) to cause cancer:	
14808-60-7 Quartz (SiO2)	
13463-67-7 titanium dioxide	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
	(Contd. on page

Printing date 12/10/2020

Reviewed on 12/10/2020

Trade name: 1107 AdvantageTM Grout

Chemicals kn	own to cause developmental toxicity:	(Contd. of page
	gredients is listed.	
· Cancerogenit	y categories	
	mental Protection Agency)	
None of the in	gredients is listed.	
· TLV (Thresh	old Limit Value established by ACGIH)	
14808-60-7 Q	Quartz (SiO2)	A2
1344-28-1 a	luminium oxide	A4
1309-37-1 d	liiron trioxide	A
13463-67-7 t	itanium dioxide	A
1344-95-2 S	ilicic acid, calcium salt	A4
MAK (Germa	n Maximum Workplace Concentration)	
14808-60-7 Q	Quartz (SiO2)	1
1344-28-1 a	luminium oxide	2
13463-67-7 ti	itanium dioxide	34
NIOSH-Ca (N	National Institute for Occupational Safety and Health)	
14808-60-7 Q	Quartz (SiO2)	
13463-67-7 t	itanium dioxide	



· Signal word Danger

· Hazard-determining components of labeling: Cement, portland, chemicals Quartz (SiO2) · Hazard statements Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. · Precautionary statements If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: • Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

US

Printing date 12/10/2020

Trade name: 1107 AdvantageTM Grout

Reviewed on 12/10/2020

(Contd. of page 8)

The nr	ovided information is based on our present knowledge. However, this shall not constitute a guarantee for any spe
	t features and shall not establish a legally valid contractual relationship.
	formation is based on our present knowledge. However, this shall not constitute a guarantee for any specific pro
feature	es and shall not establish a legally valid contractual relationship.
Depart	tment issuing SDS: Environmental, Health & Safety Department
Contac	et: Environmental, Health & Safety Manager
	f preparation / last revision 12/10/2020 / 272
	viations and acronyms:
	ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carria
	us Goods by Road)
	International Maritime Code for Dangerous Goods
DOT: US	S Department of Transportation
	ternational Air Transport Association
ACGIH:	American Conference of Governmental Industrial Hygienists
	: European Inventory of Existing Commercial Chemical Substances
	: European List of Notified Chemical Substances
	nemical Abstracts Service (division of the American Chemical Society)
	National Fire Protection Association (USA)
	Iazardous Materials Identification System (USA)
	rsistent, Bioaccumulative and Toxic
	ery Persistent and very Bioaccumulative
	National Institute for Occupational Safety Occupational Safety & Health
	reshold Limit Value
	rmissible Exposure Limit
	commended Exposure Limit
	r. 1C: Skin corrosion/irritation – Category 1C
	1: Serious eve damage/eve irritation – Category 1
	s. 1: Skin sensitisation – Category 1
	A: Carcinogenicity – Category 1A