Printing date 04/11/2023

Reviewed on 04/11/2023

1 Identification

- · Product identifier
- · Trade name: Clean StripTM Ultra J3
- · Article number: 309134
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

Carc. 1B H350 May cause cancer.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: Distillates (petroleum), solvent-dewaxed heavy paraffinic Solvent naphtha (petroleum), medium aliph. cumene

ethylbenzene

Hazard statements

Combustible liquid.

May cause cancer.

Causes damage to the central nervous system through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

Precautionary statements
Keep away from flames and hot surfaces. – No smoking.
Do not breathe dust/fume/gas/mist/vapors/spray.
If swallowed: Immediately call a poison center/doctor.
Do NOT induce vomiting.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: Clean Strip[™] Ultra J3

Class	ific	cation	sys	tem:	

· NFPA ratings (scale 0 - 4)

Health = 1 Fire = 2 Reactivity = 0



HEALTH1Health = 1FIRE2Fire = 2PHYSICAL HAZARD0Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	· Dangerous components:			
$64742-65-0 \text{ Distillates (petroleum), solvent-dewaxed heavy paraffinic} \geq 0.1-<70$				
$64742-88-7 Solvent naphtha (petroleum), medium aliph. \geq 10-<.$		≥10-<30%		
98-82-8	98-82-8 cumene ≥0.25-			
100-41-4 ethylbenzene ≥0.1-<0.2				
Additional	information. East the wording of the listed harged physics refer to section 16			

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Seek medical treatment.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.

 $(Contd. \ on \ page \ 3)$

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: Clean Strip[™] Ultra J3

• Advice for firefighters • Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

	98-82-8 cumene		
PEL	Long-term value: 245 mg/m³, 50 ppm Skin		
REL	Long-term value: 245 mg/m³, 50 ppm Skin		

(Contd. on page 4)

US -

Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: Clean StripTM Ultra J3

	(Contd. of page 3
TLV	Long-term value: (246) NIC-0.5 mg/m ³ , (50) NIC-0.1 ppm NIC-A3
100-	41-4 ethylbenzene
PEL	Long-term value: 435 mg/m ³ , 100 ppm
REL	Short-term value: 545 mg/m ³ , 125 ppm
	Long-term value: 435 mg/m ³ , 100 ppm
TLV	Long-term value: 87 mg/m³, 20 ppm BEI
Ingr	edients with biological limit values:
100-	41-4 ethylbenzene
BEI	0.7 g/g creatinine
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)
	-
	Medium: end-exhaled air
	Time: not critical
	Parameter: Ethyl benzene (semi-quantitative) itional information: The lists that were valid during the creation were used as basis.
Imm Wash Store Avoi Brea In co prote	b away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes and skin. at hing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respirator ective device that is independent of circulating air. ection of hands:
The	Protective gloves
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. protection: Wear appropriate eye protection to prevent eye contact.
Phy	sical and chemical properties
Info	rmation on basic physical and chemical properties
Info Gen	

Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
• Odor threshold:	Not determined.

(Contd. on page 5)

US

Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: Clean Strip[™] Ultra J3

		(Contd. of page
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. >157 °C (>314.6 °F)	
Flash point:	63 °C (145.4 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	265 °C (509 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits: Lower: Upper:	0.6 Vol % 6.5 Vol %	
Vapor pressure at 20 °C (68 °F):	6.6 hPa (5 mm Hg)	
Density: Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
Solvent content: Organic solvents:	27.7 %	
Solids content: Other information	68.4 % No further relevant information available.	
Volatile Organic Compounds:	Contains less than 250 g/L.	

10 Stability and reactivity

· Reactivity No decomposition if stored and applied as directed.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid Keep away from heat and sources of ignition.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: Clean Strip[™] Ultra J3

(Contd. of page 5)

Information on toxicological effects Acute toxicity:					
LD/LC50 values that are relevant for classification:					
64742-88-7 Solvent naphtha (petroleum), medium aliph.					
<i>Oral LD50</i> >6,500 mg/kg (rat)					
Dermal	LD50	>3,000 mg/kg (rab)			
Inhalative	e LC50/4 h	>14 mg/l (rat)			
 on the eye: No irritating effect known. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Carcinogenic. Carcinogenic categories 					
The produ Carcinoge	ict shows the enic.	he following dangers according to internally approved calculation methods for preparations:			
The produ Carcinoge Carcinoge IARC (Int	uct shows th enic. enic catego ternational	he following dangers according to internally approved calculation methods for preparations:			
The produ Carcinoge Carcinoge IARC (Im 98-82-8	uct shows th enic. enic catego ternational 8 cumene	he following dangers according to internally approved calculation methods for preparations: pries	21		
The produ Carcinoge Carcinoge IARC (Im 98-82-8 1330-20-7	uct shows th enic. enic catego ternational 8 cumene 7 xylene	he following dangers according to internally approved calculation methods for preparations: pries I Agency for Research on Cancer)	3		
The produ Carcinoge Carcinoge IARC (Im 98-82-8 1330-20-7	uct shows th enic. enic catego ternational 8 cumene	he following dangers according to internally approved calculation methods for preparations: pries I Agency for Research on Cancer)			
The produ Carcinoge Carcinoge IARC (Im 98-82-8 1330-20-7 100-41-4 NTP (Nat	uct shows the enic. enic catego ternational cumene	he following dangers according to internally approved calculation methods for preparations: pries I Agency for Research on Cancer)	3		
The produ Carcinoge Carcinoge IARC (Im 98-82-8 1330-20-7 100-41-4	uct shows the enic. enic catego ternational cumene	he following dangers according to internally approved calculation methods for preparations: pries Agency for Research on Cancer) tene	3		

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: Clean StripTM Ultra J3

• Uncleaned packagings: • Recommendation: Disposal must be made according to Federal, State, and Local regulations.

Transport information	
UN-Number	
	NA1993
ADR, IMDG, IATA	UN1993
UN proper shipping name	
DOT	COMBUSTIBLE LIQUID, N.O.S (Turpentine substitute)
ADR IMDG, IATA	1993 FLAMMABLE LIQUID, N.O.S. (DIESEL FUEL) FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE)
	FLAMMABLE EIGOID, N.O.S. (TOKI ENTINE SOBSTITUTE,
Fransport hazard class(es)	
DOT	
RAMMER LOD	
Class	3 Combustible liquids
Label	3
ADR, IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
EMS Number:	<i>F-E,<u>S-E</u></i>
Fransport in bulk according to Annex II of MARPOL73/	
ind the IBC Code	Not applicable.
Fransport/Additional information:	
1 IDR	
Excepted quantities (EQ)	Code: El
~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
U.S. Domestic Ground Shipments:	Same as listed for Standard Shipments above.
U.S. Domestic Ground Non-Bulk (119 gal or less per ontainer) Shipments:	DOT: Not regulated (Reclassified as per 49CFR 173.150).
Emergency Response Guide (ERG) Number:	Not determine
	(Contd. on pag

Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: Clean Strip[™] Ultra J3

	(Contd. of page 7)
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (DIESEL FUEL), 3, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below,

95-63-6	1,2,4-trimethylbenzene	≥0.25-<0.9%
98-82-8	cumene	≥0.25-<0.3%
1330-20-7	xylene	<0.2%
100-41-4	ethylbenzene	≥0.1-<0.2%
TSCA (Tox	xic Substances Control Act):	
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	ACTIVE
64742-88-2	7 Solvent naphtha (petroleum), medium aliph.	ACTIVE
112-80-1	l oleic acid, pure	ACTIVI
95-63-0	5 1,2,4-trimethylbenzene	ACTIVI
98-82-8	8 cumene	ACTIVI
1330-20-2	7 xylene	ACTIVI
100-41-4	4 ethylbenzene	ACTIVI
Hazardous	Air Pollutants	
98-82-8	cumene	
1330-20-7	xylene	
100-41-4	ethylbenzene	
Proposition	n 65	
	known to the State of California (Prop. 65) to cause cancer:	
98-82-8 d		
100-41-4 e	ethylbenzene	
Chemicals	known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	
None of the	e ingredients is listed.	
Chemicals	known to cause developmental toxicity:	
None of the	e ingredients is listed.	
		(Contd. on page

Printing date 04/11/2023

Reviewed on 04/11/2022

Trade name: Clean Strip[™] Ultra J3

Reviewea	on	04/1	1/2023	

		(Contd. of page 8)			
· Canceroge	nity categories				
· EPA (Environmental Protection Agency)					
95-63-6	1,2,4-trimethylbenzene	II			
98-82-8	cumene	D, CBD			
1330-20-7	xylene	Ι			
100-41-4	ethylbenzene	D			
· TLV (Thr	shold Limit Value established by ACGIH)				
1330-20-7	xylene	A4			
100-41-4	ethylbenzene	A3			
· MAK (Gei	man Maximum Workplace Concentration)				
112-80-1	oleic acid, pure	3A			
100-41-4	ethylbenzene	<i>3A</i>			
· NIOSH-C	a (National Institute for Occupational Safety and Health)				

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Distillates (petroleum), solvent-dewaxed heavy paraffinic Solvent naphtha (petroleum), medium aliph. cumene ethylbenzene

· Hazard statements Combustible liquid.

May cause cancer.

Causes damage to the central nervous system through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

· Precautionary statements

Keep away from flames and hot surfaces. – No smoking.

Do not breathe dust/fume/gas/mist/vapors/spray.

If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 04/11/2023

Trade name: Clean StripTM Ultra J3

Reviewed on 04/11/2023

(Contd. of page 9)

fea	tures and shall not establish a legally valid contractual relationship.
	partment issuing SDS: Environmental, Health & Safety Department
	ntact: Environmental, Health & Safety Manager
Da	te of preparation / last revision 04/11/2023 / 84
	breviations and acronyms:
	R: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage
	gerous Goods by Road)
	OG: International Maritime Code for Dangerous Goods
	T: US Department of Transportation
	A: International Air Transport Association
	GIH: American Conference of Governmental Industrial Hygienists
ΕIN	ECS: European Inventory of Existing Commercial Chemical Substances
ELI	NCS: European List of Notified Chemical Substances
CA.	S: Chemical Abstracts Service (division of the American Chemical Society)
	PA: National Fire Protection Association (USA)
	IS: Hazardous Materials Identification System (USA)
	50: Lethal concentration, 50 percent
	50: Lethal dose, 50 percent
	T: Persistent, Bioaccumulative and Toxic
	B: very Persistent and very Bioaccumulative
	DSH: National Institute for Occupational Safety
	HA: Occupational Safety & Health
	7: Threshold Limit Value
	L: Permissible Exposure Limit L: Recommended Exposure Limit
	: Recommended Exposure Limit : Biological Exposure Limit
	n. Lig. 4: Flammable liquids – Category 4
	rc. 1B: Carcinogenicity – Category 1B
	TRE 1: Specific target organ toxicity (repeated exposure) – Category 1
	. Tox. 1: Aspiration hazard – Category 1
-~P	· · · · · · · · · · · · · · · · · · ·