Printing date 13.08.2019 Version number 75 Revision: 13.08.2019

Hazardous according to criteria of Australian Safety and Compensation Council.

### 1 Identification

- · Product identifier
- · Trade name: Clean Strip<sup>TM</sup> Ultra J3
- · Article number: 309133AU
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dayton Superior Corporation (Australia) PTY LTD

5A Connection Drive Campbellfield, VIC 3061

Australia

Australia Phone: +61 1300 DAYTON (329866)

· Emergency telephone number:

Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

Australia in-country +(61)-290372994

### 2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

Carc. 1B H350 May cause cancer.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Solvent naphtha (petroleum), medium aliph.

cumene

ethylbenzene

· Hazard statements

Combustible liquid.

May cause cancer.

Causes damage to the central nervous system through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

*Printing date 13.08.2019 Version number 75 Revision: 13.08.2019* 

Trade name: Clean Strip™ Ultra J3

(Contd. of page 1)

Keep out of reach of children.

Read label before use.

Keep away from flames and hot surfaces. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous	components:	
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic  Carc. 1B, H350	≥10-<70%
64742-88-7	Solvent naphtha (petroleum), medium aliph.  The solution of th	≥10-<30%
98-82-8	cumene <b>♦</b> Flam. Liq. 3, H226; <b>♦</b> Carc. 2, H351; Asp. Tox. 1, H304; <b>♦</b> STOT SE 3, H335	≥0.25-<0.3%
	ethylbenzene Flam. Liq. 2, H225;	≥0.1-<0.2%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First Aid Measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 13.08.2019 Version number 75 Revision: 13.08.2019

Trade name: Clean Strip<sup>TM</sup> Ultra J3

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 98-82-8 cumene

WES Short-term value: 375 mg/m³, 75 ppm Long-term value: 125 mg/m³, 25 ppm

#### 100-41-4 ethylbenzene

WES Short-term value: 543 mg/m³, 125 ppm Long-term value: 434 mg/m³, 100 ppm

Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 13.08.2019 Version number 75 Revision: 13.08.2019

Trade name: Clean Strip™ Ultra J3

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection: Wear appropriate eye protection to prevent eye contact.

9 PI	ivsical	and	Cl	iemical	P	roner	ties
	y b v c cv	COLUCT	$\mathbf{v}$	contracta		I OP CI	

· Information on basic phys	sical and chemical properties	
· General Information		
· Appearance:		
Form:	Liquid	

Colour: According to product specification
Odour: Characteristic

• Odour threshold: Not determined.
• nH-value: Not determined.

· pH-value: Not determined.

• Change in condition

Melting point/freezing point:

Undetermined.

Initial boiling point and boiling range: >157 °C

• Flash point: 63 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: 265 °C

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Not determined.

· Explosion limits:

 Lower:
 0.6 Vol %

 Upper:
 6.5 Vol %

· Vapour pressure at 20 °C: 6.6 hPa

Density: Not determined.
 Relative density Not determined.

• Vapour density Not determined.

Not determined.

(Contd. on page 5)

Printing date 13.08.2019 Version number 75 Revision: 13.08.2019

Trade name: Clean Strip<sup>TM</sup> Ultra J3

	(Contd. of pag
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	27.7 %
Solids content:	68.4 %
· Other information	No further relevant information available.

## 10 Stability and Reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

#### 64742-88-7 Solvent naphtha (petroleum), medium aliph.

Oral	LD50	>6,500 mg/kg (rat)
Dermal	<i>LD50</i>	>3,000 mg/kg (rab)
Inhalative	LC50/4 h	>14 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Carcinogenic.

### 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

Printing date 13.08.2019 Version number 75 Revision: 13.08.2019

Trade name: Clean Strip<sup>TM</sup> Ultra J3

(Contd. of page 5)

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

7 4 7	A. Control of the Con		C	
	TANC	nort i	ntorn	ation
	<u> I WII</u> S	ט טוטע	ווו זטןטו	uuuuu

	IIN_	Num	hor
•	UIV-	I V WIII	nei

· ADG, IMDG, IATA

· UN proper shipping name

 $\cdot$  ADG

· IMDG, IATA FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE)

Α

UN1993

1993 FLAMMABLE LIQUID, N.O.S.

- · Transport hazard class(es)
- · ADG, IMDG, IATA



· Class 3 Flammable liquids.

· Packing group

· ADG, IMDG, IATA III

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids.

· Danger code (Kemler):

· EMS Number: F-E,S-E

· Stowage Category

· Transport in bulk according to Annex II of Marpol and the

IBC Code Not applicable.

(Contd. on page 7)

Printing date 13.08.2019 Version number 75 Revision: 13.08.2019

Trade name: Clean Strip<sup>TM</sup> Ultra J3

	(Contd. of pag
Transport/Additional information:	
ADG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

1330-20-7 xylene

*S6* 

- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Solvent naphtha (petroleum), medium aliph.

cumene

ethylbenzene

#### · Hazard statements

Combustible liquid.

May cause cancer.

Causes damage to the central nervous system through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

#### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from flames and hot surfaces. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Do NOT induce vomiting.

Store locked up.

(Contd. on page 8)

Printing date 13.08.2019 Version number 75 Revision: 13.08.2019

Trade name: Clean Strip<sup>TM</sup> Ultra J3

(Contd. of page 7)

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Technical instructions (air):

Class	Share in %
NK	27.7

- · Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Carc. 1B: Carcinogenicity - Category 1B

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1