Printing date 06/17/2020

Reviewed on 04/15/2020

1 Identification

- · Product identifier
- Trade name: Clear Resin Cure J11W
- · Article number: 83-69116
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

Aquatic Acute 2 H401 Toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: Solvent naphtha (petroleum), medium aliph.
- Distilled Tall Oil Fatty Acids

• Hazard statements May cause an allergic skin reaction. Causes damage to the central nervous system through prolonged or repeated exposure. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Precautionary statements
Do not breathe dust/fume/gas/mist/vapors/spray.
Avoid release to the environment.
Wear protective gloves.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/17/2020

Reviewed on 04/15/2020

Trade name: Clear Resin Cure J11W

• Classification system: • NFPA ratings (scale 0 - 4)

Health = 0

Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH \bigcirc Health = 0FIRE \bigcirc Fire = 0PHYSICAL HAZARDReactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
68131-87-3	Petroleum Hydrocarbon Resin	<i>≥</i> 2.5-<14%
64742-88-7	Solvent naphtha (petroleum), medium aliph.	>5-<7.5%
61790-12-3	Distilled Tall Oil Fatty Acids	≥1-<1.1%
• Additional information: For the wording of the listed hazard phrases refer to section 16.		

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention. • After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

Printing date 06/17/2020

Reviewed on 04/15/2020

Trade name: Clear Resin Cure J11W

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
- · Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

⁻ US -

Printing date 06/17/2020

Trade name: Clear Resin Cure J11W

· Control parameters · Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • *Eve protection:* Wear appropriate eye protection to prevent eye contact. 9 Physical and chemical properties ..

· Appearance:		
Form:	Liquid	
Color:	White	
· Odor:	Solvent-like	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	230 °C (446 °F)	
• Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	

(Contd. of page 3)

Reviewed on 04/15/2020

Printing date 06/17/2020

Reviewed on 04/15/2020

Trade name: Clear Resin Cure J11W

		(Contd. of page
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	1.1 Vol %	
Upper:	6 Vol %	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
• Density at 20 °C (68 °F):	0.986 g/cm ³ (8.22817 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	5.5-7.6 %	
Water:	77.3 %	
Solids content:	20.1 %	
• Other information	No further relevant information available.	
· Volatile Organic Compounds:	Contains less than 100 g/L.	

10 Stability and reactivity

· Reactivity No decomposition if stored and applied as directed.

- · *Chemical stability No decomposition if stored and applied as directed*
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

64742-88-7 Solvent naphtha (petroleum), medium aliph.

 Oral
 LD50
 >6,500 mg/kg (rat)

 Dermal
 LD50
 >3,000 mg/kg (rab)

 Inhalative
 LC50/4 h
 >14 mg/l (rat)

· Primary irritant effect:

• on the skin: May cause skin irritation.

• on the eye: No irritating effect known.

• Sensitization: Sensitization possible through skin contact.

(Contd. on page 6)

US

3

2B

2B

R

Safety Data Sheet acc. to OSHA HCS

Printing date 06/17/2020

Irritant Carcinogenic. Reviewed on 04/15/2020

Trade name: Clear Resin Cure J11W

(Contd. of page 5) · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations:

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

128-37-0 Butylated hydroxytoluene

91-20-3 naphthalene

111-42-2 2,2'-iminodiethanol

· NTP (National Toxicology Program)

91-20-3 naphthalene

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- **Bioaccumulative potential** No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Water hazard class 1 (Self-assessment): slightly hazardous for water

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

- *Recommendation:* Disposal must be made according to Federal, State, and Local regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 7)

Printing date 06/17/2020

Reviewed on 04/15/2020

Trade name: Clear Resin Cure J11W

(Contd. of page 6)

Transport information	
UN-Number DOT, ADR, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, ADR, IMDG, IATA	Not Regulated
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73, and the IBC Code	/78 Not applicable.
Transport/Additional information:	
ADR U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above. Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determine
UN ''Model Regulation'':	Not Regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

91-20-3 no	aphthalene	<0.025%
111-42-2 2,	2'-iminodiethanol	<0.1%
· TSCA (Toxi	ic Substances Control Act):	
68131-87-3	Petroleum Hydrocarbon Resin	ACTIVE
64742-88-7	Solvent naphtha (petroleum), medium aliph.	ACTIVE
61790-12-3	Distilled Tall Oil Fatty Acids	ACTIVE
25265-77-4	Trimethyl-1,3-pentanediol, monoisobutyrate	ACTIVE
141-43-5	monoethanolamine	ACTIVE
11138-66-2	Xanthan Gum	ACTIVE
128-37-0	Butylated hydroxytoluene	ACTIVE
91-20-3	naphthalene	ACTIVE
111-42-2	2,2'-iminodiethanol	ACTIVE
<u> </u>	(Con	td. on page 8)

Printing date 06/17/2020

Reviewed on 04/15/2020

Trade name: Clear Resin Cure J11W

	(Contd. of pag
107-22-2 glyoxal	ACTIV
7732-18-5 water, distilled, conductivity or of similar purity	ACTIV
Hazardous Air Pollutants	
91-20-3 naphthalene	
111-42-2 2,2'-iminodiethanol	
Proposition 65	
Chemicals known to the State of California (Prop. 65) to cause cancer:	
91-20-3 naphthalene	
111-42-2 2,2'-iminodiethanol	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Cancerogenity categories	
EPA (Environmental Protection Agency)	
91-20-3 naphthalene	<i>C</i> , <i>CB</i>
TLV (Threshold Limit Value established by ACGIH)	
128-37-0 Butylated hydroxytoluene	A
91-20-3 naphthalene	A
111-42-2 2,2'-iminodiethanol	A
107-22-2 glyoxal	Α
MAK (German Maximum Workplace Concentration)	
128-37-0 Butylated hydroxytoluene	4
91-20-3 naphthalene	2
111-42-2 2,2'-iminodiethanol	3
107-22-2 glyoxal	ĉ

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: Solvent naphtha (petroleum), medium aliph. Distilled Tall Oil Fatty Acids

Hazard statements
 May cause an allergic skin reaction.
 Causes damage to the central nervous system through prolonged or repeated exposure.

(Contd. on page 9)

Printing date 06/17/2020

Reviewed on 04/15/2020

Trade name: Clear Resin Cure J11W

(Contd. of page 8)

US

Toxic to aquatic life. Toxic to aquatic life with long lasting effects. • **Precautionary statements** Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment. Wear protective gloves. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health & Safety Department

- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 06/17/2020 / 190
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA:** Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2