Tel.: (866) 329-8724

Safety Data Sheet acc. to OSHA HCS

Printing date 03/05/2019 Reviewed on 03/05/2019

1 Identification

- · Product identifier
- · Trade name: Cure & Seal 1315 EF
- · Article number: 83-308669
- · Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dayton® Superior

4226 Kansas Avenue

Kansas City, KS 66106

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



(Contd. on page 2)

Printing date 03/05/2019 Reviewed on 03/05/2019

Trade name: Cure & Seal 1315 EF

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 03/05/2019 Reviewed on 03/05/2019

Trade name: Cure & Seal 1315 EF

	(Contd. of page
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
7664-41-7 ammonia, anhydrous	30 ppm
1336-21-6 ammonia	61 ppm
64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic	140 mg/m
7631-86-9 silicon dioxide, chemically prepared	18 mg/m³
107-21-1 ethanediol	30 ppm
123-91-1	17 ppm
PAC-2:	
7664-41-7 ammonia, anhydrous	160 ppm
1336-21-6 ammonia	330 ppm
64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic	1,500 mg/m
7631-86-9 silicon dioxide, chemically prepared	740 mg/m^3
107-21-1 ethanediol	150 ppm
123-91-1	320 ppm
PAC-3:	·
7664-41-7 ammonia, anhydrous	1,100 ppm
1336-21-6 ammonia	2,300 ppm
64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic	8,900 mg/m
7631-86-9 silicon dioxide, chemically prepared	4,500 mg/m
107-21-1 ethanediol	900 ppm
123-91-1 1,4-dioxane	760 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Printing date 03/05/2019 Reviewed on 03/05/2019

Trade name: Cure & Seal 1315 EF

(Contd. of page 3)

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:

· Change in condition

Melting point/Melting range:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection: Wear appropriate eye protection to prevent eye contact.

α \mathbf{n}	• 7	7 7		
UPhw	CICAL A	nde	aomical	properties
	sicui u	nu ci	<i>iemicui</i>	properties

· General Information	• •
· Appearance:	
Form:	Liquid
Color:	White
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.

· Information on basic physical and chemical properties

Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.

Tush point.	пот аррисавие.
· Flammability (solid, gaseous):	Not applicable.

· Decomposition temperature:	Not determined.
A	D

Undetermined.

Danger of explosion: Product does not present an explosion hazard.
 Explosion limits:

Lower: Not determined.
Upper: Not determined.

• Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

• Density at 20 °C (68 °F): 1.07 g/cm³ (8.92915 lbs/gal) • Relative density Not determined.

Vapor density
 Evaporation rate
 Not determined.
 Not determined.

(Contd. on page 5)

Printing date 03/05/2019 Reviewed on 03/05/2019

Trade name: Cure & Seal 1315 EF

		(Contd. of page
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	65.1 %	
Solids content:	30.0 %	
Other information	No further relevant information available.	
Volatile Organic Compounds:	Contains less than 100 g/L.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: May cause skin irritation.
- · on the eye: No irritating effect known.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinoge	nic categories	
· IARC (Int	ernational Agency for Research on Cancer)	
7631-86-9	silicon dioxide, chemically prepared	3
123-91-1	1,4-dioxane	2 <i>B</i>
· NTP (Nati	onal Toxicology Program)	
123-91-1	1,4-dioxane	R
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of th	e ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

Printing date 03/05/2019 Reviewed on 03/05/2019

Trade name: Cure & Seal 1315 EF

(Contd. of page 5)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADR, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, ADR, IMDG, IATA	Not Regulated
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR U.S. Domestic Ground Shipments:	Same as listed for Standard Shipments above.
U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determine

(Contd. on page 7)

Printing date 03/05/2019 Reviewed on 03/05/2019

Trade name: Cure & Seal 1315 EF

(Contd. of page 6)

· UN "Model Regulation":

Not Regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

7664-41-7 ammonia, anhydrous

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

7664-41-7	ammonia, anhydrous	<0.1%
1336-21-6	ammonia	<0.1%
107-21-1	ethanediol	<0.1%
123-91-1	1,4-dioxane	<0.1%

- · TSCA (Toxic Substances Control Act):
 - 770-35-4 1-Phenoxypropan-2-ol
 - 51730-94-0 Dipropylene glycol phenyl ether
 - 41556-26-7 Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4-piperidinyl) ester
 - 7664-41-7 ammonia, anhydrous
- 104810-48-2 poly(oxy-1,2-ethanediyl), $\alpha-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-<math>\omega$ -hydroxy-
- 104810-47-1 poly(oxy-1,2-ethanediyl), $\alpha-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-<math>\omega-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-$
 - 1336-21-6 ammonia
- 82919-37-7 Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4-piperidinyl ester
- 64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic
- 7631-86-9 silicon dioxide, chemically prepared
- 107-21-1 ethanediol
- 123-91-1 1,4-dioxane
- 7732-18-5 water, distilled, conductivity or of similar purity
- · Proposition 65
- · Chemicals known to the State of California (Prop. 65) to cause cancer:

123-91-1 1,4-dioxane

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

107-21-1 ethanediol

(Contd. on page 8)

Printing date 03/05/2019 Reviewed on 03/05/2019

Trade name: Cure & Seal 1315 EF

 Cancerogenity categories

 • EPA (Environmental Protection Agency)
 123-91-1 | 1,4-dioxane
 L

 • TLV (Threshold Limit Value established by ACGIH)
 A4

 107-21-1 | ethanediol
 A4

 123-91-1 | 1,4-dioxane
 A3

 • MAK (German Maximum Workplace Concentration)
 4

 123-91-1 | 1,4-dioxane
 4

 • NIOSH-Ca (National Institute for Occupational Safety and Health)
 4

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms

123-91-1 1,4-dioxane



- · Signal word Warning
- · Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 03/05/2019 / 80
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)

Printing date 03/05/2019 Reviewed on 03/05/2019

Trade name: Cure & Seal 1315 EF

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Sens. 1: Skin sensitisation – Category 1

(Contd. of page 8)

US