Printing date 12/05/2016

Reviewed on 12/05/2016

1 Identification

- · Product identifier
- · Trade name: HD 25 VO
- · Article number: 83-67458
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 *Hazard*(*s*) *identification*

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 1A H350 May cause cancer.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: Quartz (SiO2) Cement, portland, chemicals
- Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause cancer.
- · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 12/05/2016

Trade name: HD 25 VO

Reviewed on 12/05/2016

(Contd. of page 1)

· Classification system:

 \cdot NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0PHYSICAL HAZARD0Reactivity = 0

 \cdot Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

 $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$

· Dangerous components:			
14808-60-7	Quartz (SiO2)	25-50%	
1317-65-3	Limestone	10-25%	
26499-65-0	Calcium sulfate	<i>≤10%</i>	
1332-58-7	Kaolin	<i>≤</i> 5%	
65997-15-1	Cement, portland, chemicals	≤ 2.5%	
· Additional i	• Additional information: For the wording of the listed hazard phrases refer to section 16.		

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention. • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Seek medical treatment.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 12/05/2016

Reviewed on 12/05/2016

Trade name: HD 25 VO

(Contd. of page 2)

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- \cdot Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. No special measures required.

- *Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.*
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

Printing date 12/05/2016

Reviewed on 12/05/2016

Trade name: HD 25 VO

time, the remaining constituent has no known exposure limits. 60-7 Quartz (SiO2) ee Quartz listing cong-term value: 0.05* mg/m ³ ⁶ respirable dust; See Pocket Guide App. A cong-term value: 0.025* mg/m ³ ⁶ as respirable fraction 65-0 Calcium sulfate cong-term value: 15* 5** mg/m ³ ⁶ total dust **respirable fraction 68-7 Kaolin Cong-term value: 15* 5** mg/m ³ ⁶ total dust **respirable fraction
ee Quartz listing Long-term value: 0.05* mg/m ³ Stespirable dust; See Pocket Guide App. A Long-term value: 0.025* mg/m ³ Stas respirable fraction -65-0 Calcium sulfate Long-term value: 15* 5** mg/m ³ Stotal dust **respirable fraction Long-term value: 10* 5** mg/m ³ Stotal dust **respirable fraction 58-7 Kaolin Long-term value: 15* 5** mg/m ³
Long-term value: 0.05* mg/m ³ ⁵ respirable dust; See Pocket Guide App. A Long-term value: 0.025* mg/m ³ ⁵ as respirable fraction -65-0 Calcium sulfate Long-term value: 15* 5** mg/m ³ ⁵ total dust **respirable fraction Long-term value: 10* 5** mg/m ³ ⁵ total dust **respirable fraction 58-7 Kaolin Long-term value: 15* 5** mg/m ³
as respirable fraction •65-0 Calcium sulfate Cong-term value: 15 5** mg/m ³ *total dust **respirable fraction Cong-term value: 10* 5** mg/m ³ *total dust **respirable fraction 58-7 Kaolin Cong-term value: 15* 5** mg/m ³
Long-term value: 15* 5** mg/m ³ [*] total dust **respirable fraction Long-term value: 10* 5** mg/m ³ [*] total dust **respirable fraction 58-7 Kaolin Long-term value: 15* 5** mg/m ³
<pre>*total dust **respirable fraction Long-term value: 10* 5** mg/m³ *total dust **respirable fraction 58-7 Kaolin Long-term value: 15* 5** mg/m³</pre>
<pre>*total dust **respirable fraction 58-7 Kaolin Cong-term value: 15* 5** mg/m³</pre>
Long-term value: 15* 5** mg/m ³
Cong-term value: 10* 5** mg/m³ *total dust **respirable fraction
Long-term value: 2* mg/m³ E; as respirable fraction
-15-1 Cement, portland, chemicals
Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction
Long-term value: 10* 5** mg/m³ stotal dust **respirable fraction
Long-term value: 1* mg/m³ E; *as respirable fraction
onal information: The lists that were valid during the creation were used as basis.
ure controls al protective equipment: al protective and hygienic measures: way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing. hands before breaks and at the end of work. protective clothing separately. contact with the eyes and skin. hing equipment: Suitable respiratory protective device recommended.
stickstick



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/05/2016

Reviewed on 12/05/2016

Trade name: HD 25 VO

• *Eye protection:* Wear appropriate eye protection to prevent eye contact.

Appearance:SolidForm:SolidColor:According to product specificationOdor:CharacteristicOdor threshold:Not determined.PH-value:Not applicable.Change in condition Melting point/Melting range: Boiling point/Boiling range:Undetermined. >999 °C (>1830 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not determined.Ignition temperature:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Out does not present an explosion hazard.	P Physical and chemical prope	rties
Form:SolidColor:According to product specificationOdor threshold:Not determined.Odor threshold:Not determined.pH-value:Not applicable.Change in condition Melting point/Melting range:>999 °C (>1830 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not determined.Flammability (solid, gaseous):Not determined.Ignition temperature:Not determined.Decomposition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not selfigniting.Chape: of explosion limits: Lover:Not determined.Upper:Not determined.Vapor pressure:Not applicable.Ponsity at 20 °C (68 °F):2.77142 g/cm² (23.127 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Solubility in / Miscibility with Water:Soluble.Viscosity: Dynamic: Kinematic:Not applicable.Solubility in / Miscibility with Water:Not applicable.Solubile.Soluble.Soluble.Soluble.Soluble.Soluble.Soluble.Not applicable.Soluble.Not applicable.Soluble.Not applicable.Soluble.Not applicable.Soluble.Not applicable.Soluble.Not applicable.Soluble.Not applicable.Soluble.Not applicable.Soluble.Not applicable. </th <th>· General Information</th> <th>chemical properties</th>	· General Information	chemical properties
Color:According to product specificationOdor threshold:CharacteristicOdor threshold:Not adtermined.pH-value:Not applicable.Change in condition Melting point/Beiling range:Undetermined.Boiling point/Beiling range:>999 °C (>1830 °F)Flash point:Not applicable.Flash point:Not applicable.Flash point:Not determined.Japition temperature:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Ohanger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.Vapor pressure:Not applicable.Vapor densityNot applicable.Soluble:Soluble.Soluble:Soluble.Varier:Soluble.Soluble:Soluble.Soluble:Not applicable.Soluble:Not applicable.Soluble:Soluble.Soluble:Soluble.Soluble:Not applicable.Soluble:Not applicable. <th></th> <th>Solid</th>		Solid
Odor:CharacteristicOdor threshold:Not determined.PH-value:Not adetermined.PH-value:Not applicable.Change in condition Metting point/Melting range:Undetermined.Boiling point/Molting range:>999 °C (>1830 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not determined.Ignition temperature:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Vapor pressure:Not determined.Vapor pressure:Not determined.Vapor pressure:Not determined.Vapor densityNot applicable.Pensity at 20 °C (68 °F):2.77142 gcm² (23.127 lbs/gal)Relative densityNot applicable.Evaporation rateNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Soluble.Partition coefficient (n-octanol/water): Not applicable.Soluble.Partition coefficient (n-octanol/water): Not applicable.Soluble.Pontition coefficient (n-octanol/water): Not applicable.Soluble.Soluble.Soluble.Soluble.Soluble.Soluble.Soluble.Soluble.Soluble.Soluble.Soluble.Soluble.Soluble.		
pH-value: Not applicable. Change in condition Melting point/Melting range: >999 °C (>1830 °F) Flash point: Not applicable. Flash point: Not applicable. Flash point: Not determined. Flain point/Boiling range: >999 °C (>1830 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not determined. Indition temperature: Not determined. Decomposition temperature: Not determined. Outcl is not selfigniting. Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapor pressure: Not determined. Vapor pressure: Not applicable. Evaluation rate Not applicable. Evaporation rate Not applicable. Soluble. Soluble. Partition coefficient (n-octanol/water): Not determined. Not applicable. Viscosity: Not applicable. Soluble: Not applicable. Soluble: Not applicable. Soluble: Not applicable. Soluble: Not applicable. <t< th=""><th>· Odor:</th><th></th></t<>	· Odor:	
Change in condition Melting point/Melting range: Undetermined. >999 °C (>1830 °F) Flash point: Not applicable. Flash point: Not applicable. Flammability (solid, gaseous): Not determined. Ignition temperature: Not determined. Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapor pressure: Not determined. Vapor pressure: Not determined. Vapor density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solublity in / Miscibility with Kater: Water: Soluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not applicable. Solvent content: On % Organic solvents: 0.0 % Solids content: 100.0 % Other information No further relevant information available. </th <th>· Odor threshold:</th> <th>Not determined.</th>	· Odor threshold:	Not determined.
Melting point/Melting range: Vndetermined. Boiling point/Boiling range: >999 °C (>1830 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not determined. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Not determined. Lower: Not determined. Vapor pressure: Not applicable. Vapor pressure: Not applicable. Peraptice density Not applicable. Vapor density Not applicable. Solubility in / Miscibility with Soluble. Vareer: Soluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not applicable. Solubile: Not applicable. Solvents: 0.0 % Solvent content: 0.0 % Organic solvents: 0.0 % Solids content: Not further relevant information available.	· pH-value:	Not applicable.
Flammability (solid, gaseous): Not determined. Ignition temperature: Not determined. Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Image: Not determined. Uorer: Not determined. Upper: Not determined. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 2.77142 g/cm³ (23.127 lbs/gal)) Relative density Not determined. Vapor density Not applicable. Solubility in / Miscibility with Not applicable. Solubility in / Miscibility with Soluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. Solvent content: Not applicable. Organic solvents: 0.0 % Solids content: 100.0 % Other information No further relevant information available.		
Ignition temperature: Not determined. Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure: Not applicable. Pensity at 20 °C (68 °F): 2.77142 g/cm³ (23.127 lbs/gal) Relative density Not determined. Vapor density Not applicable. Solubility in / Miscibility with Not applicable. Vater: Soluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not applicable. Solvent content: 0.0 % Organic solvents: 0.0 % Solids content: 100.0 % Other information No further relevant information available.	· Flash point:	Not applicable.
Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.Pressure:Not applicable.Vapor ansityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Soluble.Viscosity:Not applicable.Dynamic:Not applicable.Kinematic:Not applicable.Solvent content: Organic solvents:0.0 %Solids content:0.0 %Other informationNot further relevant information available.	· Flammability (solid, gaseous):	Not determined.
Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Image: Comparison of the explosion hazard. Lower: Not determined. Upper: Not determined. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 2.77142 g/cm³ (23.127 lbs/gal) Relative density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Viscosity: Soluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. Solvent content: Not applicable. Solids content: 0.0 % Solids content: 100.0 % Other information No further relevant information available.	· Ignition temperature:	
Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Vaper:Not determined.Vaper:Not applicable.Density at 20 °C (68 °F):2.77142 g/cm³ (23.127 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Soluble.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: 	Decomposition temperature:	Not determined.
Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 2.77142 g/cm³ (23.127 lbs/gal) Relative density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Not applicable. Vater: Soluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not applicable. Solvent content: Not applicable. Organic solvents: 0.0 % Solids content: 100.0 % Other information No further relevant information available.	· Auto igniting:	Product is not selfigniting.
Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):2.77142 g/cm³ (23.127 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Soluble.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not applicable.Dynamic:Not applicable.Kinematic:Not applicable.Solvent content: Organic solvents:0.0 %Solids content:100.0 %Other informationNot further relevant information available.	• Danger of explosion:	Product does not present an explosion hazard.
Upper:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):2.77142 g/cm³ (23.127 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Soluble.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:Not applicable.Solids content: Other information0.0 %	· Explosion limits:	
Vapor pressure:Not applicable.• Density at 20 °C (68 °F):2.77142 g/cm³ (23.127 lbs/gal)• Relative densityNot determined.• Vapor densityNot applicable.• Vapor densityNot applicable.• Evaporation rateNot applicable.• Solubility in / Miscibility with Water:Soluble.• Partition coefficient (n-octanol/water):Not determined.• Viscosity: Dynamic: Kinematic:Not applicable.• Solvent content: Organic solvents:0.0 %• Solids content: Other information0.0 %		
Density at 20 °C (68 °F):2.77142 g/cm³ (23.127 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Soluble.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:0.0 %Solids content: Other information100.0 %No further relevant information available.	Upper:	Not determined.
Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Soluble.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:0.0 %Solids content: Other information100.0 %Not further relevant information available.	· Vapor pressure:	Not applicable.
Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Soluble.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:Not applicable.Solvent content: Organic solvents:0.0 %Solids content: Organic niformation100.0 %Not further relevant information available.	Density at 20 °C (68 °F):	2.77142 g/cm ³ (23.127 lbs/gal)
Evaporation rateNot applicable.Solubility in / Miscibility with Water:Soluble.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:0.0 %Solids content: Organic niformation100.0 %Not further relevant information available.	Relative density	Not determined.
Solubility in / Miscibility with Water:Soluble.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:Not applicable.Solids content: Other information100.0 %Not further relevant information available.	Vapor density	Not applicable.
Water:Soluble.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not applicable.Dynamic:Not applicable.Kinematic:Not applicable.Solvent content:0.0 %Organic solvents:0.0 %Solids content:100.0 %Not further relevant information available.	Evaporation rate	Not applicable.
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Organic solvents: Organic solvents: 0.0 % Solids content: 100.0 % Other information No further relevant information available.		2
Viscosity: Not applicable. Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: 0.0 % Solids content: 100.0 % Other information No further relevant information available.		
Dynamic:Not applicable.Kinematic:Not applicable.Solvent content:0.0 %Organic solvents:0.0 %Solids content:100.0 %Other informationNo further relevant information available.		ter): Not determined.
Kinematic:Not applicable.Solvent content: Organic solvents:0.0 %Solids content:100.0 %Other informationNo further relevant information available.		
Solvent content: 0.0 % Organic solvents: 0.0 % Solids content: 100.0 % Other information No further relevant information available.		
Organic solvents:0.0 %Solids content:100.0 %Other informationNo further relevant information available.	Kinematic:	Not applicable.
Solids content:100.0 %Other informationNo further relevant information available.		
Other information No further relevant information available.	Organic solvents:	0.0 %
Other information No further relevant information available.	Solids content:	100.0 %
Volatile Organic Compounds: Not determined		
	· Volatile Organic Compounds:	Not determined

(Contd. on page 6)

(Contd. of page 5)

Reviewed on 12/05/2016

Safety Data Sheet acc. to OSHA HCS

Printing date 12/05/2016

Trade name: HD 25 VO

10 Stability and reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- \cdot Conditions to avoid Keep away from heat and sources of ignition.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: May cause skin irritation.
- on the eye:
- Strong irritant with the danger of severe eye injury. Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful
- Irritant
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
14808-60-7	Quartz (SiO2)	1	
13983-17-0	Wollastonite	3	
7631-86-9	silicon dioxide, chemically prepared	3	
13463-67-7	titanium dioxide	2B	
1309-37-1	diiron trioxide	3	
· NTP (Natio	· NTP (National Toxicology Program)		
14808-60-7	Quartz (SiO2)	K	
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the	ingredients is listed.		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/05/2016

Reviewed on 12/05/2016

Trade name: HD 25 VO

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to Federal, State, and Local regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADR, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73, and the IBC Code	N 78 Not applicable.
Transport/Additional information:	
ADR U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above. Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determine
· UN "Model Regulation":	Not Regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

(Contd. on page 8)

US

Printing date 12/05/2016

Reviewed on 12/05/2016

Trade name: HD 25 VO

Section 313	(Specific toxic chemical listings):	(Contd. of pag
This produc	et may contain 1 or more toxic chemicals subject to the reporting requirements of Section	313 of Title III of
	mendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemica	als are listed below
1344-28-1	aluminium oxide	<u>≤1</u>
554-13-2	lithium carbonate	<i>≤1</i>
TSCA (Tox	ic Substances Control Act):	
14808-60-7	Quartz (SiO2)	
65997-16-2	Cement, alumina, chemicals	
1317-65-3	Limestone	
13983-17-0	Wollastonite	
1332-58-7	Kaolin	
65997-15-1	Cement, portland, chemicals	
99999-99-9	Non-hazardous material	
7631-86-9	silicon dioxide, chemically prepared	
	aluminium oxide	
	lithium carbonate	
	titanium dioxide	
7778-18-9	calcium sulphate, natural	
1332-37-2	Iron oxide	
12136-45-7	dipotassium oxide	
1309-37-1	diiron trioxide	
Proposition	65	
	known to the State of California (Prop. 65) to cause cancer:	
	Quartz (SiO2)	
13463-67-7	titanium dioxide	
Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
Chemicals	known to cause developmental toxicity:	
	thium carbonate	
-	nity categories onmental Protection Agency)	
	ingredients is listed.	
•		
,	hold Limit Value established by ACGIH)	
14808-60-7	Quartz (SiO2)	F
		F
	aluminium oxide	F
	titanium dioxide	F
	diiron trioxide	F
	magnesium oxide	P
	nan Maximum Workplace Concentration)	
14808-60-7	Quartz (SiO2)	1

Printing date 12/05/2016

Reviewed on 12/05/2016

Trade name: HD 25 VO

	(Contd. of page	e 8)
1344-28-1	aluminium oxide	
13463-67-7	titanium dioxide 34	A
· NIOSH-Ca ((National Institute for Occupational Safety and Health)	
14808-60-7	Quartz (SiO2)	
13463-67-7	titanium dioxide	
· GHS label el · Hazard picto	lements The product is classified and labeled according to the Globally Harmonized System (GHS). ograms	
GHS07 C	GHS08	
· Signal word	Danger	
Quartz (SiO2 Cement, port Hazard state Causes skin Causes serio May cause a May cause a May cause c Precautiona Avoid breath Wear protect If in eyes: Ri Specific trea Store locked	tland, chemicals ments irritation. us eye irritation. n allergic skin reaction. ancer. ry statements ling dust/fume/gas/mist/vapors/spray tive gloves. nse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing tment (see on this label).	g.
· National reg	rulations:	
	d class: Water hazard class 1 (Self-assessment): slightly hazardous for water. fety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

The provided information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 12/05/2016 / 26

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 (Contd. on page 10)

Printing date 12/05/2016

Trade name: HD 25 VO

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 1A: Carcinogenicity, Hazard Category 1A Reviewed on 12/05/2016

(Contd. of page 9)

US