Printing date 07/25/2016

Reviewed on 07/25/2016

### **1** Identification

- · Product identifier
- Trade name: <u>Resin Cure with Dye J11WD</u>
- · Article number: 83-68928
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

### 2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: Stoddard solvent Distilled Tall Oil Fatty Acids
Hazard statements May cause an allergic skin reaction. Causes damage to the central nervous system through prolonged or repeated exposure.
Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves. Specific treatment (see on this label). Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system: NFPA ratings (scale 0 - 4)



 $(Contd. \ on \ page \ 2)$ 

Printing date 07/25/2016

Reviewed on 07/25/2016

(Contd. of page 1)

 $\leq 10\%$ 

 $\leq 2.5\%$ 

#### Trade name: Resin Cure with Dye J11WD

· HMIS-ratings (scale 0 - 4)



 $\cdot$  Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

### **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$

· Dangerous components:

8052-41-3 Stoddard solvent

61790-12-3 Distilled Tall Oil Fatty Acids

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

#### · Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Seek medical treatment.
- · Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5** Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

US

Printing date 07/25/2016

Reviewed on 07/25/2016

(Contd. of page 2)

Trade name: Resin Cure with Dye J11WD

**6** Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

# • Environmental precautions: Dilute with plenty of water.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

#### · Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

#### 8052-41-3 Stoddard solvent

PEL Long-term value: 2900 mg/m<sup>3</sup>, 500 ppm

REL Long-term value: 350 mg/m<sup>3</sup> Ceiling limit value: 1800\* mg/m<sup>3</sup> \*15-min

*TLV* Long-term value: 525 mg/m<sup>3</sup>, 100 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Printing date 07/25/2016

Reviewed on 07/25/2016

# Trade name: Resin Cure with Dye J11WD

	(Contd. of page 3)				
Immediately remove all soiled and co					
Wash hands before breaks and at the Avoid contact with the eyes and skin.	end of work.				
• Breathing equipment:					
	ution use respiratory filter device. In case of intensive or longer exposure use respiratory of circulating air.				
Protective gloves					
The glove material has to be imperm	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.				
• Material of gloves					
manufacturer to manufacturer. As the not be calculated in advance and has	loes not only depend on the material, but also on further marks of quality and varies from e product is a preparation of several substances, the resistance of the glove material can s therefore to be checked prior to the application.				
• Penetration time of glove material	e found out by the manufacturer of the protective gloves and has to be observed.				
• Eye protection: Wear appropriate ey					
9 Physical and chemical proper	ties				
· Information on basic physical and c	hemical properties				
· General Information					
· Appearance:	Timid				
Form: Color:	Liquid Red				
· Odor:	Petroleum-like				
· Odor threshold:	Not determined.				
· pH-value:	Not determined.				
· Change in condition					
Melting point/Melting range:	Undetermined.				
Boiling point/Boiling range:	100 °C (212 °F)				
· Flash point:	Not applicable.				
· Flammability (solid, gaseous):	Not applicable.				
· Ignition temperature:	230 °C (446 °F)				
· Decomposition temperature:	Not determined.				
· Auto igniting:	Product is not selfigniting.				
· Danger of explosion:	Product does not present an explosion hazard.				
· Explosion limits:					
Lower:	1.1 Vol %				
Upper:	6.0 Vol %				
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)				
· Density at 20 °C (68 °F):	0.98607 g/cm <sup>3</sup> (8.229 lbs/gal)				
· Relative density	Not determined.				
· Vapor density	Not determined.				
	(Contd. on page 5)				

Printing date 07/25/2016

Reviewed on 07/25/2016

Trade name: Resin Cure with Dye J11WD

		Contd. of page 4)
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.3 %	
Water:	77.4 %	
Solids content:	20.0 %	
$\cdot$ Other information	No further relevant information available.	
· Volatile Organic Compounds:	Contains less than 100 g/L.	

# **10 Stability and reactivity**

• *Reactivity* No decomposition if stored and applied as directed.

- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

#### · Information on toxicological effects

- Acute toxicity:
- · Primary irritant effect:
- $\cdot$  on the skin: May cause skin irritation.
- on the eye: No irritating effect known.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

111-42-2 2,2'-iminodiethanol

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 6)

2B

US

Printing date 07/25/2016

Reviewed on 07/25/2016

#### Trade name: Resin Cure with Dye J11WD

(Contd. of page 5)

### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:
- Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to Federal, State, and Local regulations.* 

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group		
DOT, ADR, IMDG, IATA	Not Regulated	
Environmental hazards:		
Marine pollutant:	No	
Transport in bulk according to Annex II of M	ARPOL73/78	
and the IBC Code	Not applicable.	

*≤*0.01%

### Safety Data Sheet acc. to OSHA HCS

Printing date 07/25/2016

Reviewed on 07/25/2016

Trade name: Resin Cure with Dye J11WD

	(Contd. of page 6)
· Transport/Additional information:	
<ul> <li>ADR</li> <li>U.S. Domestic Ground Shipments:</li> <li>U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:</li> </ul>	Same as listed for Standard Shipments above. Same as listed for Standard Shipments above.
· Emergency Response Guide (ERG) Number:	Not determine
· UN "Model Regulation":	Not Regulated

# **15 Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings): This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

111-42-2 2,2'-iminodiethanol

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to the State of California (Prop. 65) to cause cancer:

111-42-2 2,2'-iminodiethanol

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

111-42-2 2,2'-iminodiethanol

· MAK (German Maximum Workplace Concentration)

111-42-2 2,2'-iminodiethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

A3

3B

Printing date 07/25/2016

Reviewed on 07/25/2016

Trade name: Resin Cure with Dye J11WD

(Contd. of page 7)



· Signal word Danger

Hazard-determining components of labeling: Stoddard solvent Distilled Tall Oil Fatty Acids
Hazard statements May cause an allergic skin reaction. Causes damage to the central nervous system through prolonged or repeated exposure.
Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves. Specific treatment (see on this label). Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

- Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

The provided information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health & Safety Department

- *Contact: Environmental, Health & Safety Manager*
- · Date of preparation / last revision 07/25/2016 / 143
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Sens. 1: Sensitisation Skin, Hazard Category 1
- STOT RE 1: Specific target organ toxicity Repeated exposure, Hazard Category 1