

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/26/2022

Reviewed on 04/26/2022

### 1 Identification

- **Product identifier**
- **Trade name:** TOP ETCH - DEEP
- **Article number:** 140899
- **Application of the substance / the mixture**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Dayton® Superior  
4226 Kansas Avenue  
Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

- **Information department:** Environmental, Health, and Safety department.

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**  
2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol  
1,2-benzisothiazol-3(2H)-one
- **Hazard statements**  
May cause an allergic skin reaction.
- **Precautionary statements**  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wear protective gloves.  
If skin irritation or rash occurs: Get medical advice/attention.  
Specific treatment (see on this label).  
Wash contaminated clothing before reuse.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 0

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: TOP ETCH - DEEP

(Contd. of page 1)

### · HMIS-ratings (scale 0 - 4)

HEALTH	1	Health = 1
FIRE	0	Fire = 0
PHYSICAL HAZARD	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

111-76-2	2-butoxyethanol	<4.5%
4719-04-4	2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	≥0.1-<0.2%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
In the event of persistent symptoms receive medical treatment.
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.  
Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**  
Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: TOP ETCH - DEEP

(Contd. of page 2)

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions: Do not allow product to reach sewage system or any water course.**
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.
- **Information about protection against explosions and fires: No special measures required.**
- **Conditions for safe storage, including any incompatibilities**
- **Storage: cool and dry**
- **Requirements to be met by storerooms and receptacles: No special requirements.**
- **Information about storage in one common storage facility: Not required.**
- **Further information about storage conditions: None.**
- **Specific end use(s) No further relevant information available.**

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems: No further data; see item 7.**
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

### 111-76-2 2-butoxyethanol

PEL	Long-term value: 240 mg/m <sup>3</sup> , 50 ppm Skin
REL	Long-term value: 24 mg/m <sup>3</sup> , 5 ppm Skin
TLV	Long-term value: 97 mg/m <sup>3</sup> , 20 ppm BEI

- **Ingredients with biological limit values:**

### 111-76-2 2-butoxyethanol

BEI	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid with hydrolysis
-----	--

- **Additional information: The lists that were valid during the creation were used as basis.**

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: TOP ETCH - DEEP

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing.  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes and skin.
- **Breathing equipment:**  
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Eye protection:** Wear appropriate eye protection to prevent eye contact.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	According to product specification
- **Odor:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
- **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)
- **Density at 20 °C (68 °F):** 1.045 g/cm<sup>3</sup> (8.72053 lbs/gal)
- **Relative density** Not determined.
- **Vapor density** Not determined.
- **Evaporation rate** Not determined.

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: TOP ETCH - DEEP

(Contd. of page 4)

- |   |  |
|---|--|
| <b>· Solubility in / Miscibility with Water:</b>  | Fully miscible.                            |
| <b>· Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| <b>· Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.                            |
| <b>Kinematic:</b>                                 | Not determined.                            |
| <b>· Solvent content:</b>                         |  |
| <b>Organic solvents:</b>                          | 4.4 %                                      |
| <b>Water:</b>                                     | 56.1 %                                     |
| <b>Solids content:</b>                            | 16.4 %                                     |
| <b>· Other information</b>                        | No further relevant information available. |

## 10 Stability and reactivity

- **Reactivity** No decomposition if stored and applied as directed.
- **Chemical stability** No decomposition if stored and applied as directed
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Keep away from heat and sources of ignition.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** May cause skin irritation.
- **on the eye:** No irritating effect known.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

111-76-2	2-butoxyethanol	3
3567-69-9	1-naphthalenesulfonic acid, 4-hydroxy-3-[(4-sulfo-1-naphthalenyl)azo]-, disodium salt	3
7440-43-9	cadmium (non-pyrophoric)	1
7439-92-1	lead	2B
7439-97-6	mercury	3
	Chromium (VI) compounds, with the exception of barium chromate	1

- **NTP (National Toxicology Program)**

7440-43-9	cadmium (non-pyrophoric)	K
7439-92-1	lead	R
	Chromium (VI) compounds, with the exception of barium chromate	K

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: TOP ETCH - DEEP

(Contd. of page 5)

· OSHA-Ca (Occupational Safety &amp; Health Administration)

7440-43-9 cadmium (non-pyrophoric)

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment); slightly hazardous for water
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to Federal, State, and Local regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · DOT, ADR, ADN, IMDG, IATA  | Not Regulated   |
| · <b>UN proper shipping name</b>   |                 |
| · DOT, ADR, ADN, IMDG, IATA  | Not Regulated   |
| · <b>Transport hazard class(es)</b>  |                 |
| · DOT, ADR, ADN, IMDG, IATA  |                 |
| · <b>Class</b>   | Not Regulated   |
| · <b>Packing group</b>   |                 |
| · DOT, ADR, IMDG, IATA   | Not Regulated   |
| · <b>Environmental hazards:</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: TOP ETCH - DEEP

(Contd. of page 6)

· **Transport/Additional information:**

· **ADR**

· **U.S. Domestic Ground Shipments:** Same as listed for Standard Shipments above.

· **U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:** Same as listed for Standard Shipments above.

· **Emergency Response Guide (ERG) Number:** Not determine

· **UN "Model Regulation":** Not Regulated

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

111-76-2	2-butoxyethanol	<4.5%
7440-43-9	cadmium (non-pyrophoric)	.0%
7439-92-1	lead	.0%
7439-97-6	mercury	.0%

· **TSCA (Toxic Substances Control Act):**

526-95-4	D-gluconic acid	ACTIVE
	Poly(ethylene glycol)-block-poly(propylene-glycol)-block-poly(ethylene glycol)	ACTIVE
111-76-2	2-butoxyethanol	ACTIVE
4719-04-4	2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	ACTIVE
1310-73-2	sodium hydroxide	ACTIVE
3567-69-9	1-naphthalenesulfonic acid, 4-hydroxy-3-[(4-sulfo-1-naphthalenyl)azo]-, disodium salt	ACTIVE
2634-33-5	1,2-benzisothiazol-3(2H)-one	ACTIVE
7440-43-9	cadmium (non-pyrophoric)	ACTIVE
7439-92-1	lead	ACTIVE
7439-97-6	mercury	ACTIVE
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE

· **Hazardous Air Pollutants**

7439-92-1	lead
-----------	------

· **Proposition 65**

· **Chemicals known to the State of California (Prop. 65) to cause cancer:**

7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead
	Chromium (VI) compounds, with the exception of barium chromate

· **Chemicals known to cause reproductive toxicity for females:**

7439-92-1	lead
-----------	------

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/26/2022

Reviewed on 04/26/2022

**Trade name: TOP ETCH - DEEP**

(Contd. of page 7)

	Chromium (VI) compounds, with the exception of barium chromate
--	--

· **Chemicals known to cause reproductive toxicity for males:**

7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead
	Chromium (VI) compounds, with the exception of barium chromate

· **Chemicals known to cause developmental toxicity:**

7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead
7439-97-6	mercury
	Chromium (VI) compounds, with the exception of barium chromate

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

111-76-2	2-butoxyethanol	NL
7440-43-9	cadmium (non-pyrophoric)	B1
7439-92-1	lead	B2
7439-97-6	mercury	D

· **TLV (Threshold Limit Value established by ACGIH)**

111-76-2	2-butoxyethanol	A3
7440-43-9	cadmium (non-pyrophoric)	A2
7439-92-1	lead	A3
7439-97-6	mercury	A4

· **MAK (German Maximum Workplace Concentration)**

111-76-2	2-butoxyethanol	4
7440-43-9	cadmium (non-pyrophoric)	1
7439-92-1	lead	2
7439-97-6	mercury	3B
	Chromium (VI) compounds, with the exception of barium chromate	2

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-43-9	cadmium (non-pyrophoric)
	Chromium (VI) compounds, with the exception of barium chromate

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol  
1,2-benzisothiazol-3(2H)-one

· **Hazard statements**

May cause an allergic skin reaction.

(Contd. on page 9)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/26/2022

Reviewed on 04/26/2022

**Trade name: TOP ETCH - DEEP**

(Contd. of page 8)

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health & Safety Department

· **Contact:** Environmental, Health & Safety Manager

· **Date of preparation / last revision** 04/26/2022 / 4

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Skin Sens. 1: Skin sensitisation – Category 1