Hazardous according to criteria of Australian Safety and Compensation Council.

## 1 Identification

- · Product identifier
- · Trade name: Turbo Grout HP 12
- · Article number: 145829AU
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dayton Superior Corporation (Australia) PTY LTD

5A Connection Drive Campbellfield, VIC 3061

Australia

Australia Phone: +61 1300 DAYTON (329866)

· Emergency telephone number:

Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

Australia in-country <u>+(61)-2903</u>72994

## 2 Hazard(s) Identification

· Classification of the substance or mixture

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 1A H350 May cause cancer.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms







GHS08

GHS05

)5 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

Cement, portland, chemicals

Quartz (SiO2)

· Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause cancer.

May cause respiratory irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

(Contd. on page 2)

Printing date 28.02.2017 Version number 30 Revision: 28.02.2017

Trade name: Turbo Grout HP 12

(Contd. of page 1)

Read label before use.

Do not breathe dusts or mists.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| U       | · Dangerous components:  |        |  |
|---------|--|--------|--|
| 14808-0 | 50-7 Quartz (SiO2)   | 25-50% |  |
|         | 🕸 Carc. 1A, H350; 🕠 Eye Irrit. 2A, H319  |        |  |
| 65997-  | 5-1 Cement, portland, chemicals  | 25-50% |  |
|         | ♦ Carc. 1A, H350; ♦ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♦ Skin Sens. 1, H317; STOT SE 3, H335 |        |  |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

*Drink plenty of water and provide fresh air. Call for a doctor immediately.* 

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 28.02.2017 Version number 30 Revision: 28.02.2017

Trade name: Turbo Grout HP 12

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

No special measures required.

· Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- $\cdot$  *Specific end use*(s) *No further relevant information available.*

### 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO2)

WES (Australia) Long-term value: 0.1 mg/m³ respirable dust

### 65997-15-1 Cement, portland, chemicals

WES (Australia) Long-term value: 10 mg/m<sup>3</sup>

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 28.02.2017 Version number 30 Revision: 28.02.2017

Trade name: Turbo Grout HP 12

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- $\cdot \textit{Respiratory protection:} \ \textit{Suitable respiratory protective device recommended}.$
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection: Wear appropriate eye protection to prevent eye contact.

## 9 Physical and Chemical Properties

| · Information on basic physical and chemical properties |
|---|
|---|

· General Information

· Appearance:

Form: Solid

*Colour:* According to product specification

Odour: CharacteristicOdour threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

**Melting point/freezing point:** Undetermined. **Initial boiling point and boiling range:** >999 °C

• Flash point: Not applicable.

· Flammability (solid, gas): Not determined.

· Ignition temperature:

**Decomposition temperature:** Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapour pressure: Not applicable.

• **Density at 20** °C:  $0 \text{ g/cm}^3$ 

Relative density Not determined.Vapour density Not applicable.

• Evaporation rate Not applicable.

(Contd. on page 5)

Printing date 28.02.2017 Version number 30 Revision: 28.02.2017

Trade name: Turbo Grout HP 12

|  | (Contd. of p  | page 4 |
|--|---|--------|
| · Solubility in / Miscibility with water:      | Insoluble.  |        |
| · Partition coefficient: n-octanol/water:      | Not determined.                                       |        |
| · Viscosity:<br>Dynamic at 20°C:<br>Kinematic: | 0 mPas<br>Not applicable.                             |        |
| · Solvent content:<br>Organic solvents:        | 0.0 %   |        |
| Solids content:<br>· Other information         | 100.0 %<br>No further relevant information available. |        |

## 10 Stability and Reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation May cause skin irritation.
- · Serious eye damage/irritation

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Respiratory or skin sensitisation Sensitisation possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic.

## 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)

Printing date 28.02.2017 Version number 30 Revision: 28.02.2017

Trade name: Turbo Grout HP 12

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| Transport information  |                      |
|--|----------------------|
| · UN-Number<br>· ADG, ADN, IMDG, IATA                                | Non Regulated by DOT |
| · UN proper shipping name<br>· ADG, ADN, IMDG, IATA                  | Non Regulated by DOT |
| · Transport hazard class(es)   |                      |
| · ADG, ADN, IMDG, IATA<br>· Class                                    | Non Regulated by DOT |
| · Packing group<br>· ADG, IMDG, IATA                                 | Non Regulated by DOT |
| · Environmental hazards:<br>· Marine pollutant:                      | No                   |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | ,<br>Not applicable. |

## 15 Regulatory information

· UN "Model Regulation":

· Safety, health and environmental regulations/legislation specific for the substance or mixture

| ~-yy  |                             |      |  |   |
|---|-----------------------------|------|--|---|
| · Australian Inventory of Chemical Substances |                             |      |  |   |
| 14808-60-7                                    | Quartz (SiO2)               |      |  |   |
| 65997-15-1                                    | Cement, portland, chemicals |      |  |   |
| 65997-16-2                                    | Cement, alumina, chemicals  |      |  |   |
| 7440-44-0                                     | carbon                      |      |  |   |
|   |                             | (0 1 |  | - |

Non Regulated by DOT

(Contd. on page 7)

Printing date 28.02.2017 Version number 30 Revision: 28.02.2017

Trade name: Turbo Grout HP 12

|              | (Contd. of page 6)   |  |  |
|--------------|--|--|--|
| 9084-06-4    | Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt |  |  |
| 1344-28-1    | aluminium oxide  |  |  |
| 471-34-1     | calcium carbonate  |  |  |
| 13463-67-7   | titanium dioxide   |  |  |
| 1309-37-1    | diiron trioxide  |  |  |
| 7778-18-9    | calcium sulphate, natural  |  |  |
| 7704-34-9    | sulfur   |  |  |
| Standard for | Standard for the Uniform Scheduling of Medicines and Poisons     |  |  |

### · Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms







GHS05

GHS07

· Signal word Danger

## · Hazard-determining components of labelling:

Cement, portland, chemicals

Quartz (SiO2)

#### · Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause cancer.

May cause respiratory irritation.

### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dusts or mists.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### · Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:

### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

AU

Printing date 28.02.2017 Version number 30 Revision: 28.02.2017

Trade name: Turbo Grout HP 12

(Contd. of page 7)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1

Carc. 1A: Carcinogenicity – Category 1A

Carc. 1A: Carcinogenicity - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

AII