Printing date 04/22/2016

Reviewed on 04/22/2016

1 Identification

- · Product identifier
- Trade name: White Wax Cure CRD300
- · Article number: 83-306539
- \cdot Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:
titanium dioxide
Stoddard solvent
Distilled Tall Oil Fatty Acids
· Hazard statements
May cause an allergic skin reaction.
May cause genetic defects.
May cause cancer.
· Precautionary statements
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2016

Reviewed on 04/22/2016

Trade name: White Wax Cure CRD300

· Classification	system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH \bigcirc Health = 0FIRE \bigcirc Fire = 0PHYSICAL HAZARD \bigcirc Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

 $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$

· Dangerous	components:	
13463-67-7	titanium dioxide	≤ 2.5%
61790-12-3	Distilled Tall Oil Fatty Acids	≤ 2.5%
8052-41-3	Stoddard solvent	<i>≤1</i> %
• Additional information: For the wording of the listed hazard phrases refer to section 16.		

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention. • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

Printing date 04/22/2016

Reviewed on 04/22/2016

Trade name: White Wax Cure CRD300

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions:
- Dilute with plenty of water.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

(Contd. on page 4)

US

Printing date 04/22/2016

Reviewed on 04/22/2016

Trade name: White Wax Cure CRD300

(Contd. of page 3)

8052-41-3 Stoddard solvent

PEL Long-term value: 2900 mg/m³, 500 ppm

REL Long-term value: 350 mg/m³ Ceiling limit value: 1800* mg/m³ *15-min

TLV Long-term value: 525 mg/m³, 100 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Wear appropriate eye protection to prevent eye contact.

9 Physical and chemical properties

• Information on basic physical and • General Information	chemical properties	
· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
• Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
		(Contd. on page 5)

Printing date 04/22/2016

Reviewed on 04/22/2016

Trade name: White Wax Cure CRD300

	(Contd. of page
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
Density at 20 °C (68 °F):	1.018 g/cm ³ (8.495 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.5 %
Water:	71.8 %
Solids content:	27.0 %
Other information	No further relevant information available.
Volatile Organic Compounds:	Not determined

10 Stability and reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: May cause skin irritation.
- on the eye: No irritating effect known.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 6)

Printing date 04/22/2016

Reviewed on 04/22/2016

Trade name: White Wax Cure CRD300

		(Contd. of page 5)
Irritant		
Carcinogen	ic.	
The product	t can cause inheritable damage.	
· Carcinogen	ic categories	
· IARC (Inter	rnational Agency for Research on Cancer)	
13463-67-7	titanium dioxide	2B
7631-86-9	silicon dioxide, chemically prepared	3
14808-60-7	Quartz (SiO2)	1
67-63-0	isopropanol	3
111-42-2	2,2'-iminodiethanol	2B
79-10-7	acrylic acid	3
· NTP (Natio	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Water hazard class 1 (Self-assessment): slightly hazardous for water

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 7)

Printing date 04/22/2016

Reviewed on 04/22/2016

Trade name: White Wax Cure CRD300

(Contd. of page 6)

UN-Number DOT, ADR, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
ADR U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above. Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determine
UN "Model Regulation":	Not Regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture S_{apa}

• Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

67-63-0 isopropanol		<i>≤</i> 0.01%
111-42-2 2,2'-iminodietha	ıol	<u>≤0.01%</u>
79-10-7 acrylic acid		≤0.01%
· TSCA (Toxic Substances C	Control Act):	
All ingredients are listed.		
· Proposition 65		
· Chemicals known to the St	ate of California (Prop. 65) to cause cancer:	
13463-67-7 titanium dioxid	le	
14808-60-7 Quartz (SiO2)		
111-42-2 2,2'-iminodiet	hanol	
· Chemicals known to cause	reproductive toxicity for females:	
None of the ingredients is l	sted.	
		(Contd. on page 8)

Printing date 04/22/2016

Reviewed on 04/22/2016

Trade name: White Wax Cure CRD300

		(Contd. of pag
	nown to cause reproductive toxicity for males:	
	ingredients is listed.	
	nown to cause developmental toxicity:	
None of the	ingredients is listed.	
· Cancerogen	ity categories	
· EPA (Envir	onmental Protection Agency)	
None of the	ingredients is listed.	
• TLV (Thres	hold Limit Value established by ACGIH)	
13463-67-7	titanium dioxide	F
1332-58-7	Kaolin	I I I I I I I I I I I I I I I I I I I
14808-60-7	Quartz (SiO2)	F
67-63-0	isopropanol	F
111-42-2	2,2'-iminodiethanol	A
79-10-7	acrylic acid	l l
· MAK (Gern	nan Maximum Workplace Concentration)	
13463-67-7	titanium dioxide	-
14808-60-7	Quartz (SiO2)	i 🗌
111-42-2	2,2'-iminodiethanol	
· NIOSH-Ca	(National Institute for Occupational Safety and Health)	
13463-67-7	titanium dioxide	
14808-60-7	Quartz (SiO2)	

· Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: titanium dioxide Stoddard solvent Distilled Tall Oil Fatty Acids Hazard statements
- Hazard statements May cause an allergic skin reaction. May cause genetic defects. May cause cancer.
 Precautionary statements

Precautionary statements
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)

Printing date 04/22/2016

Reviewed on 04/22/2016

Trade name: White Wax Cure CRD300

(Contd. of page 8)

US

· National regulations:

- Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
- Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- Date of preparation / last revision 04/22/2016 / 24
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Sens. 1: Sensitisation Skin, Hazard Category 1
- Muta. 1B: Germ cell mutagenicity, Hazard Category 1B
- Carc. 1B: Carcinogenicity, Hazard Category 1B