Printing date 06/15/2020

Reviewed on 06/15/2020

1 Identification

- · Product identifier
- Trade name: White Wax Cure J9A
- · Article number: 83-69165
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling: titanium dioxide Distilled Tall Oil Fatty Acids
- Hazard statements May cause an allergic skin reaction. Suspected of causing cancer. Harmful to aquatic life.
- Harmful to aquatic life with long lasting effects.
- **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapors/spray

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/15/2020

Reviewed on 06/15/2020

Trade name: White Wax Cure J9A

• (Classification	system:

 \cdot NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH \bigcirc Health = 0FIRE \bigcirc Fire = 0PHYSICAL HAZARDReactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

 $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$

· Dangerous c	omponents:	
13463-67-7	titanium dioxide	≥ 0.1-<1.5%
68131-87-3	Petroleum Hydrocarbon Resin	≥ 0.25-<1.5%
61790-12-3	Distilled Tall Oil Fatty Acids	≥1-<1.1%
· Additional in	<i>iformation:</i> For the wording of the listed hazard phrases refer to section 16.	

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention. • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/15/2020

Reviewed on 06/15/2020

Trade name: White Wax Cure J9A

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

(Contd. on page 4)

Printing date 06/15/2020

Trade name: White Wax Cure J9A

Reviewed on 06/15/2020

(Contd. of page 3)

Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Eye protection: Wear appropriate eye protection to prevent eye contact.

9 Physical and chemical properties

· Information on basic physical and c	hemical properties
· General Information	
· Appearance:	7 · · · 1
Form:	Liquid
Color:	Clear
· Odor:	Mild
• Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	0.993 g/cm ³ (8.28659 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
	(Contd. on page 5)

Printing date 06/15/2020

Reviewed on 06/15/2020

Trade name: White Wax Cure J9A

	(Contd. of)	page 4)
Kinematic:	Not determined.	
· Solvent content: Organic solvents: Water:	1-1.2 % 73.8 %	
Solids content: • Other information	25.1 % No further relevant information available.	
· Volatile Organic Compounds:	Contains less than 50 g/L.	

10 Stability and reactivity

- *Reactivity* No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: May cause skin irritation.
- on the eye: No irritating effect known.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic.

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
13463-67-7	titanium dioxide	2B
7631-86-9	silicon dioxide, chemically prepared	3
	Quartz (SiO2)	1
67-63-0	isopropanol	3
	Butylated hydroxytoluene	3
111-42-2	2,2'-iminodiethanol	2B
	naphthalene	2B
79-10-7	acrylic acid	3
· NTP (Natio	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
91-20-3	naphthalene	R
	(Contd. or	1 page 6)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/15/2020

Reviewed on 06/15/2020

Trade name: White Wax Cure J9A

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- At present there are no ecotoxicological assessments. Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:
- Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group		
DOT, ADR, IMDG, IATA	Not Regulated	
Environmental hazards:		
Marine pollutant:	No	

Printing date 06/15/2020

Reviewed on 06/15/2020

Trade name: White Wax Cure J9A

	(Contd. of page 6
• Transport in bulk according to Annex II of MARPOL73/2 and the IBC Code	78 Not applicable.
· Transport/Additional information:	
 ADR U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments: 	Same as listed for Standard Shipments above. Same as listed for Standard Shipments above.
· Emergency Response Guide (ERG) Number:	Not determine
· UN "Model Regulation":	Not Regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

67-63-0 isopropanol	<0.1%
111-42-2 2,2'-iminodiethanol	<0.1%
91-20-3 naphthalene	<0.025
79-10-7 acrylic acid	<0.1%
TSCA (Toxic Substances Control Act):	
13463-67-7 titanium dioxide	ACTIV
68131-87-3 Petroleum Hydrocarbon Resin	ACTIV
61790-12-3 Distilled Tall Oil Fatty Acids	ACTIV
1332-58-7 Kaolin	ACTIV
64742-88-7 Solvent naphtha (petroleum), medium aliph.	ACTIV
57-10-3 Palmitic acid	ACTIV
57-11-4 stearic acid, pure	ACTIV
141-43-5 monoethanolamine	ACTIV
7631-86-9 silicon dioxide, chemically prepared	ACTIV
21645-51-2 aluminium hydroxide	ACTIV
11138-66-2 Xanthan Gum	ACTIV
544-63-8 Myristic acid	ACTIV
14808-60-7 Quartz (SiO2)	ACTIV
67-63-0 isopropanol	ACTIV
4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	ACTIV
1310-73-2 sodium hydroxide	ACTIV
128-37-0 Butylated hydroxytoluene	ACTIV
111-42-2 2,2'-iminodiethanol	ACTIV

Printing date 06/15/2020

Reviewed on 06/15/2020

Trade name: White Wax Cure J9A

91-20-3	naphthalene	td. of path ACT
2634-33-5	1,2-benzisothiazol-3(2H)-one	ACT
79-10-7	acrylic acid	ACT
7732-18-5	water, distilled, conductivity or of similar purity	ACT
Hazardous	Air Pollutants	
111-42-2 2	,2'-iminodiethanol	
91-20-3 n	aphthalene	
79-10-7 a	crylic acid	
Proposition	65	
	known to the State of California (Prop. 65) to cause cancer:	
13463-67-7	titanium dioxide	
	Quartz (SiO2)	
	2,2'-iminodiethanol	
91-20-3	naphthalene	
Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
Chemicals .	known to cause developmental toxicity:	
None of the	ingredients is listed.	
Canceroge	ity categories	
-	conmental Protection Agency)	
91-20-3 na		<i>C</i> , <i>C</i>
	hold Limit Value established by ACGIH)	
	titanium dioxide	
10100 07 7		
1332-58-7	Kaolin	
1332-58-7 14808-60-7		
14808-60-7	Quartz (SiO2)	
14808-60-7 67-63-0	Quartz (SiO2) isopropanol	
14808-60-7 67-63-0 128-37-0	Quartz (SiO2) isopropanol Butylated hydroxytoluene	
14808-60-7 67-63-0 128-37-0 111-42-2	Quartz (SiO2) isopropanol Butylated hydroxytoluene 2,2'-iminodiethanol	
14808-60-7 67-63-0 128-37-0 111-42-2 91-20-3	Quartz (SiO2) isopropanol Butylated hydroxytoluene 2,2'-iminodiethanol naphthalene	
14808-60-7 67-63-0 128-37-0 111-42-2 91-20-3 79-10-7	Quartz (SiO2) isopropanol Butylated hydroxytoluene 2,2'-iminodiethanol naphthalene acrylic acid	
14808-60-7 67-63-0 128-37-0 111-42-2 91-20-3 79-10-7 MAK (Gern	Quartz (SiO2) isopropanol Butylated hydroxytoluene 2,2'-iminodiethanol naphthalene acrylic acid man Maximum Workplace Concentration)	
14808-60-7 67-63-0 128-37-0 111-42-2 91-20-3 79-10-7 MAK (Gern 13463-67-7	Quartz (SiO2) isopropanol Butylated hydroxytoluene 2,2'-iminodiethanol naphthalene acrylic acid nan Maximum Workplace Concentration) titanium dioxide	
14808-60-7 67-63-0 128-37-0 111-42-2 91-20-3 79-10-7 MAK (Gern 13463-67-7 14808-60-7	Quartz (SiO2) isopropanol Butylated hydroxytoluene 2,2'-iminodiethanol naphthalene acrylic acid man Maximum Workplace Concentration) titanium dioxide Quartz (SiO2)	
14808-60-7 67-63-0 128-37-0 111-42-2 91-20-3 79-10-7 MAK (Gern 13463-67-7 14808-60-7 128-37-0	Quartz (SiO2) isopropanol Butylated hydroxytoluene 2,2'-iminodiethanol naphthalene acrylic acid van Maximum Workplace Concentration) titanium dioxide Quartz (SiO2) Butylated hydroxytoluene	
14808-60-7 67-63-0 128-37-0 111-42-2 91-20-3 79-10-7 MAK (Gern 13463-67-7 14808-60-7 128-37-0 111-42-2	Quartz (SiO2) isopropanol Butylated hydroxytoluene 2,2'-iminodiethanol naphthalene acrylic acid man Maximum Workplace Concentration) titanium dioxide Quartz (SiO2) Butylated hydroxytoluene 2,2'-iminodiethanol	
14808-60-7 67-63-0 128-37-0 111-42-2 91-20-3 79-10-7 MAK (Gern 13463-67-7 14808-60-7 128-37-0 111-42-2 91-20-3	Quartz (SiO2) isopropanol Butylated hydroxytoluene 2,2'-iminodiethanol naphthalene acrylic acid man Maximum Workplace Concentration) titanium dioxide Quartz (SiO2) Butylated hydroxytoluene 2,2'-iminodiethanol naphthalene	
14808-60-7 67-63-0 128-37-0 111-42-2 91-20-3 79-10-7 MAK (Gern 13463-67-7 14808-60-7 128-37-0 111-42-2 91-20-3 NIOSH-Ca	Quartz (SiO2) isopropanol Butylated hydroxytoluene 2,2'-iminodiethanol naphthalene acrylic acid man Maximum Workplace Concentration) titanium dioxide Quartz (SiO2) Butylated hydroxytoluene 2,2'-iminodiethanol	


(Contd. on page 9)

Printing date 06/15/2020

Reviewed on 06/15/2020

Trade name: White Wax Cure J9A

(Contd. of page 8)





· Signal word Warning

Hazard-determining components of labeling: titanium dioxide
Distilled Tall Oil Fatty Acids
Hazard statements
May cause an allergic skin reaction.
Suspected of causing cancer.
Harmful to aquatic life.
Harmful to aquatic life with long lasting effects.
Precautionary statements
Avoid breathing dust/fume/gas/mist/vapors/spray
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The provided information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health & Safety Department

· Contact: Environmental, Health & Safety Manager

· Date of preparation / last revision 06/15/2020 / 423

```
• Abbreviations and acronyms:
```

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety

Printing date 06/15/2020

Reviewed on 06/15/2020

Trade name: White Wax Cure J9A

(Contd. of page 9)

US

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3