

according to WHMIS

AC50, Comp. A

Revision date: 19.06.2023 Page 1 of 8

1. Identification

Product identifier

AC50, Comp. A

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesive mortar for fastening elements A-Component (resin)

Uses advised against

no restriction

Details of the supplier of the safety data sheet

Company name: DEWALT Industrial Tool Co.
Street: 701 East Joppa Road
Place: USA Towson, MD 21286

Telephone: +1 800 524-3244 Telefax: +1 877 871-1965

Emergency telephone number: CHEMTREC USA: +1 800 424 9300 (24/7)

CHEMTREC International: +1 703 527 3887 (24/7)

2. Hazard identification

Classification of the substance or mixture

WHMIS 2015

This mixture is not classified as hazardous in accordance with WHMIS 2015.

Label elements

Other hazards

Use only outdoors or in a well-ventilated area.

3. Composition/information on ingredients

Mixtures

Hazardous components

CAS No	Chemical name	Quantity
2082-81-7	Tetramethylene dimethacrylate	5 - < 15 %
25013-15-4	Vinyltoluene	1 - < 6 %
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	< 2,5 %
3077-12-1	N,N-Bis-2-hydroxyethyl)-p-toluidine	< 0,5 %
6846-50-0	1-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate	< 0,5 %
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol	< 0,5 %
130-15-4	1,4-naphthoquinone	< 0,05 %

Further Information

The actual concentration is withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General information

Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.





according to WHMIS

AC50, Comp. A

Revision date: 19.06.2023 Page 2 of 8

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After inaestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

Most important symptoms and effects, whether acute or delayed

May cause an allergic skin reaction.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Foam

Extinguishing powder

Water spray jet

Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the hazardous product

Pyrolysis products, toxic

Carbon monoxide

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Use personal protective equipment as required. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Environmental precautions

Avoid release to the environment. Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Other information

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

Reference to other sections

Safe handling: see section 7





according to WHMIS

AC50, Comp. A

Revision date: 19.06.2023 Page 3 of 8

Personal protection equipment: see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area.

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

When using do not eat, drink or smoke.

Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Store in a place accessible by authorized persons only. Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Do not use for products which come into contact with the food stuffs.

Further information on storage conditions

storage temperature: 5 - 25°C

8. Exposure controls/Personal protection

Control parameters

Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m³	F/ml	Category	Origin
25013-15-4	Vinyl toluene	50			TWA (8 h)	ACGIH-2022
		100			STEL (15 min)	ACGIH-2022

Additional advice on limit values

This mixture contains quartz (inorganic filler) which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded. Exposure limit values for respirable dusts are not relevant for this product.

Exposure controls



Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Wear safety glasses.

Hand protection

Disposable gloves





according to WHMIS

AC50, Comp. A

Revision date: 19.06.2023 Page 4 of 8

Recommended material: NBR (Nitrile rubber)

Breakthrough time:

Thickness of the glove material:

DIN-/EN-Norms EN 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: solid (pasty)
Colour: light beige
Odour: characteristic
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined not applicable

Lower explosive limits:

Upper explosive limits:

Flash point:

Decomposition temperature:

pH-Value:

not determined

not applicable

not determined

not determined

Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

1,72 g/cm³

not determined

Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid: not determined Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

10. Stability and reactivity





according to WHMIS

AC50, Comp. A

Revision date: 19.06.2023 Page 5 of 8

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Response: Oxidising agent, strong

Conditions to avoid

Heat. Keep cool. Protect from sunlight.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 120347,8 mg/kg; ATE (dermal) 14941,6 mg/kg



according to WHMIS

AC50, Comp. A

Revision date: 19.06.2023 Page 6 of 8

CAS No	Chemical name							
	Route of exposure	Dose		Species	Source	Method		
2082-81-7	Tetramethylene dimethacrylate							
	oral	LD50 mg/kg	10066	Rat				
	dermal	LD50 mg/kg	> 3000	Rabbit				
25013-15-4	4 Vinyltoluene							
	dermal	LD50 mg/kg	4585	Rabbit				
27813-02-1	1 Methacrylic acid, monoester with propane-1,2-diol							
	oral	LD50 mg/kg	> 2000	Rat				
	dermal	LD50 mg/kg	> 5000	Rabbit				
3077-12-1	N,N-Bis-2-hydroxyethyl)-p-toluidine							
	oral	LD50 mg/kg	> 300	Rat				
6846-50-0	1-Isopropyl-2,2-dimet	hyltrimethy	lene Diisobu	ıtyrate				
	oral	LD50 mg/kg	3200	Rat				
	dermal	LD50 mg/kg	18900	Guinea pig				
38668-48-3	3 1,1'-(p-Tolylimino)dipropan-2-ol							
	oral	LD50 200 mg/	> 25 - < kg	Rat				
	dermal	LD50 mg/kg	> 2000	Rat				
130-15-4	1,4-naphthoquinone							
	oral	LD50 mg/kg	124	Rat				
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	0,046	Rat				

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Other information

No information available.





according to WHMIS

AC50, Comp. A

Revision date: 19.06.2023 Page 7 of 8

12. Ecological information

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

14. Transport information

Canadian TDG

Proper shipping name: Not a hazardous material with respect to these transport regulations.

Marine transport (IMDG)

<u>UN number or ID number:</u>
<u>United Nations proper shipping</u>

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

name:

Transport hazard class(es):

Packing group:

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

<u>UN number or ID number:</u>
<u>United Nations proper shipping</u>
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.

name:

<u>Transport hazard class(es):</u> No dangerous good in sense of this transport regulation. Packing group: No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

15. Regulatory information

Canadian regulations

16. Other information



DEWALT Industrial Tool Co.

according to WHMIS

AC50, Comp. A

Revision date: 19.06.2023 Page 8 of 8

Abbreviations and acronyms

ADN: Accord européen relativ au transport international des marchandises Dangereuses par voie de Navigation

(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging

DMEL: Derived Minimal Effect level DNEL: Derived No Effect Level EC50: Effective concentration, 50%

ErC50: EC50 in terms of reduction of growth rate IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration

OECD: Oragnisation for Economic Co-operation and Development

PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations

Concerning the International Carriage of Dangerous Goods by Rail)

VOC: Volatile organic compound

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to WHMIS

AC50, Comp. B

Revision date: 15.05.2023 Page 1 of 7

1. Identification

Product identifier

AC50, Comp. B

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

compound mortar B-component (hardener)

Uses advised against

no restriction

Details of the supplier of the safety data sheet

Company name: DEWALT Industrial Tool Co.
Street: 701 East Joppa Road
Place: USA Towson, MD 21286

Telephone: +1 800 524-3244 Telefax: +1 877 871-1965

Emergency telephone number: CHEMTREC USA: +1 800 424 9300 (24/7)

CHEMTREC International: +1 703 527 3887 (24/7)

2. Hazard identification

Classification of the substance or mixture

WHMIS 2015

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitization: Skin Sens. 1

Label elements

WHMIS 2015

Signal word: Warning

Pictograms:



Hazard statements

May cause an allergic skin reaction.

Causes serious eye irritation.

Precautionary statements

Avoid breathing vapors.

Wear protective gloves and eye/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container to an approved waste disposal plant in accordance with local/national regulations.

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures



according to WHMIS

AC50, Comp. B	
Revision date: 15.05.2023	Page 2 of 7

Hazardous components

CAS No	Chemical name	Quantity
94-36-0	Dibenzoyl peroxide	5 - < 15 %

Further Information

The actual concentration is withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General information

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

Most important symptoms and effects, whether acute or delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Foam

Extinguishing powder

Water spray jet

Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the hazardous product

Pyrolysis products, toxic

Carbon monoxide

Special protective equipment and precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures



according to WHMIS

AC50, Comp. B

Revision date: 15.05.2023 Page 3 of 7

General advice

Use personal protective equipment as required. Provide adequate ventilation. Avoid contact with skin, eyes and

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Other information

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area.

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

When using do not eat, drink or smoke.

Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme.

Wash hands thoroughly after handling. When using do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Store in a place accessible by authorized persons only.

Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Oxidising agent, strong

Do not use for products which come into contact with the food stuffs.

Further information on storage conditions

Keep container tightly closed in a cool place.

storage temperature: 5 - 25°C (41 - 77 F)

8. Exposure controls/Personal protection

Control parameters

Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m³	F/ml	Category	Origin
94-36-0	Benzoyl peroxide		5		TWA (8 h)	ACGIH-2022

Additional advice on limit values

This mixture contains guartz (inorganic filler) which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded. Exposure limit values for respirable dusts are





according to WHMIS

AC50, Comp. B

Revision date: 15.05.2023 Page 4 of 7

not relevant for this product.

Exposure controls





Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses.

Hand protection

Wear chemical resistant protective gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Wear respiratory protection if ventilation is inadequate.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: solid (pasty)
Colour: black
Odour: characteristic
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined not applicable Lower explosive limits: not determined Upper explosive limits: not determined Flash point: not applicable not determined Decomposition temperature: pH-Value: not applicable The study does not need to be conducted Water solubility: because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

1,59 g/cm³

not determined

Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid: not determined
Gas: not applicable





according to WHMIS

AC50, Comp. B

Revision date: 15.05.2023 Page 5 of 7

Oxidizing properties

Not oxidising.

Available oxygen content < 1%

no classification

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

10. Stability and reactivity

Reactivity

see section 10.3

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Violent reaction with: Oxidising agent

Conditions to avoid

see section 7.2

Incompatible materials

Oxidising agent, strong

Hazardous decomposition products

Benzoic acid Benzene Biphenyl

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Route of exposure	Dose		Species	Source	Method		
94-36-0	Dibenzoyl peroxide							
		LD50 mg/kg	> 5000	Rat				

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction. (Dibenzoyl peroxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.





according to WHMIS

AC50, Comp. B

Revision date: 15.05.2023 Page 6 of 7

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

OECD 201 (Desmodesmus subspicatus)

IC10: (0 - 72 h) = 30 mg/lIC50: (0 - 72 h) = 150 mg/l

OECD 202 (Daphnia magna) EC0/NOEC (48h) = 100 mg/l EC50 (48h) = >500 mg/l EC100 (48h) = >>500 mg/l

OECD 203 (Danio rerio) LC0/NOEC : 250 mg/l LC50 : > 500 mg/l LC100 : >> 500 mg/l

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

14. Transport information

Canadian TDG

<u>Proper shipping name:</u> No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>UN number or ID number:</u>

United Nations proper shipping

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

name:

<u>Transport hazard class(es):</u>
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number:No dangerous good in sense of this transport regulation.



DEWALT Industrial Tool Co.

according to WHMIS

AC50, Comp. B

Revision date: 15.05.2023 Page 7 of 7

<u>United Nations proper shipping</u>

No dangerous good in sense of this transport regulation.

name:

<u>Transport hazard class(es):</u> No dangerous good in sense of this transport regulation. <u>Packing group:</u> No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

15. Regulatory information

Canadian regulations

DSL/NDSL inventory status

All ingredients of this mixture are included on the DSL Inventory.

Provincial regulations

WHMIS 2015

16. Other information

Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Estimated average treatment effect

CAS: Chemical Abstracts Service DSL: Domestic substances list

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

ICAO-TI: International Civil Aviation Organization - Technical Instructions for the Safe Transport of Dangerous

Goods by Air

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

SIMDUT: Système d'information sur les matières dangereuses utilisées au travail

TDG: Transport of Dangerous Goods

TMD: Transport des marchandises dangereuses

TWA: Time-weighted average UN number: United Nations number

WHIMS: Workplace Hazardous Materials Information System

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)