

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. A

Revision date: 10/14/2022

Page 1 of 9

1. Identification**Product identifier**

AC50, Comp. A

Recommended use of the chemical and restrictions on use**Use of the substance/mixture**

Adhesive mortar for fastening elements A-component (resin)

Uses advised against

no restriction

Details of the supplier of the safety data sheet

Company name:	DEWALT Industrial Tool Co.	
Street:	701 East Joppa Road	
Place:	USA Towson, MD 21286	
Telephone:	+1 800 524-3244	Telefax: +1 877 871-1965

Emergency phone number: CHEMTREC USA: +1 800 424 9300 (24/7)
CHEMTREC International: +1 703 527 3887 (24/7)

2. Hazard(s) identification**Classification of the chemical****29 CFR Part 1910.1200**

Respiratory or skin sensitization: Skin Sens. 1

Label elements**29 CFR Part 1910.1200****Signal word:** Warning**Pictograms:****Hazard statements**

May cause an allergic skin reaction

Precautionary statements

Avoid breathing vapors.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Dispose of contents/container to an approved waste disposal plant in accordance with local/national regulations.

Hazards not otherwise classified

Use only outdoors or in a well-ventilated area.

3. Composition/information on ingredients**Mixtures**

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. A

Revision date: 10/14/2022

Page 2 of 9

Hazardous components

CAS No	Components	Quantity
2082-81-7	Tetramethylene dimethacrylate	5 - < 15 %
25013-15-4	Vinyltoluene	1 - < 6 %
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	< 2,5 %
3077-12-1	N,N-Bis-2-hydroxyethyl)-p-toluidine	< 0,5 %
6846-50-0	1-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate	< 0,5 %
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol	< 0,5 %
130-15-4	1,4-naphthoquinone	< 0,05 %

Further Information

The actual concentration is withheld as a trade secret.

4. First-aid measures**Description of first aid measures****General information**

Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**Foam
Extinguishing powder
Water spray jet
Carbon dioxide (CO₂)**Unsuitable extinguishing media**

Full water jet

Specific hazards arising from the chemicalPyrolysis products, toxic
Carbon monoxide**Special protective equipment and precautions for fire-fighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes.



Safety Data Sheet

according to 29 CFR 1910.1200(g)

AC50, Comp. A

Revision date: 10/14/2022

Page 3 of 9

Additional information

Suppress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Use personal protective equipment as required. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Environmental precautions

Avoid release to the environment. Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Other information

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area.

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

When using do not eat, drink or smoke.

Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme.

Wash hands thoroughly after handling. When using do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Store in a place accessible by authorized persons only. Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Do not use for products which come into contact with the food stuffs.

Further information on storage conditions

storage temperature: 5 - 25°C

8. Exposure controls/personal protection

Control parameters

Safety Data Sheet

according to 29 CFR 1910.1200(g)

AC50, Comp. A

Revision date: 10/14/2022

Page 4 of 9

Exposure limits

CAS No	Substance	ppm	mg/m ³	f/cc	Category	Origin
25013-15-4	Vinyl toluene	100	480		TWA (8 h)	PEL
		100	480		TWA (8 h)	REL
		50			TWA (8 h)	ACGIH-2022
		100			STEL (15 min)	ACGIH-2022

Additional advice on limit values

This mixture contains quartz (inorganic filler) which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded. Exposure limit values for respirable dusts are not relevant for this product.

Exposure controls



Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Wear safety goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

Hand protection

Disposable gloves
Recommended material: NBR (Nitrile rubber)
Breakthrough time:
Thickness of the glove material:
DIN-/EN-Norms EN 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	solid (pasty)	
Color:	light beige	
Odor:	characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not determined not applicable

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. A

Revision date: 10/14/2022

Page 5 of 9

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not applicable
Decomposition temperature:	not determined
pH-Value:	not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapor pressure:	not determined
Density (at 20 °C):	1,72 g/cm ³
Relative vapour density:	not determined

Other information**Information with regard to physical hazard classes**

Self-ignition temperature	
Solid:	not determined
Gas:	not applicable
Oxidizing properties	
Not oxidising.	

Other safety characteristics

Evaporation rate:	not determined
Solid content:	not determined

10. Stability and reactivity**Reactivity**

No hazardous reaction when handled and stored according to provisions.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions:	Will not occur
Response: Oxidizing agent, strong	

Conditions to avoid

Heat. Keep cool. Protect from sunlight.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information**Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 10315,5 mg/kg; ATE (dermal) 14941,6 mg/kg

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. A

Revision date: 10/14/2022

Page 6 of 9

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
2082-81-7	Tetramethylene dimethacrylate				
	oral	LD50 10066 mg/kg	Rat		
	dermal	LD50 > 3000 mg/kg	Rabbit		
25013-15-4	Vinyltoluene				
	dermal	LD50 4585 mg/kg	Rabbit		
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol				
	oral	LD50 > 2000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
3077-12-1	N,N-Bis(2-hydroxyethyl)-p-toluidine				
	oral	LD50 > 300 mg/kg	Rat		
6846-50-0	1-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate				
	oral	LD50 3200 mg/kg	Rat		
	dermal	LD50 18900 mg/kg	Guinea pig		
38668-48-3	1,1'-(p-Tolylimino)dipropen-2-ol				
	oral	LD50 > 25 - < 200 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat		
130-15-4	1,4-naphthoquinone				
	oral	LD50 124 mg/kg	Rat		
	inhalation vapour	ATE 0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 0,046 mg/l	Rat		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction (Tetramethylene dimethacrylate; Methacrylic acid, monoester with propane-1,2-diol; 1,4-naphthoquinone)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Vinyl toluene (CAS 25013-15-4) is listed in group 3.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. A

Revision date: 10/14/2022

Page 7 of 9

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards**Other information**

No information available.

12. Ecological information**Ecotoxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations**Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

14. Transport information**U.S. DOT 49 CFR 172.101****Proper shipping name:**

Not a hazardous material with respect to these transport regulations.

Marine transport (IMDG)**UN number or ID number:**

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)**UN number or ID number:**

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

No information available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. A

Revision date: 10/14/2022

Page 8 of 9

15. Regulatory information**U.S. Regulations****National Inventory TSCA**

All ingredients of this mixture are included on the TSCA Inventory.

National regulatory information

SARA Section 304 CERCLA:

1,4-Naphthoquinone (130-15-4): Reportable quantity = 5,000 (2270) lbs. (kg)

SARA Section 311/312 Hazards:

Tetramethylene dimethacrylate (2082-81-7): Immediate (acute) health hazard

Vinyltoluene (25013-15-4): Fire hazard, Immediate (acute) health hazard

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1): Immediate (acute) health hazard

N,N-Bis-2-hydroxyethyl)-p-toluidine (3077-12-1): Immediate (acute) health hazard

1,1'-(p-Tolylimino)dipropan-2-ol (38668-48-3): Immediate (acute) health hazard

1,4-Naphthoquinone (130-15-4): Immediate (acute) health hazard

State Regulations**Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Additional information

This mixture contains quartz (silica) filler which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded. Exposure limit values for respirable dusts are not relevant for this product. Silica is listed in the Proposition 65 list.

16. Other information**Hazardous Materials Information Label (HMIS)**

Health:	2
Physical Hazard:	1
Personal Protection:	X

NFPA Hazard Ratings

Health:	2
Flammability:	1
Reactivity:	1
Unique Hazard:	-

Revision date: 10/14/2022

Revision No:

**Abbreviations and acronyms**

ADN: Accord européen relatif au transport international des marchandises Dangereuses par voie de Navigation

(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)

ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging

DMEL: Derived Minimal Effect level

DNEL: Derived No Effect Level

EC50: Effective concentration, 50%

ErC50: EC50 in terms of reduction of growth rate

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. A

Revision date: 10/14/2022

Page 9 of 9

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration

OECD: Organisation for Economic Co-operation and Development

PBT: persistent, bioaccumulative and toxic

vPvB: very persistent and very bioaccumulative

PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail)

VOC: Volatile organic compound

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



Safety Data Sheet

according to 29 CFR 1910.1200(g)

AC50, Comp. B

Revision date: 12/02/2022

Page 1 of 8

1. Identification

Product identifier

AC50, Comp. B

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

compound mortar B-component (hardener)

Uses advised against

no restriction

Details of the supplier of the safety data sheet

Company name: DEWALT Industrial Tool Co.

Street: 701 East Joppa Road

Place: USA Towson, MD 21286

Telephone: +1 800 524-3244

Telefax: +1 877 871-1965

Emergency phone number:

CHEMTREC USA: +1 800 424 9300 (24/7)

CHEMTREC International: +1 703 527 3887 (24/7)

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Serious eye damage/eye irritation: Eye Irrit. 2A

Respiratory or skin sensitization: Skin Sens. 1

Label elements

29 CFR Part 1910.1200

Signal word: Warning

Pictograms:



Hazard statements

May cause an allergic skin reaction

Causes serious eye irritation

Precautionary statements

Avoid breathing vapors.

Wear protective gloves and eye/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container to an approved waste disposal plant in accordance with local/national regulations.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Mixtures

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. B

Revision date: 12/02/2022

Page 2 of 8

Hazardous components

CAS No	Components	Quantity
94-36-0	Dibenzoyl peroxide	5 - < 15 %

Further Information

The actual concentration is withheld as a trade secret.

4. First-aid measures**Description of first aid measures****General information**

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.
Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Foam
Extinguishing powder
Water spray jet
Carbon dioxide (CO₂)

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Pyrolysis products, toxic
Carbon monoxide

Special protective equipment and precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes.
Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. B

Revision date: 12/02/2022

Page 3 of 8

General advice

Use personal protective equipment as required. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up**Other information**

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

Use only outdoors or in a well-ventilated area.

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

When using do not eat, drink or smoke.

Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme.

Wash hands thoroughly after handling. When using do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed.

Store in a place accessible by authorized persons only.

Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Oxidizing agent, strong

Do not use for products which come into contact with the food stuffs.

Further information on storage conditions

Keep container tightly closed in a cool place.

storage temperature: 5 - 25°C (41 - 77 F)

8. Exposure controls/personal protection**Control parameters****Exposure limits**

CAS No	Substance	ppm	mg/m ³	f/cc	Category	Origin
94-36-0	Benzoyl peroxide	-	5		TWA (8 h)	PEL
		-	5		TWA (8 h)	REL
			5		TWA (8 h)	ACGIH-2022

Safety Data Sheet

according to 29 CFR 1910.1200(g)

AC50, Comp. B

Revision date: 12/02/2022

Page 4 of 8

Additional advice on limit values

This mixture contains quartz (inorganic filler) which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded. Exposure limit values for respirable dusts are not relevant for this product.

Exposure controls



Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

Hand protection

Wear chemical resistant protective gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed. Observe OSHA regulations for respirator use (29 CFR 1910.134).

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	solid (pasty)	
Color:	black	
Odor:	characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not determined not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not applicable
Decomposition temperature:		not determined
pH-Value:		not applicable
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapor pressure:		not determined
Density (at 20 °C):		1,59 g/cm ³
Relative vapour density:		not determined

Other information

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. B

Revision date: 12/02/2022

Page 5 of 8

Information with regard to physical hazard classes

Self-ignition temperature

Solid:

not determined

Gas:

not applicable

Oxidizing properties

Not oxidising.

Available oxygen content < 1%

no classification

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

10. Stability and reactivity**Reactivity**

see section 10.3

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Violent reaction with: Oxidising agent

Conditions to avoid

see section 7.2

Incompatible materials

Oxidizing agent, strong

Hazardous decomposition products

Benzoic acid

Benzene

Biphenyl

11. Toxicological information**Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (dermal) 12364,0 mg/kg

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
94-36-0	Dibenzoyl peroxide				
	oral	LD50 mg/kg	> 5000	Rat	

Irritation and corrosivity

Causes serious eye irritation

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction (Dibenzoyl peroxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to 29 CFR 1910.1200(g)

AC50, Comp. B

Revision date: 12/02/2022

Page 6 of 8

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA):

No ingredient of this mixture is listed.

Carcinogenicity (IARC):

Benzoyl peroxide (CAS 94-36-0) is listed in group 3.

Carcinogenicity (NTP):

No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Other information

No information available.

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

OECD 201 (Desmodesmus subspicatus)

IC10: (0 - 72 h) = 30 mg/l

IC50: (0 - 72 h) = 150 mg/l

OECD 202 (Daphnia magna)

EC0/NOEC (48h) = 100 mg/l

EC50 (48h) = >500 mg/l

EC100 (48h) = >>500 mg/l

OECD 203 (Danio rerio)

LC0/NOEC : 250 mg/l

LC50 : > 500 mg/l

LC100 : >> 500 mg/l

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.



Safety Data Sheet

according to 29 CFR 1910.1200(g)

AC50, Comp. B

Revision date: 12/02/2022

Page 7 of 8

14. Transport information

U.S. DOT 49 CFR 172.101

Proper shipping name:

Not a hazardous material with respect to these transport regulations.

Marine transport (IMDG)

UN number or ID number:

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number:

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

No information available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information

U.S. Regulations

National Inventory TSCA

All ingredients of this mixture are included on the TSCA Inventory.

National regulatory information

SARA Section 311/312 Hazards:

Benzoyl peroxide (94-36-0): Reactive, Immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Benzoyl peroxide (94-36-0): De minimis limit = 1.0 %, Reportable threshold = Standard

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Additional information

This mixture contains quartz (silica) filler which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded. Exposure limit values for respirable dusts are not relevant for this product. Silica is listed in the Proposition 65 list.

VOC content of hardened final mixture: 42 g/L (determined method: SCAQMD, ASTM Method D2369, according to rules 1168)

16. Other information

Hazardous Materials Information Label (HMIS)

Health:	2
Physical Hazard:	1
Personal Protection:	X

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

AC50, Comp. B

Revision date: 12/02/2022

Page 8 of 8

NFPA Hazard Ratings

Health:	2
Flammability:	
Reactivity:	2
Unique Hazard:	-

**Changes**

Revision date:	12/02/2022
Revision No:	1,16
Flammability for HMIS and NFPA ratings not applicable.	

Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
EC50: Effective concentration, 50%
ErC50: EC50 in terms of reduction of growth rate
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)
IARC: International Agency for Research on Cancer
IMDG: International Maritime Code for Dangerous Goods
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
NFPA: National Fire Protection Association
NIOSH: National Institute for Occupational Safety and Health
NOEC: No Observed Effect Concentration
NTP: National Toxicology Program
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
SARA: Superfund Amendments and Reauthorization Act
TLV: Threshold Limit Values
TSCA: Toxic Substances Control Act

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)