

DEWALT®

ANCHORS & FASTENERS

DIRECT FASTENING



20V MAX* Cordless Concrete Nailer



ANCHORS & FASTENERS

INTERCHANGEABLE CONTACT TRIPS

- Drywall and Mechanical contact trips for application versatility
- Removable; tool-free

DUAL LED'S

- Help illuminate work surface
- Provide diagnostics on tool

ADJUSTABLE POWER

- 3 settings for pin depth adjustment and application versatility
- Adjust for applications ranging from hollow block to hard concrete and steel

BRUSHLESS MOTOR

- Comparable application speed to gas concrete nailers

FEATURED MAGAZINE

- Angled orientation allows access in tight areas
- High capacity (33 pins)
- Removable; tool-free

20V MAX* PLATFORM

- Gas-free operation - runs on DEWALT 20V MAX* battery
- Up to 600 shots per charge¹





20V MAX* Cordless Concrete Nailer

Application Versatility



MECHANICAL



ELECTRICAL



PLUMBING



DRYWALL




INSULATION & SURFACE PREP



ACCESSIBLE DRIVER BLADE

- The only competitive concrete nailer with a field-serviceable driver blade
- Replaceable by end-user in under 2 minutes



FLYWHEEL BASED DESIGN

- Minimized reset time between shots for fast application speed
- Allows for lowest noise and recoil levels of competitive concrete nailers

20V MAX* Cordless Concrete Nailer

20V MAX* CORDLESS CONCRETE NAILER



CATALOG NUMBER	DESCRIPTION	INCLUDED
DCN890B	20V MAX* CORDLESS CONCRETE NAILER (BARE TOOL)	DCN890 20V* MAX CORDLESS CONCRETE NAILER, (1) DCN8904 STANDARD / DRYWALL CONTACT TRIP, KIT BOX
DCN890P2	20V MAX* CORDLESS CONCRETE NAILER (KIT)	DCN890 20V* MAX CORDLESS CONCRETE NAILER, (2) DCB205 20V MAX* PREMIUM LITHIUM ION BATTERIES (5AH), (1) DCN8904 STANDARD / DRYWALL CONTACT TRIP, CHARGER, KIT BOX

COMPATIBLE PINS

ICC-ES ESR-4027	CATALOG NUMBER	DESCRIPTION	APPLICATIONS	QTY
CONCRETE	DCN890075	DEWALT CCN PIN 3/4" x .102" (Z)	Metal track to concrete	1000
	DCN890100	DEWALT CCN PIN 1" x .102" (Z)	Metal track to concrete	1000
	DCN890125	DEWALT CCN PIN 1-1/4" x .102" (Z)	Fixture or plywood to concrete or block	1000
	DCN890150	DEWALT CCN PIN 1-1/2" x .102" (Z)	Fixture or plywood to concrete or block	1000
	DCN890225	DEWALT CCN PIN 2-1/4" x .137" (T Z)	Non-structural 2-by to concrete	500
	DCN891075	DEWALT CCN PIN 3/4" x .145" (Z)	Metal track or fixture to block or light-grade concrete	1000
STEEL	DCN8910500	DEWALT CCN PIN 1/2" x .120" (T Z)	Metal track to steel	1000
SPECIALTY	DCN8941380	DEWALT CCN PIN 1-3/8" x .108" (K Z)	Plywood or sheathing to concrete, block, or steel	1000
	DCN8910680	DEWALT CCN PIN .680" x .120"/.102" (S YZ)	Metal track to steel, hard concrete, or post-tension concrete	1000
	DCN8917300	DEWALT CCN PIN .730" x .120"/.102" (S YZ)	Fixture or plywood to steel, hard concrete, or post-tension concrete	1000
	DCN8907804	DEWALT CCN PIN .780" x .102"/.088" (K S Z)	Fixture or plywood to steel, hard concrete, or post-tension concrete	1000

K: KNURLED T: TAPERED YZ: YELLOW ZINC S: STEP Z: ZINC

COMPATIBLE ACCESSORIES



CATALOG NUMBER	DESCRIPTION
DCN8901	REPLACEMENT DRIVER BLADE
DCN8902	MAGNETIC STICK-E™ CONTACT TRIP (NOSE PIECE)
DCN8903	STICK-E™ CONTACT TRIP (NOSE PIECE)
DCN8904	STANDARD / DRYWALL CONTACT TRIP (NOSE PIECE)
DCN8905	POLE TOOL



DEWALT®

ANCHORS & FASTENERS

20V MAX* Cordless Concrete Nailer

DEWALT LOCATIONS			Field Service	DeWALT Tool Service	Anchor Distribution Center
ALABAMA	Birmingham	205-942-0538			
	Mobile	251-602-1000			
ALASKA	Anchorage	907-561-7181			
ARKANSAS	Little Rock	501-372-3040			
ARIZONA	Phoenix	602-437-1200			
	Phoenix	602-431-8024			
CALIFORNIA	San Francisco	510-783-3959			
	Hayward	510-293-1500			
	San Diego	858-279-2011			
	Anaheim	714-414-0369			
	Sacramento	916-344-3520			
	Ontario	909-930-1437			
	Tustin	714-731-2500			
COLORADO	Denver	303-922-8325			
	Denver	303-922-9202			
CONNECTICUT	Hartford	860-563-5800			
FLORIDA	Ft. Lauderdale	954-321-6635			
	Tampa	813-884-0434			
	Orlando	407-657-0474			
	Orlando	813-626-4500			
	W. Palm Beach	561-689-3247			
GEORGIA	Atlanta	770-246-1710			
	Atlanta	678-966-0000			
HAWAII	Honolulu	808-842-9925			
IOWA	Des Moines	515-270-1340			
ILLINOIS	Addison	630-521-1097			
	Addison	630-960-3156			
INDIANA	Indianapolis	317-243-8308			
	Indianapolis	317-773-1668			
KANSAS	Kansas City	913-495-4330			
	Kansas City	816-472-5033			
	Wichita	316-943-1271			
KENTUCKY	Louisville	502-380-3748			
LOUISIANA	New Orleans	504-832-2187			
	Baton Rouge	225-296-3191			
MARYLAND	Baltimore	410-536-0722			
	Capital Heights	301-333-0865			
	Baltimore / DC	301-773-1722			
MASSACHUSETTS	Boston	781-329-3407			
MICHIGAN	Grand Rapids	616-261-0425			
	Detroit	248-597-5000			
	Detroit	248-543-8600			
MINNESOTA	Minneapolis	952-884-9191			
	Minneapolis	612-331-3770			
MISSOURI	St Louis	314-997-9100			
	Kansas City	816-472-5033			
NEVADA	Las Vegas	702-889-6025			
NEW JERSEY	Elmwood Park	201-475-3524			

DEWALT LOCATIONS			Field Service	DeWALT Tool Service	Anchor Distribution Center
NEW MEXICO	Albuquerque	505-884-1002			
NEW YORK	Buffalo	716-884-6220			
	Queens	718-335-1042			
	Rochester	585-228-2080			
	Long Island	631-952-2008			
	Albany	518-785-1867			
	New York	800-524-3244			
NORTH CAROLINA	Charlotte	704-392-0245			
	Charlotte	704-375-5012			
	Greensboro	336-852-1300			
	Raleigh	919-878-0357			
OHIO	Cleveland	440-842-9100			
	Cincinnati	513-772-3111			
	Columbus	614-895-3112			
OKLAHOMA	Oklahoma City	405-634-8403			
	Tulsa	918-249-8641			
OREGON	Portland	503-255-6556			
PENNSYLVANIA	Philadelphia	215-271-5500			
	Pittsburgh	412-642-0204			
	Allentown	610-435-9544			
	York	717-755-3441			
SOUTH CAROLINA	Charleston	843-745-9197			
	Greenville	864-299-8662			
TENNESSEE	Memphis	901-384-8100			
	Nashville	615-242-1633			
	Nashville	615-248-2667			
	Knoxville	865-688-0921			
TEXAS	Dallas	972-446-2996			
	Dallas	972-446-5985			
	Houston	713-466-1194			
	Houston	281-491-0351			
	San Antonio	210-732-1221			
	Fort Worth	817-831-3828			
	Austin	512-382-3971			
UTAH	Salt Lake City	801-486-5828			
	Salt Lake City	801-466-9428			
VIRGINIA	Virginia Beach	757-363-0091			
WASHINGTON	Seattle	206-763-2010			
	Spokane	509-535-9252			
	Seattle	425-251-0312			
WEST VIRGINIA	Charleston	304-343-0289			
WISCONSIN	Milwaukee	414-645-4285			
	Milwaukee	414-645-8821			

DeWALT, ELCO, & POWERS Anchors and Fasteners Inquiries: 800-524-3244

DeWALT, ELCO, & POWERS Anchors and Fasteners Technical Questions: email: engineering@powers.com

Dealer Stamp

1-800-4 DEWALT®

www.DEWALT.com

*Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

¹ With 5.0Ah battery pack, driving 3/4" .102 fasteners into concrete.

Copyright © 2021 DEWALT. The yellow/black color scheme is a trademark for DEWALT power tools, accessories, anchors & concrete adhesives.