

# **Safety Data Sheet**

#### according to WHMIS

# PE 1000+, Comp. A

Revision date: 20.03.2020 Page 1 of 8

#### 1. Identification

### **Product identifier**

PE 1000+, Comp. A

### Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesive mortar for fastening elements A-Component (resin)

#### Uses advised against

no restriction

#### Details of the supplier of the safety data sheet

Company name: Stanley Black & Decker Canada Corp.

Street: 6275 Millcreek Drive

Place: Mississauga, ON L5N 7K6, Canada

Telephone: +1 800 524 3244 Telefax: +1 877 871 1965

Emergency telephone number: CHEMTREC USA: +1 800 424 9300 (24/7)

CHEMTREC International: +1 703 527 3887 (24/7)

#### 2. Hazard identification

### Classification of the substance or mixture

#### **WHMIS 2015**

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitization: Skin Sens. 1

### Label elements

### **WHMIS 2015**

Signal word: Warning

Pictograms:



# **Hazard statements**

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

### **Precautionary statements**

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulation.

#### Other hazards

People who are allergic to epoxide should avoid the use of the product.

# 3. Composition/information on ingredients



# **Safety Data Sheet**

#### according to WHMIS

# **PE 1000+, Comp. A**Revision date: 20.03.2020 Page 2 of 8

#### **Mixtures**

#### **Hazardous components**

CAS No	Chemical name	Quantity
1675-54-3	2,2-Bis(4-glycidyloxyphenyl)propane	25 - 50 %
9003-36-5	Bisphenol-F-epichlorohydrin resin MW <= 700	10 - 20 %
16096-31-4	1,6-Bis(2,3-epoxypropoxy)hexane	10 - 20 %
	Alkyl Ester (Ref.: 722 43/00/2012.0028, Germany)	1 - 10 %

#### **Further Information**

The actual concentration is withheld as a trade secret.

### 4. First-aid measures

#### Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

# After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

#### Most important symptoms and effects, whether acute or delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

# Indication of immediate medical attention and special treatment needed

Treat symptomatically.

# 5. Fire-fighting measures

### **Extinguishing media**

# Suitable extinguishing media

Foam

Extinguishing powder

Water spray jet

Carbon dioxide (CO2)

#### Unsuitable extinguishing media

Full water jet

### Specific hazards arising from the hazardous product

Pyrolysis products, toxic

Carbon monoxide

# Special protective equipment and precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.



according to WHMIS

# PE 1000+, Comp. A

Revision date: 20.03.2020 Page 3 of 8

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **Environmental precautions**

Do not allow to enter into surface water or drains.

### Methods and material for containment and cleaning up

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand.

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# 7. Handling and storage

# **Precautions for safe handling**

### Advice on safe handling

Use only outdoors or in a well-ventilated area.

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

# Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Store in a place accessible by authorized persons only.

Keep only in the original container in a cool, well-ventilated place.

### Hints on joint storage

Do not store together with: Oxidising agent, strong

Do not use for products which come into contact with the food stuffs.

### Further information on storage conditions

storage temperature: 5 - 35°C

#### 8. Exposure controls/Personal protection

# **Control parameters**

#### Additional advice on limit values

This mixture includes quartz (silica) which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded.

# **Exposure controls**









# according to WHMIS

# PE 1000+, Comp. A

Revision date: 20.03.2020 Page 4 of 8

#### Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

# Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

# Eye/face protection

Wear safety glasses.

### **Hand protection**

Wear chemical resistant protective gloves.

#### Skin protection

Wear suitable protective clothing.

### Respiratory protection

Wear respiratory protection if ventilation is inadequate.

# 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state: Paste Colour: light beige

pH-Value: not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not determined

not applicable

**Flammability** 

Solid: not determined
Gas: not applicable
Lower explosive limits: not determined
Upper explosive limits: not determined

**Auto-ignition temperature** 

Solid: not determined
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure:

Density (at 20 °C):

Water solubility:

The study does not need to be conducted because the substance is known to be insoluble in water.

1110

Solubility in other solvents not determined

Partition coefficient:

Vapour density:

not determined

not determined

Evaporation rate:

not determined



# **Safety Data Sheet**

according to WHMIS

# PE 1000+, Comp. A

Revision date: 20.03.2020 Page 5 of 8

# **Other information**

Solid content: not determined

# 10. Stability and reactivity

# Reactivity

No hazardous reaction when handled and stored according to provisions.

### **Chemical stability**

The product is stable under storage at normal ambient temperatures.

# Possibility of hazardous reactions

Violent reaction with: Oxidising agent, strong

### Conditions to avoid

none

#### Incompatible materials

Keep away from: Oxidizing agent Hazardous decomposition products

No known hazardous decomposition products.

# 11. Toxicological information

# Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Route of exposure	Dose		Species	Source	Method	
1675-54-3	2,2-Bis(4-glycidyloxyphenyl)propane						
	oral	LD50 mg/kg	11400	Rat			
9003-36-5	Bisphenol-F-epichlorohydrin resin MW <= 700						
	oral	LD50 mg/kg	> 2000	Rat			
	dermal	LD50 mg/kg	> 2000	Rat			
16096-31-4	1,6-Bis(2,3-epoxypropoxy)hexane						
	oral	LD50 mg/kg	2190	Rat	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	OECD 402		
	inhalation (4 h) vapour	LC50 mg/l	0,035	Rat			
	Alkyl Ester (Ref.: 722 43/00/2012.0028, Germany)						
	oral	LD50 mg/kg	20700	Mouse			
	dermal	LD50 mg/kg	2000	Rabbit			

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.



according to WHMIS

# PE 1000+, Comp. A

Revision date: 20.03.2020 Page 6 of 8

#### Sensitizing effects

May cause an allergic skin reaction. (2,2-Bis(4-glycidyloxyphenyl)propane; Bisphenol-F-epichlorohydrin resin MW <= 700; 1,6-Bis(2,3-epoxypropoxy)hexane)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 12. Ecological information

#### **Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Persistence and degradability

The product has not been tested.

#### Bioaccumulative potential

The product has not been tested.

#### Mobility in soil

The product has not been tested.

#### Other adverse effects

No information available.

# **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# 13. Disposal considerations

# Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# 14. Transport information

**Canadian TDG** 

UN/ID number: UN 3077

<u>Proper shipping name:</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Trimethylolpropane triglycidyl ether, Bisphenol-A/F-Epoxy resin)

Hazard classes:9Packing group:IIIHazard label:9Limited quantity:5





according to WHMIS

# PE 1000+, Comp. A

Revision date: 20.03.2020 Page 7 of 8

Marine transport (IMDG)

name:

UN number: UN 3077

<u>United Nations proper shipping</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Bisphenol-F-Epoxy resin)

Transport hazard class(es):9Packing group:IIIHazard label:9

Special Provisions: 274, 335, 966, 967, 969

Limited quantity: 5 kg
Excepted quantity: E1
EmS: F-A. S-F

Other applicable information (marine transport)

No dangerous goods in packaging until 5kg according 2.10.2.7 IMDG-Code

Air transport (ICAO-TI/IATA-DGR)

UN number: UN 3077

<u>United Nations proper shipping</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

<u>name:</u> (Bisphenol-F-Epoxy resin)

Transport hazard class(es):9Packing group:IIIHazard label:9



Special Provisions: A97 A158 A179 A197

Limited quantity Passenger: 30 kg G Passenger LQ: Y956 Excepted quantity: E1

IATA-packing instructions - Passenger: 956
IATA-max. quantity - Passenger: 400 kg
IATA-packing instructions - Cargo: 956
IATA-max. quantity - Cargo: 400 kg

Other applicable information (air transport)

No dangerous goods in packaging until 5kg according A197 IATA-DGA

**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: yes



# 15. Regulatory information

# Canadian regulations

#### **DSL/NDSL** inventory status

All ingredients of this mixture are included on the DSL Inventory.



# **Safety Data Sheet**

according to WHMIS

# PE 1000+, Comp. A

Revision date: 20.03.2020 Page 8 of 8

#### 16. Other information

### **Changes**

This data sheet contains changes from the previous version in section(s): 3.

#### Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Estimated average treatment effect

CAS: Chemical Abstracts Service

DSL: Domestic substances list

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

ICAO-TI: International Civil Aviation Organization - Technical Instructions for the Safe Transport of Dangerous

Goods by Air

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

SIMDUT: Système d'information sur les matières dangereuses utilisées au travail

TDG: Transport of Dangerous Goods

TMD: Transport des marchandises dangereuses

TWA: Time-weighted average UN number: United Nations number

WHIMS: Workplace Hazardous Materials Information System

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to WHMIS

# PE 1000+, Comp. B

Revision date: 20.03.2020 Page 1 of 9

#### 1. Identification

### **Product identifier**

PE 1000+, Comp. B

### Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

compound mortar B-component (hardener)

#### Uses advised against

no restriction

#### Details of the supplier of the safety data sheet

Company name: Stanley Black & Decker Canada Corp.

Street: 6275 Millcreek Drive

Place: Mississauga, ON L5N 7K6, Canada

Telephone: +1 800 524 3244 Telefax: +1 877 871 1965

**Emergency telephone number:** CHEMTREC USA: +1 800 424 9300 (24/7)

CHEMTREC International: +1 703 527 3887 (24/7)

#### 2. Hazard identification

### Classification of the substance or mixture

#### **WHMIS 2015**

Acute toxicity: Acute Tox. 3 (inhalation) Acute toxicity: Acute Tox. 4 (oral) Skin corrosion/irritation: Skin Corr. 1B Respiratory or skin sensitization: Skin Sens. 1

Germ cell mutagenicity: Muta. 2 Reproductive toxicity: Repr. 1B

Specific target organ toxicity - repeated exposure: STOT RE 2

# **Label elements**

#### **WHMIS 2015**

Signal word: Danger

Pictograms:







# **Hazard statements**

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction. Suspected of causing genetic defects.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

# **Precautionary statements**

Obtain special instructions before use.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



# **Safety Data Sheet**

according to WHMIS

# PE 1000+, Comp. B

Revision date: 20.03.2020 Page 2 of 9

Immediately call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulation.

#### Other hazards

Contains Amines. May produce an allergic reaction.

# 3. Composition/information on ingredients

#### **Mixtures**

### **Hazardous components**

CAS No	Chemical name	Quantity
2855-13-2	3-Aminomethyl-3,5,5-trimethylcyclohexylamine	30 - < 40 %
1950616-36-0	Formaldehyde, oligomeric reaction products with phenol and m-phenylenebis(methylamine)	15 - < 25 %
77138-45-5	Formaldehyde, oligomeric reaction products with 4,4′-isopropylidenediphenol and diethylenetriamine	15 - < 25 %
1477-55-0	m-Phenylenebis(methylamine)	15 - < 25 %
90-72-2	2,4,6-Tris(dimethylaminomethyl)phenol	5 - < 10 %
100-51-6	Benzyl alcohol	5 - < 10 %
111-40-0	Diethylenetriamine	5 - < 10 %
108-95-2	Phenol	1 - < 5 %
71074-89-0	Bis[(dimethylamino)methyl]phenol	1 - < 5 %
80-05-7	Bisphenol A	1 - < 5 %

#### **Further Information**

The actual concentration is withheld as a trade secret.

#### 4. First-aid measures

# **Description of first aid measures**

#### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

# After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

# After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

# After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

# Most important symptoms and effects, whether acute or delayed

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

May damage fertility.

# Indication of immediate medical attention and special treatment needed



# **Safety Data Sheet**

according to WHMIS

PE 1000+, Comp. B

Revision date: 20.03.2020 Page 3 of 9

Treat symptomatically.

# 5. Fire-fighting measures

# Extinguishing media

### Suitable extinguishing media

Foam

Extinguishing powder

Water spray jet

Carbon dioxide (CO2)

#### Unsuitable extinguishing media

Full water jet

### Specific hazards arising from the hazardous product

Pyrolysis products, toxic

Carbon monoxide

#### Special protective equipment and precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

# **Environmental precautions**

Avoid release to the environment. Do not allow to enter into surface water or drains.

# Methods and material for containment and cleaning up

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

# Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# 7. Handling and storage

# Precautions for safe handling

#### Advice on safe handling

Use only outdoors or in a well-ventilated area.

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

When using do not eat, drink or smoke.

### Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Store in a place accessible by authorized persons only.

Keep only in the original container in a cool, well-ventilated place.



according to WHMIS

# PE 1000+, Comp. B

Revision date: 20.03.2020 Page 4 of 9

#### Hints on joint storage

Do not store together with: Oxidising agent, strong, Organic peroxides Do not use for products which come into contact with the food stuffs.

# Further information on storage conditions

storage temperature: 5 - 35°C

# 8. Exposure controls/Personal protection

#### **Control parameters**

#### Additional advice on limit values

To date, no national critical limit values exist.

#### **Exposure controls**







# Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

# Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke. Avoid contact during pregnancy and while nursing.

#### Eye/face protection

Wear eye protection/face protection.

Wear safety glasses.

### **Hand protection**

Wear chemical resistant protective gloves.

#### Skin protection

Wear suitable protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

# 9. Physical and chemical properties

# Information on basic physical and chemical properties

Physical state: Paste
Colour: black / red
Odour: characteristic

pH-Value: not applicable

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
Initial boiling point and boiling range:
Inot determined
Inot applicable

**Flammability** 

Solid: not determined
Gas: not applicable
Lower explosive limits: not determined



#### according to WHMIS

PE 1000+, Comp. B

Revision date: 20.03.2020 Page 5 of 9

Upper explosive limits: not determined

**Auto-ignition temperature** 

Solid: not determined
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 1,07 g/cm³

Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient: not determined
Vapour density: not determined
Evaporation rate: not determined

**Other information** 

Solid content: not determined

# 10. Stability and reactivity

# Reactivity

see section 10.3

#### **Chemical stability**

The product is stable under storage at normal ambient temperatures.

#### Possibility of hazardous reactions

Violent reaction with: Oxidising agent

### Conditions to avoid

see section 7.2

#### Incompatible materials

Oxidising agent, strong

# Hazardous decomposition products

No known hazardous decomposition products.

# 11. Toxicological information

#### Information on toxicological effects

#### **Acute toxicity**

Toxic if inhaled.

Harmful if swallowed.

#### **ATEmix calculated**

ATE (oral) 742,1 mg/kg; ATE (inhalation vapour) 5,28 mg/l; ATE (inhalation aerosol) 0,567 mg/l



according to WHMIS

PE 1000+, Comp. B

Revision date: 20.03.2020 Page 6 of 9

CAS No	Chemical name							
	Route of exposure	Dose		Species	Source	Method		
2855-13-2	3-Aminomethyl-3,5,5-trimethylcyclohexylamine							
	oral	LD50 mg/kg	1030	Rat				
	dermal	ATE mg/kg	1100					
1477-55-0	m-Phenylenebis(methylamine)							
	oral	LD50 mg/kg	930	Rat				
	dermal	LD50 mg/kg	2000	Rabbit				
	inhalation (1 h) vapour	LC50	3,89 mg/l	Rat				
	inhalation aerosol	ATE	1,5 mg/l					
90-72-2	2,4,6-Tris(dimethylamir	nomethyl)p	henol					
	oral	ATE mg/kg	500					
100-51-6	Benzyl alcohol							
	oral	LD50 mg/kg	1230	Rat	GESTIS			
	inhalation vapour	ATE	11 mg/l					
	inhalation aerosol	ATE	1,5 mg/l					
111-40-0	Diethylenetriamine							
	oral	LD50 mg/kg	1080	Rat				
	dermal	LD50 mg/kg	1054	Rabbit				
	inhalation vapour	ATE	0,5 mg/l					
	inhalation aerosol	ATE	0,05 mg/l					
108-95-2	Phenol							
	oral	LD50 mg/kg	317	Rat				
	dermal	LD50 mg/kg	630	Rabbit				
	inhalation vapour	ATE	3 mg/l					
	inhalation aerosol	ATE	0,5 mg/l					
71074-89-0	9-0 Bis[(dimethylamino)methyl]phenol							
	oral	ATE mg/kg	500					
80-05-7	Bisphenol A							
	oral	LD50 mg/kg	3250	Rat				
	dermal	LD50 mg/kg	3000	Rabbit				

# Irritation and corrosivity

Causes severe skin burns and eye damage.

# Sensitizing effects



according to WHMIS

# PE 1000+, Comp. B

Revision date: 20.03.2020 Page 7 of 9

May cause an allergic skin reaction. (3-Aminomethyl-3,5,5-trimethylcyclohexylamine; Formaldehyde, oligomeric reaction products with phenol and m-phenylenebis(methylamine); Formaldehyde, oligomeric reaction products with 4,4'-isopropylidenediphenol and diethylenetriamine; m-Phenylenebis(methylamine); Diethylenetriamine; Bisphenol A)

# Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (Phenol)

May damage fertility or the unborn child. (Bisphenol A)

Carcinogenicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Phenol)

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 12. Ecological information

#### **Ecotoxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Persistence and degradability

The product has not been tested.

#### Bioaccumulative potential

The product has not been tested.

#### Mobility in soil

The product has not been tested.

#### Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 13. Disposal considerations

# Waste treatment methods

## Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

### 14. Transport information

# **Canadian TDG**

UN/ID number: UN 3259

<u>Proper shipping name:</u> AMINES, SOLID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine))

Hazard classes:8Packing group:IIHazard label:8Limited quantity:1



according to WHMIS

# PE 1000+, Comp. B

Revision date: 20.03.2020 Page 8 of 9



Marine transport (IMDG)

UN number: UN 3259

United Nations proper shipping AMINES, SOLID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine))

name:

Transport hazard class(es):

Packing group:

Hazard label:

8



Special Provisions: 223, 274
Limited quantity: 1 kg
Excepted quantity: E2
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

UN number: UN 3259

<u>United Nations proper shipping</u> AMINES, SOLID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine))

name:

Transport hazard class(es):

Packing group:

Hazard label:

8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

5 kg

Y844

Excepted quantity:

E2

IATA-packing instructions - Passenger:859IATA-max. quantity - Passenger:15 kgIATA-packing instructions - Cargo:863IATA-max. quantity - Cargo:50 kg

**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: no

# 15. Regulatory information

# **Canadian regulations**

#### **DSL/NDSL** inventory status

All ingredients of this mixture are included on the DSL Inventory.

### 16. Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 14.



# **Safety Data Sheet**

according to WHMIS

# PE 1000+, Comp. B

Revision date: 20.03.2020 Page 9 of 9

#### Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Estimated average treatment effect

CAS: Chemical Abstracts Service DSL: Domestic substances list

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

ICAO-TI: International Civil Aviation Organization - Technical Instructions for the Safe Transport of Dangerous

Goods by Air

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

SIMDUT: Système d'information sur les matières dangereuses utilisées au travail

TDG: Transport of Dangerous Goods

TMD: Transport des marchandises dangereuses

TWA: Time-weighted average UN number: United Nations number

WHIMS: Workplace Hazardous Materials Information System

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)