# SAFETY DATA SHEET

Issuing Date 23-Oct-2018

Revision date 06-Nov-2018



Category 1B

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

	2. HAZARDS IDENTIFICA	ATION	
Emergency Telephone	Chemtrec 1-800-424-9300		
Emergency telephone number Company Phone Number	800-556-7752		
Dryvit Systems, Inc. One Energy Way West Warwick, RI 02893 www.dryvit.com			
Details of the supplier of the safety data sheet Supplier Address Manufacturer Address			
Uses advised against	No information available		
Recommended use of the chemic Recommended use	cal and restrictions on use Restricted to professional users.		
<u>Other means of identification</u> Product Code(s)	PLDV70400		
<u>Product identifier</u> Product Name	Dryvit Backstop® Flash & Fill		

**Classification** 

Reproductive toxicity

#### Label elements

Emergency Overview		
Danger		
Hazard statements May damage fertility or the unborn child		
Appearance paste	Physical state Paste/Gel Liquid	<b>Odor</b> Mild

# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

# Precautionary Statements - Storage

Store locked up

# Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other information

• May be harmful in contact with skin

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Weight-%	Trade Secret
Proprietary - Silyl Terminated Polyether	Undisclosed	10 - 30	*
Limestone	1317-65-3	10 - 30	*
Precipitated Calcium Carbonate	471-34-1	10 - 30	*
Polypropylene glycol	25322-69-4	10 - 30	*
Stearic acid	57-11-4	1 - 5	*
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	1 - 5	*
Hydrophobic Silica	67762-90-7	1 - 5	*
Dibutyltin Diacetyldiacetonate	22673-19-4	0.1 - 1	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

# Description of first aid measures

General advice	Do not get in eyes, on skin, or on clothing.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.	
Skin Contact	Wipe off material with a dry cloth. Wash with soap and water. Consult a physician if necessary.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May cause irritation. May be harmful if swallowed.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical** No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists.	
Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not eat, drink or smoke when using this product.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines** ACGIH TLV **OSHA PEL** NIOSH IDLH **Chemical name** Limestone TWA: 15 mg/m<sup>3</sup> total dust TWA: 10 mg/m<sup>3</sup> total dust 1317-65-3 TWA: 5 mg/m<sup>3</sup> respirable fraction TWA: 5 mg/m<sup>3</sup> respirable dust (vacated) TWA: 15 mg/m3 total dust (vacated) TWA: 5 mg/m<sup>3</sup> respirable fraction Precipitated Calcium Carbonate TWA: 10 mg/m<sup>3</sup> total dust TWA: 5 mg/m<sup>3</sup> respirable dust 471-34-1 Dibutyltin Diacetyldiacetonate STEL: 0.2 mg/m<sup>3</sup> Sn TWA: 0.1 mg/m<sup>3</sup> Sn IDLH: 25 mg/m<sup>3</sup> Sn 22673-19-4 TWA: 0.1 mg/m<sup>3</sup> Sn (vacated) TWA: 0.1 mg/m<sup>3</sup> Sn TWA: 0.1 mg/m<sup>3</sup> except S\* (vacated) S\* Cyhexatin Sn

NIOSH IDLH Immediately Dangerous to Life or Health

Other information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

<b>Annro</b>	nriate	enginee	rina	controls
<u>uppio</u>	priate	cinginice	<u> mg</u>	001111013

Appropriate engineering controls		
Engineering Controls	None under normal use conditions.	
Individual protection measures, suc	ch as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Gloves.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required.	
9	. PHYSICAL AND CHEMICAL PROPERTIES	

#### Information on basic physical and chemical properties

Physical state Appearance Color	Paste/Gel Liquid paste blue	Odor Odor threshold	Mild No information available
Property pH Melting point / freezing point °F Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	ValuesNot ApplicableNo information availableNo information available> 100 °C / > 212 °FNo information availableNo information available	<u>Remarks • Method</u>	

# **10. STABILITY AND REACTIVITY**

#### Reactivity No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Acids. Strong oxidizing agents.

#### Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	May be harmful by inhalation, ingestion, or skin absorption
Inhalation	Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Ingestion	Do not taste or swallow.

#### Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Precipitated Calcium Carbonate	= 6450 mg/kg (Rat)		
471-34-1			
Polypropylene glycol	> 2 g/kg (Rat)		
25322-69-4			
Stearic acid		> 5 g/kg (Rabbit)	
57-11-4			
Aminoethyl aminopropyl trimethoxy	= 7460 μL/kg (Rat)		
silane			
1760-24-3			

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

May cause irritation. May be harmful if swallowed.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA,
	IARC or NTP.
Reproductive toxicity	May damage fertility or the unborn child.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Eyes, Respiratory system, Skin.
Aspiration hazard	No information available.

#### Numerical measures of toxicity - Product Information

Unknown acute toxicity The following values are calculat	ed based on chapter 3.1 of the GHS document .
ATEmix (oral)	5682 mg/kg
ATEmix (dermal)	3005 mg/kg mg/l

# **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

# Persistence and degradability

No information available.

#### **Bioaccumulation** No information available.

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

# Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and<br/>regulations.Contaminated packagingDo not reuse container.

# 14. TRANSPORT INFORMATION

#### DOT

Not Regulated for all modes of transportation.

# **15. REGULATORY INFORMATION**

#### International Inventories TSCA DSL/NDSL Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory Complies DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Complies

Complies

# US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

#### California Proposition 65

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	Х	X	Х
Quartz 14808-60-7	Х	X	Х

16. OTHER INFORMATION						
NFPA	Health hazards 2	Flammability 1	Instability 0	Physical and chemical properties -		
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection X		
Prepared By Issuing Date Revision date Revision Note No information available Disclaimer	Regulatory Department 23-Oct-2018 06-Nov-2018					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**