

SAFETY DATA SHEET

1. Identification

Material name: HDP™ Water-Repellent Coating
Material: 2739198TINT 805

Recommended use and restriction on use

Recommended use: Coatings
Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Tremco CPG Inc. - U.S. Sealants
3735 Green Road
Beachwood OH 44122
US

Contact person: EH&S Department
Telephone: 216-292-5000
Emergency telephone number: 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Health Hazards

| | |
|-----------------|-------------|
| Skin sensitizer | Category 1 |
| Carcinogenicity | Category 1A |

Unknown toxicity - Health

| | |
|--|---------|
| Acute toxicity, oral | 18.6 % |
| Acute toxicity, dermal | 20.85 % |
| Acute toxicity, inhalation, vapor | 49.98 % |
| Acute toxicity, inhalation, dust or mist | 48.44 % |

Environmental Hazards

| | |
|--|------------|
| Acute hazards to the aquatic environment | Category 3 |
|--|------------|

Unknown toxicity - Environment

| | |
|--|---------|
| Acute hazards to the aquatic environment | 95.32 % |
| Chronic hazards to the aquatic environment | 95.37 % |

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: May cause an allergic skin reaction.
May cause cancer.
Harmful to aquatic life.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.

Response: IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instructions on this label). IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|--|------------|-------------------------|
| Silica (crystalline-cristobalite) | 14464-46-1 | 1 - <5% |
| Diatomaceous silica | 68855-54-9 | 1 - <5% |
| Amorphous silica | 7631-86-9 | 0.1 - <1% |
| Titanium dioxide | 13463-67-7 | 0.1 - <1% |
| n-(3,4-dichlorophenyl)-n,n-dimethylurea | 330-54-1 | 0.1 - <0.25% |
| Iodopropynyl butylcarbamate | 55406-53-6 | 0.01 - <0.1% |
| 5-Chloro-2Methyl-4-Isothiazolin-3-One Mixture with 2-Methyl-4-Isothiazolin-3-One | 55965-84-9 | 0.0015 - <0.06% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first-aid measures

| | |
|--|---|
| Inhalation: | Move to fresh air. |
| Skin Contact: | If skin irritation occurs: Get medical advice/attention. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention. |
| Eye contact: | Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention. |
| Ingestion: | Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. |
| Personal Protection for First-aid Responders: | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |

Most important symptoms/effects, acute and delayed

Symptoms: May cause skin and eye irritation.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting procedures: No data available.

Special protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. Accidental release measures

| | |
|---|---|
| Personal precautions, protective equipment and emergency procedures: | See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. |
| Accidental release measures: | In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. |
| Methods and material for containment and cleaning up: | Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. |
| Environmental Precautions: | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. |

7. Handling and storage

Handling

| | |
|---|--|
| Technical measures (e.g. Local and general ventilation): | Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required. |
| Safe handling advice: | Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| Contact avoidance measures: | No data available. |
| Hygiene measures: | Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin. |

Storage

| | |
|----------------------------------|--------------------|
| Safe storage conditions: | Store locked up. |
| Safe packaging materials: | No data available. |

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | Type | Exposure Limit Values | Source |
|--|-----------|-------------------------|--|
| Silica (crystalline-cristobalite) - Respirable fraction. | TWA | 0.025 mg/m ³ | US. ACGIH Threshold Limit Values, as amended (2011) |
| Silica (crystalline-cristobalite) - Respirable dust. | TWA | 0.05 mg/m ³ | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016) |
| | OSHA_AC T | 0.025 mg/m ³ | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016) |
| Silica (crystalline-cristobalite) | PEL | 0.05 mg/m ³ | US. OSHA Table Z-1 Limits for Air |

| | | | |
|---|-----|---|---|
| - Respirable dust. | | | Contaminants (29 CFR 1910.1000), as amended (03 2016) |
| Silica (crystalline-cristobalite) - Respirable. | TWA | 1.2 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) |
| | TWA | 0.05 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) |
| Diatomaceous silica | TWA | 20 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) |
| | TWA | 0.8 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) |
| Diatomaceous silica - Respirable particles. | TWA | 3 mg/m3 | US. ACGIH Threshold Limit Values, as amended (01 2021) |
| Diatomaceous silica - Respirable fraction. | TWA | 5 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) |
| Diatomaceous silica - Inhalable particles. | TWA | 10 mg/m3 | US. ACGIH Threshold Limit Values, as amended (01 2021) |
| Diatomaceous silica - Respirable fraction. | TWA | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) |
| Diatomaceous silica - Total dust. | TWA | 50 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) |
| | TWA | 15 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) |
| Amorphous silica - Inhalable particles. | TWA | 10 mg/m3 | US. ACGIH Threshold Limit Values, as amended (01 2021) |
| Amorphous silica - Respirable particles. | TWA | 3 mg/m3 | US. ACGIH Threshold Limit Values, as amended (01 2021) |
| Amorphous silica - Respirable fraction. | TWA | 5 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) |
| Amorphous silica - Total dust. | TWA | 15 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) |
| | TWA | 50 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) |
| Amorphous silica - Respirable fraction. | TWA | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) |
| Titanium dioxide | TWA | 10 mg/m3 | US. ACGIH Threshold Limit Values, as amended (2008) |
| Titanium dioxide - Total dust. | PEL | 15 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Titanium dioxide - Respirable fraction. | TWA | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| Titanium dioxide - Total dust. | TWA | 15 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| Titanium dioxide - Respirable fraction. | TWA | 5 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| Titanium dioxide - Total dust. | TWA | 50 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| n-(3,4-dichlorophenyl)-n-dimethylurea | TWA | 10 mg/m3 | US. ACGIH Threshold Limit Values, as amended (2008) |

| Chemical name | Type | Exposure Limit Values | Source |
|----------------------------|------|-----------------------|--|
| Trade Secret - Total dust. | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010) |

| | | | |
|--|-----|------------------|--|
| Silica (crystalline-cristobalite) - Respirable fraction. | TWA | 0.025 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Silica (crystalline-cristobalite) - Respirable fraction. | TWA | 0.05 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015) |
| Silica (crystalline-cristobalite) - Respirable dust. | TWA | 0.05 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017) |
| Propylene glycol - Aerosol. | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010) |
| Propylene glycol - Vapor and aerosol. | TWA | 50 ppm 155 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015) |
| Diatomaceous silica - Total dust. | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2020) |
| Diatomaceous silica - Respirable fraction. | TWA | 3 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Diatomaceous silica - Respirable particles. | TWA | 3 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Diatomaceous silica - Total dust. | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020) |
| Diatomaceous silica - Inhalable fraction. | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Diatomaceous silica - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2020) |
| Diatomaceous silica - Inhalable particles. | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Amorphous silica - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2020) |
| Amorphous silica - Inhalable fraction. | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Amorphous silica - Respirable particles. | TWA | 3 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Amorphous silica - Total dust. | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020) |
| Amorphous silica - Respirable fraction. | TWA | 3 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Amorphous silica - Total dust. | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2020) |
| Amorphous silica - Inhalable particles. | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Titanium dioxide - Total dust. | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide - Respirable | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupational |

| | | | |
|---|-----|----------|--|
| fraction. | | | Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010) |
| Titanium dioxide - Total dust. | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017) |
| n-(3,4-dichlorophenyl)-n,n-dimethylurea | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| n-(3,4-dichlorophenyl)-n,n-dimethylurea | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (12 2007) |
| n-(3,4-dichlorophenyl)-n,n-dimethylurea | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (12 2008) |

Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear goggles/face shield.

Skin Protection

Hand Protection: Additional Information: Use suitable protective gloves if risk of skin contact.

Skin and Body Protection: Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

9. Physical and chemical properties

Appearance

- Physical state:** liquid
- Form:** liquid
- Color:** No data available.
- Odor:** Mild
- Odor threshold:** No data available.
- pH:** No data available.
- Melting point/freezing point:** No data available.
- Initial boiling point and boiling range:** No data available.
- Flash Point:** No data available.

| | |
|--|---|
| Evaporation rate: | Slower than Ether |
| Flammability (solid, gas): | No |
| Upper/lower limit on flammability or explosive limits | |
| Flammability limit - upper (%): | No data available. |
| Flammability limit - lower (%): | No data available. |
| Explosive limit - upper: | No data available. |
| Explosive limit - lower: | No data available. |
| Vapor pressure: | No data available. |
| Vapor density: | Vapors are heavier than air and may travel along the floor and in the bottom of containers. |
| Relative density: | 1.4177 |
| Solubility(ies) | |
| Solubility in water: | Soluble |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | No data available. |
| Auto-ignition temperature: | No data available. |
| Decomposition temperature: | No data available. |
| Viscosity: | No data available. |

10. Stability and reactivity

| | |
|--|---|
| Reactivity: | No data available. |
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | No data available. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | Strong acids. Strong bases. |
| Hazardous Decomposition Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

11. Toxicological information

Information on likely routes of exposure

| | |
|----------------------|---|
| Inhalation: | In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. |
| Skin Contact: | Causes mild skin irritation. May cause an allergic skin reaction. |
| Eye contact: | Eye contact is possible and should be avoided. |
| Ingestion: | May be ingested by accident. Ingestion may cause irritation and malaise. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|--------------------|--------------------|
| Inhalation: | No data available. |
|--------------------|--------------------|

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral
Product: ATEmix: 140,346.33 mg/kg

Dermal
Product: ATEmix: 102,101.63 mg/kg

Inhalation
Product: ATEmix: 115.56 mg/l

Repeated dose toxicity
Product: No data available.

Skin Corrosion/Irritation
Product: No data available.

Specified substance(s):

| | |
|---|--|
| Diatomaceous silica | In vitro (Human, EPISKIIN™ Reconstituted Human Epidermis model): Not irritant , 60 min |
| Amorphous silica | in vivo (Rabbit): Not irritant , 48 h |
| Titanium dioxide | in vivo (Rabbit): Not irritant , 24 h |
| n-(3,4-dichlorophenyl)-n,n-dimethylurea | in vivo (Rabbit): Not irritant , 24 - 72 h |

Serious Eye Damage/Eye Irritation
Product: No data available.

Specified substance(s):

| | |
|---------------------|-----------------------------------|
| Diatomaceous silica | Rabbit, 24 - 72 hrs: Not irritant |
| Amorphous silica | Rabbit, 24 - 72 hrs: Not irritant |
| Titanium dioxide | Rabbit, 24 - 72 hrs: Not irritant |

Respiratory or Skin Sensitization
Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Silica (crystalline-cristobalite) Overall evaluation: Carcinogenic to humans.

Titanium dioxide Overall evaluation: Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

Silica (crystalline-cristobalite) Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

Silica (crystalline-cristobalite) Cancer

Germ Cell Mutagenicity

In vitro
Product: No data available.

In vivo
Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects:

Constituents of this product may include crystalline silica which, if in inhalable form, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic or cause other serious lung problems.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Titanium dioxide LC 50 (Pimephales promelas, 96 h): 8.2 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study

n-(3,4-dichlorophenyl)-n,n-dimethylurea LC 50 (Oncorhynchus mykiss, 96 h): 14.7 mg/l Experimental result, Key study

Iodopropynyl butylcarbamate LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 0.05 - 0.089 mg/l Mortality

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Titanium dioxide LC 50 (Daphnia magna, 48 h): > 100 mg/l experimental result Experimental result, Weight of Evidence study

n-(3,4-dichlorophenyl)-n,n-dimethylurea EC 50 (Daphnia magna, 48 h): 1.4 mg/l experimental result Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

n-(3,4-dichlorophenyl)-n,n-dimethylurea NOAEL (Oncorhynchus mykiss): 0.41 mg/l experimental result Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Titanium dioxide NOAEL (Daphnia magna): 100 mg/l experimental result Experimental result,

Supporting study
n-(3,4-dichlorophenyl)-n,n-dimethylurea NOAEL (Daphnia magna): 0.56 mg/l experimental result Experimental result, Key study

Toxicity to Aquatic Plants Product:

No data available.

Persistence and Degradability

Biodegradation

Product:

No data available.

Specified substance(s):

n-(3,4-dichlorophenyl)-n,n-dimethylurea

100 % (120 d) Sediment Experimental result, Key study

BOD/COD Ratio

Product:

No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product:

No data available.

Specified substance(s):

n-(3,4-dichlorophenyl)-n,n-dimethylurea

Mytilus edulis, Bioconcentration Factor (BCF): 5.2 Aquatic sediment Experimental result, Key study

Partition Coefficient n-octanol / water (log Kow)

Product:

No data available.

Specified substance(s):

n-(3,4-dichlorophenyl)-n,n-dimethylurea

Log Kow: 2.68

Mobility in soil:

No data available.

Other adverse effects:

Harmful to aquatic organisms.

13. Disposal considerations

Disposal methods:

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging:

No data available.

14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs)
(40 CFR 721, Subpt E)**

Chemical Identity

Mercury 07 201007 2010

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity

Silica (crystalline-
cristobalite)

OSHA hazard(s)

kidney effects
Cancer
immune system effects
lung effects

Crystalline Silica
(Quartz)/ Silica Sand

kidney effects
lung effects
immune system effects
Cancer

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity

n-(3,4-dichlorophenyl)-
n,n-dimethylurea

Reportable quantity

100 lbs.

Methyl benzimidazole-2-
yl carbamate

10 lbs.

Ammonium hydroxide

1000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard
Respiratory or Skin Sensitization
Carcinogenicity

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

Not regulated.

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Ammonium hydroxide | lbs |
| Ammonium hydroxide | lbs |

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



WARNING

Cancer and Reproductive Harm - www.P65Warnings.ca.gov

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

VOC:

Regulatory VOC (less water and exempt solvent) : 44 g/l

VOC Method 310 : 0.90 %

Inventory Status:

| | |
|--|--|
| Australia Industrial Chem. Act (AIC): | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada DSL Inventory List: | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada NDSL Inventory: | One or more components in this product are not listed on or exempt from the Inventory. |
| Ontario Inventory: | One or more components in this product are not listed on or exempt from the Inventory. |
| China Inv. Existing Chemical Substances: | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan (ENCS) List: | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan ISHL Listing: | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan Pharmacopoeia Listing: | One or more components in this product are not listed on or exempt from the Inventory. |
| Korea Existing Chemicals Inv. (KECI): | One or more components in this product are not listed on or exempt from the Inventory. |
| Mexico INSQ: | One or more components in this product are not listed on or exempt from the Inventory. |
| New Zealand Inventory of Chemicals: | One or more components in this product are not listed on or exempt from the Inventory. |
| Philippines PICCS: | One or more components in this product are not listed on or exempt from the Inventory. |
| Taiwan Chemical Substance Inventory: | One or more components in this |

| | |
|---|--|
| | product are not listed on or exempt from the Inventory. |
| US TSCA Inventory: | One or more components in this product are not listed on or exempt from the Inventory. |
| Switzerland New Subs Notified/Registered: | One or more components in this product are not listed on or exempt from the Inventory. |
| Thailand DIW Existing Chemical Inv. List: | One or more components in this product are not listed on or exempt from the Inventory. |
| Vietnam National Chemical Inventory: | One or more components in this product are not listed on or exempt from the Inventory. |
| EINECS, ELINCS or NLP: | One or more components in this product are not listed on or exempt from the Inventory. |

| |
|--|
| 16. Other information, including date of preparation or last revision |
|--|

Revision Date: 09/28/2022

Version #: 1.0

Further Information: No data available.

Disclaimer: For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.