

# SAFETY DATA SHEET

## 1. Identification

**Material name:** ShieldIt 1st Coat  
**Material:** 3581DS 805

### Recommended use and restriction on use

**Recommended use:** Coatings  
**Restrictions on use:** Not known.

### Manufacturer/Importer/Supplier/Distributor Information

Tremco CPG Inc. - U.S. Sealants  
3735 Green Road  
Beachwood OH 44122  
US

**Contact person:** EH&S Department  
**Telephone:** 216-292-5000  
**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

## 2. Hazard(s) identification

### Hazard Classification

#### Health Hazards

|   |                         |
|---|-------------------------|
| Carcinogenicity                                       | Category 1A             |
| Specific Target Organ Toxicity -<br>Repeated Exposure | Category 1 <sup>1</sup> |
| Carcinogenicity                                       | Category 1A             |
| Specific Target Organ Toxicity -<br>Repeated Exposure | Category 1 <sup>2</sup> |

#### Target Organs

1. Lung
2. Lung

#### Unknown toxicity - Health

|   |         |
|---|---------|
| Acute toxicity, dermal                      | 72.44 % |
| Acute toxicity, inhalation, vapor           | 80.1 %  |
| Acute toxicity, inhalation, dust<br>or mist | 8.56 %  |
| Acute toxicity, dermal                      | 72.05 % |
| Acute toxicity, inhalation, vapor           | 80.69 % |
| Acute toxicity, inhalation, dust<br>or mist | 9.19 %  |

### Label Elements

**Hazard Symbol:**



|   |   |
|---|---|
| <b>Signal Word:</b>                               | Danger  |
| <b>Hazard Statement:</b>                          | May cause cancer.<br>Causes damage to organs through prolonged or repeated exposure.  |
| <b>Precautionary Statements</b>                   |   |
| <b>Prevention:</b>                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. |
| <b>Response:</b>                                  | IF exposed or concerned: Get medical advice/attention.  |
| <b>Storage:</b>                                   | Store locked up.  |
| <b>Disposal:</b>                                  | Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.  |
| <b>Hazard(s) not otherwise classified (HNOC):</b> | None.   |

### 3. Composition/information on ingredients

#### Mixtures

| Chemical Identity                        | CAS number | Content in percent (%)* |
|--|------------|-------------------------|
| Crystalline Silica (Quartz)/ Silica Sand | 14808-60-7 | 50 - <100%              |
| Amorphous silica                         | 7631-86-9  | 0.1 - <1%               |
| Fibrous Glass                            | 65997-17-3 | 0.1 - <1%               |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

#### Description of necessary first-aid measures

|                      |   |
|----------------------|---|
| <b>Inhalation:</b>   | Move to fresh air. Move to fresh air.   |
| <b>Skin Contact:</b> | Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. |
| <b>Eye contact:</b>  | Rinse immediately with plenty of water. Rinse immediately with plenty of water.   |

**Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Personal Protection for First-aid Responders:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** May cause skin and eye irritation. May cause skin and eye irritation.

**Hazards:** No data available.

#### Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed. Symptoms may be delayed.

### 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted. No unusual fire or explosion hazards noted.

#### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials. Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire. Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** During fire, gases hazardous to health may be formed. During fire, gases hazardous to health may be formed.

#### Special protective equipment and precautions for fire-fighters

**Special fire-fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

### 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** No data available.

**Accidental release measures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Methods and material for containment and cleaning up:**

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Environmental Precautions:**

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

**7. Handling and storage**

**Handling**

**Technical measures (e.g. Local and general ventilation):**

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

**Safe handling advice:**

Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Contact avoidance measures:**

No data available.

**Hygiene measures:**

Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product.

**Storage**

**Safe storage conditions:**

Store locked up. Store locked up.

**Safe packaging materials:**

No data available.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

| Chemical Identity  | Type     | Exposure Limit Values | Source   |
|--|----------|-----------------------|--|
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust. | TWA      | 0.05 mg/m3            | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016) |
|  | OSHA_ACT | 0.025 mg/m3           | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016) |

|   |              |  |  |
|---|--------------|--|--|
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust.        | PEL          | 0.05 mg/m3   | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000), as<br>amended (03 2016)  |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable.             | TWA          | 2.4 millions<br>of particles<br>per cubic foot<br>of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as<br>amended (2000)                                    |
|   | TWA          | 0.1 mg/m3  | US. OSHA Table Z-3 (29 CFR 1910.1000), as<br>amended (2000)                                    |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable<br>fraction. | TWA          | 0.025 mg/m3  | US. ACGIH Threshold Limit Values, as<br>amended (02 2020)                                      |
| Fibrous Glass - Inhalable<br>fraction.                                | TWA          | 5 mg/m3  | US. ACGIH Threshold Limit Values, as<br>amended (03 2014)                                      |
| Fibrous Glass - Fiber.  | TWA          | 1 fibers/cm3   | US. ACGIH Threshold Limit Values, as<br>amended (03 2018)                                      |
|   | TWA          | 1 fibers/cm3   | US. ACGIH Threshold Limit Values, as<br>amended (03 2018)                                      |
|   | TWA          | 1 fibers/cm3   | US. ACGIH Threshold Limit Values, as<br>amended (03 2018)                                      |
|   | TWA          | 1 fibers/cm3   | US. ACGIH Threshold Limit Values, as<br>amended (03 2018)                                      |
|   | TWA          | 1 fibers/cm3   | US. ACGIH Threshold Limit Values, as<br>amended (03 2018)                                      |
|   | TWA          | 0.2<br>fibers/cm3  | US. ACGIH Threshold Limit Values, as<br>amended (03 2018)                                      |
| <b>Chemical Identity</b>  | <b>Type</b>  | <b>Exposure Limit Values</b>                             | <b>Source</b>  |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust.        | TWA          | 0.05 mg/m3   | US. OSHA Specifically Regulated Substances<br>(29 CFR 1910.1001-1053), as amended (03<br>2016) |
|   | OSHA_AC<br>T | 0.025 mg/m3  | US. OSHA Specifically Regulated Substances<br>(29 CFR 1910.1001-1053), as amended (03<br>2016) |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust.        | PEL          | 0.05 mg/m3   | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000), as<br>amended (03 2016)  |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable.             | TWA          | 2.4 millions<br>of particles<br>per cubic foot<br>of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as<br>amended (2000)                                    |
|   | TWA          | 0.1 mg/m3  | US. OSHA Table Z-3 (29 CFR 1910.1000), as<br>amended (2000)                                    |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable<br>fraction. | TWA          | 0.025 mg/m3  | US. ACGIH Threshold Limit Values, as<br>amended (02 2020)                                      |
| Amorphous silica - Inhalable<br>particles.                            | TWA          | 10 mg/m3   | US. ACGIH Threshold Limit Values, as<br>amended (01 2021)                                      |
| Amorphous silica -<br>Respirable particles.                           | TWA          | 3 mg/m3  | US. ACGIH Threshold Limit Values, as<br>amended (01 2021)                                      |
| Amorphous silica -<br>Respirable fraction.                            | TWA          | 5 mg/m3  | US. OSHA Table Z-3 (29 CFR 1910.1000), as<br>amended (09 2016)                                 |
| Amorphous silica - Total<br>dust.                                     | TWA          | 15 mg/m3   | US. OSHA Table Z-3 (29 CFR 1910.1000), as<br>amended (09 2016)                                 |
|   | TWA          | 50 millions of<br>particles per<br>cubic foot of<br>air  | US. OSHA Table Z-3 (29 CFR 1910.1000), as<br>amended (09 2016)                                 |
| Amorphous silica -<br>Respirable fraction.                            | TWA          | 15 millions of<br>particles per<br>cubic foot of<br>air  | US. OSHA Table Z-3 (29 CFR 1910.1000), as<br>amended (09 2016)                                 |
| Amorphous silica  | TWA          | 0.8 mg/m3  | US. OSHA Table Z-3 (29 CFR 1910.1000), as<br>amended (09 2016)                                 |
|   | TWA          | 20 millions of<br>particles per<br>cubic foot of<br>air  | US. OSHA Table Z-3 (29 CFR 1910.1000), as<br>amended (09 2016)                                 |

|                                     |     |                |  |
|-------------------------------------|-----|----------------|--|
| Fibrous Glass - Inhalable fraction. | TWA | 5 mg/m3        | US. ACGIH Threshold Limit Values, as amended (03 2014) |
| Fibrous Glass - Fiber.              | TWA | 1 fibers/cm3   | US. ACGIH Threshold Limit Values, as amended (03 2018) |
|                                     | TWA | 1 fibers/cm3   | US. ACGIH Threshold Limit Values, as amended (03 2018) |
|                                     | TWA | 1 fibers/cm3   | US. ACGIH Threshold Limit Values, as amended (03 2018) |
|                                     | TWA | 1 fibers/cm3   | US. ACGIH Threshold Limit Values, as amended (03 2018) |
|                                     | TWA | 1 fibers/cm3   | US. ACGIH Threshold Limit Values, as amended (03 2018) |
|                                     | TWA | 0.2 fibers/cm3 | US. ACGIH Threshold Limit Values, as amended (03 2018) |

| Chemical name   | Type | Exposure Limit Values | Source  |
|---|------|-----------------------|---|
| Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction. | TWA  | 0.10 mg/m3            | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)  |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.     | TWA  | 0.1 mg/m3             | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)                         |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction. | TWA  | 0.025 mg/m3           | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2020) |
| Fibrous Glass - Fiber.  | TWA  | 0.2 fibers/cm3        | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007) |
|   | TWA  | 1 fibers/cm3          | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007) |
| Fibrous Glass - Inhalable fibers.                               | TWA  | 5 mg/m3               | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007) |
| Fibrous Glass - Inhalable fraction.                             | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)  |
| Fibrous Glass - Respirable fibers.                              | TWA  | 1 Fibers/cc           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)  |
|   | TWA  | 0.5 Fibers/cc         | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)  |
| Fibrous Glass - Fiber.  | TWA  | 1 Fibers/cc           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
| Fibrous Glass - Inhalable fraction.                             | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
| Fibrous Glass - Fiber.  | TWA  | 1 Fibers/cc           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
|   | TWA  | 0.2 Fibers/cc         | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
|   | TWA  | 1 Fibers/cc           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
|   | TWA  | 1 Fibers/cc           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
|   | TWA  | 1 Fibers/cc           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |

|                        |     |   |   |
|------------------------|-----|---|---|
|                        |     |   | Biological or Chemical Agents), as amended (01 2020)  |
| Fibrous Glass - Fiber. | TWA | 1 fibres/cm3 (non-asbestos fibres) -- size restrictions apply | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020)                         |
|                        | TWA | 5 mg/m3   | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2021) |
| Fibrous Glass - Fiber. | TWA | 1 fibers/cm3  | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2021) |
|                        | TWA | 1 fibres/cm3 (non-asbestos fibres) -- size restrictions apply | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020)                         |

| Chemical name   | Type | Exposure Limit Values | Source  |
|---|------|-----------------------|---|
| Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction. | TWA  | 0.10 mg/m3            | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)  |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.     | TWA  | 0.1 mg/m3             | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)                         |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction. | TWA  | 0.025 mg/m3           | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2020) |
| Amorphous silica - Respirable fraction.                         | TWA  | 3 mg/m3               | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2020) |
| Amorphous silica - Inhalable fraction.                          | TWA  | 10 mg/m3              | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
| Amorphous silica - Respirable particles.                        | TWA  | 3 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
| Amorphous silica - Total dust.                                  | TWA  | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020)                         |
| Amorphous silica - Respirable fraction.                         | TWA  | 3 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
| Amorphous silica - Total dust.                                  | TWA  | 10 mg/m3              | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2020) |
| Amorphous silica - Inhalable particles.                         | TWA  | 10 mg/m3              | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
| Fibrous Glass - Fiber.  | TWA  | 0.2 fibers/cm3        | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007) |
|   | TWA  | 1 fibers/cm3          | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007) |

|                                     |     |   |   |
|-------------------------------------|-----|---|---|
| Fibrous Glass - Inhalable fibers.   | TWA | 5 mg/m3   | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007) |
| Fibrous Glass - Inhalable fraction. | TWA | 5 mg/m3   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)  |
| Fibrous Glass - Respirable fibers.  | TWA | 1 Fibers/cc   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)  |
|                                     | TWA | 0.5 Fibers/cc   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)  |
| Fibrous Glass - Fiber.              | TWA | 1 Fibers/cc   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
| Fibrous Glass - Inhalable fraction. | TWA | 5 mg/m3   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
| Fibrous Glass - Fiber.              | TWA | 1 Fibers/cc   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
|                                     | TWA | 0.2 Fibers/cc   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
|                                     | TWA | 1 Fibers/cc   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
|                                     | TWA | 1 Fibers/cc   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
|                                     | TWA | 1 Fibers/cc   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)  |
| Fibrous Glass - Fiber.              | TWA | 1 fibres/cm3 (non-asbestos fibres) -- size restrictions apply | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020)                         |
|                                     | TWA | 5 mg/m3   | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2021) |
| Fibrous Glass - Fiber.              | TWA | 1 fibres/cm3  | Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2021) |
|                                     | TWA | 1 fibres/cm3 (non-asbestos fibres) -- size restrictions apply | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020)                         |

**Appropriate Engineering Controls**

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection:**

Wear goggles/face shield. Wear goggles/face shield.

**Skin Protection**

**Hand Protection:** Additional Information: Use suitable protective gloves if risk of skin contact. Additional Information: Use suitable protective gloves if risk of skin contact.

**Skin and Body Protection:** No data available.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

**Hygiene measures:** Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product.

**9. Physical and chemical properties****Appearance**

**Physical state:** liquid  
**Form:** liquid  
**Color:** Various

**Odor:** Faint

**Odor threshold:** No data available.

**pH:** No data available.

**Melting point/freezing point:** No data available.

**Initial boiling point and boiling range:** No data available.

**Flash Point:** No data available.

**Evaporation rate:** No data available.

**Flammability (solid, gas):** No data available.

**Upper/lower limit on flammability or explosive limits**

**Flammability limit - upper (%):** No data available.

**Flammability limit - lower (%):** No data available.

**Explosive limit - upper:** No data available.

**Explosive limit - lower:** No data available.

**Vapor pressure:** No data available.

**Vapor density:** No data available.

**Relative density:** 1.4

**Solubility(ies)**

**Solubility in water:** No data available.

**Solubility (other):** No data available.

**Partition coefficient (n-octanol/water):** No data available.

**Auto-ignition temperature:** No data available.

**Decomposition temperature:** No data available.

**Viscosity:** No data available.

## 10. Stability and reactivity

|  |   |
|--|---|
| <b>Reactivity:</b>                         | No data available.  |
| <b>Chemical Stability:</b>                 | Material is stable under normal conditions. Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions:</b> | No data available.  |
| <b>Conditions to avoid:</b>                | Avoid heat or contamination. Avoid heat or contamination.   |
| <b>Incompatible Materials:</b>             | No data available.  |
| <b>Hazardous Decomposition Products:</b>   | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

## 11. Toxicological information

### Information on likely routes of exposure

|                      |   |
|----------------------|---|
| <b>Inhalation:</b>   | In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. |
| <b>Skin Contact:</b> | Moderately irritating to skin with prolonged exposure. Moderately irritating to skin with prolonged exposure.   |
| <b>Eye contact:</b>  | Eye contact is possible and should be avoided. Eye contact is possible and should be avoided.   |
| <b>Ingestion:</b>    | May be harmful if swallowed. May be harmful if swallowed.   |

### Symptoms related to the physical, chemical and toxicological characteristics

|                      |                    |
|----------------------|--------------------|
| <b>Inhalation:</b>   | No data available. |
| <b>Skin Contact:</b> | No data available. |
| <b>Eye contact:</b>  | No data available. |
| <b>Ingestion:</b>    | No data available. |

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

|                        |   |
|------------------------|---|
| <b>Oral Product:</b>   | ATEmix: 2,801.08 mg/kg<br>ATEmix : 2,802.15 mg/kg |
| <b>Dermal Product:</b> |   |

**Specified substance(s):**  
Amorphous silica                      LD 50 (Rat): > 2,000 mg/kg

**Inhalation  
Product:**

**Specified substance(s):**  
Crystalline Silica                      LC 50: > 5.0 mg/l  
(Quartz)/ Silica Sand  
  
Amorphous silica                      LC 50 (Rat): > 2.08 mg/l

**Repeated dose toxicity  
Product:**                                      No data available.

**Skin Corrosion/Irritation  
Product:**                                      No data available.

**Specified substance(s):**  
Amorphous silica                      in vivo (Rabbit): Not irritant , 48 h  
  
Fibrous Glass                              in vivo (Rabbit): Not irritant , 24 h

**Serious Eye Damage/Eye Irritation  
Product:**                                      No data available.

**Specified substance(s):**  
  
Amorphous silica                      Rabbit, 24 - 72 h: Not irritant

**Respiratory or Skin Sensitization  
Product:**                                      No data available.

**Carcinogenicity  
Product:**                                      No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

|  |   |
|--|---|
| Crystalline Silica (Quartz)/ Silica Sand | Overall evaluation: Carcinogenic to humans.   |
| Fibrous Glass                            | Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall evaluation: Possibly carcinogenic to humans. Overall evaluation: Possibly carcinogenic to humans. |
| Crystalline Silica (Quartz)/ Silica Sand | Overall evaluation: Carcinogenic to humans.   |
| Fibrous Glass                            | Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall evaluation: Possibly carcinogenic to humans. Overall evaluation: Possibly carcinogenic to humans. |

**US. National Toxicology Program (NTP) Report on Carcinogens:**

|  |   |
|--|---|
| Crystalline Silica (Quartz)/ Silica Sand | Known To Be Human Carcinogen.   |
| Fibrous Glass                            | Reasonably Anticipated to be a Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen. |
| Crystalline Silica (Quartz)/ Silica Sand | Known To Be Human Carcinogen.   |
| Fibrous Glass                            | Reasonably Anticipated to be a Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen. |

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:**

|  |        |
|--|--------|
| Crystalline Silica (Quartz)/ Silica Sand | Cancer |
| Crystalline Silica (Quartz)/ Silica Sand | Cancer |

**Germ Cell Mutagenicity**

**In vitro**  
**Product:** No data available.

**In vivo**  
**Product:** No data available.

**Reproductive toxicity**  
**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**  
**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**  
**Product:** No data available.

**Target Organs**

Specific Target Organ Toxicity - Repeated Exposure: Lung

Specific Target Organ Toxicity - Repeated Exposure: Lung

**Aspiration Hazard**  
**Product:** No data available.

**Other effects:** Constituents of this product may include crystalline silica which, if in inhalable form, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic or cause other serious lung problems.

**12. Ecological information****Ecotoxicity:****Acute hazards to the aquatic environment:**

**Fish**  
**Product:** No data available.

**Specified substance(s):**  
Fibrous Glass LC 50 (Danio rerio, 96 h): > 1,000 mg/l Experimental result, Key study

**Aquatic Invertebrates**  
**Product:** No data available.

**Specified substance(s):**

Fibrous Glass                      EC 50 (Daphnia magna, 3 d): > 1,000 mg/l experimental result Experimental result, Key study

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:**                              No data available.

**Aquatic Invertebrates**

**Product:**                              No data available.

**Toxicity to Aquatic Plants**

**Product:**                              No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:**                              No data available.

**BOD/COD Ratio**

**Product:**                              No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:**                              No data available.

**Partition Coefficient n-octanol / water (log Kow)**

**Product:**                              No data available.

**Mobility in soil:**                      No data available.

**Other adverse effects:**              No data available.

**13. Disposal considerations**

**Disposal methods:**                      Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Contaminated Packaging:**              No data available.

**14. Transport information**

**TDG:**

800000004656

Not Regulated

**CFR / DOT:**

Not Regulated

**IMDG:**

Not Regulated

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

None present or none present in regulated quantities.

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

None present or none present in regulated quantities.

None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended**

**Chemical Identity**

Crystalline Silica  
(Quartz)/ Silica Sand

**OSHA hazard(s)**

kidney effects  
lung effects  
immune system effects  
Cancer

**Chemical Identity**

Crystalline Silica  
(Quartz)/ Silica Sand

**OSHA hazard(s)**

kidney effects  
lung effects  
immune system effects  
Cancer

**CERCLA Hazardous Substance List (40 CFR 302.4):**

**Chemical Identity**

Ethylene glycol

**Reportable quantity**

5000 lbs.

**Chemical Identity**

Ethylene glycol

**Reportable quantity**

5000 lbs.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Delayed (Chronic) Health Hazard  
Carcinogenicity  
Specific target organ toxicity (single or repeated exposure)

Delayed (Chronic) Health Hazard  
Carcinogenicity  
Specific target organ toxicity (single or repeated exposure)

**US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances**

Not regulated.  
Not regulated.

**US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting**

Not regulated.  
Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

None present or none present in regulated quantities.  
None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.  
None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**



**WARNING**

Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Cancer and Reproductive Harm -

**International regulations**

**Montreal protocol**

Not applicable  
Not applicable

**Stockholm convention**

Not applicable  
Not applicable

**Rotterdam convention**

Not applicable  
Not applicable

**Kyoto protocol**

Not applicable  
Not applicable

**VOC:**

Regulatory VOC (less water and exempt solvent) : 1 g/l

---

VOC Method 310 : 0.07 %

**Inventory Status:**

|  |  |
|--|--|
| Australia Industrial Chem. Act (AIC):    | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada DSL Inventory List:               | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada NDSL Inventory:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Ontario Inventory:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| China Inv. Existing Chemical Substances: | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan (ENCS) List:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan ISHL Listing:                      | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan Pharmacopoeia Listing:             | One or more components in this product are not listed on or exempt from the Inventory. |
| Korea Existing Chemicals Inv. (KECI):    | One or more components in this product are not listed on or exempt from the Inventory. |
| Mexico INSQ:                             | One or more components in this product are not listed on or exempt from the Inventory. |
| New Zealand Inventory of Chemicals:      | One or more components in this product are not listed on or exempt from the Inventory. |
| Philippines PICCS:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| Taiwan Chemical Substance Inventory:     | One or more components in this   |

---

|   |  |
|---|--|
|   | product are not listed on or exempt from the Inventory.                                |
| US TSCA Inventory:                        | One or more components in this product are not listed on or exempt from the Inventory. |
| Switzerland New Subs Notified/Registered: | One or more components in this product are not listed on or exempt from the Inventory. |
| Thailand DIW Existing Chemical Inv. List: | One or more components in this product are not listed on or exempt from the Inventory. |
| Vietnam National Chemical Inventory:      | One or more components in this product are not listed on or exempt from the Inventory. |
| EINECS, ELINCS or NLP:                    | One or more components in this product are not listed on or exempt from the Inventory. |

|  |
|--|
| <b>16. Other information, including date of preparation or last revision</b> |
|--|

**Revision Date:** 02/24/2023

**Version #:** 1.1

**Further Information:** No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.