



DuPont™ Flexwrap™ NF

Version 4.1

Issue Date : 09/06/2023 Ref. 130000121391
Revision Date : 12/17/2018

This document is for information only, provided voluntarily and not subsequent to regulatory requirement.

PRODUCT AND CONTACT INFORMATION

Product identifier

Product name : DuPont™ Flexwrap™ NF
Company : DuPont
974 Centre Road
Wilmington, Delaware 19805
Telephone : 1-302-996-8439

Emergency telephone number

Emergency contact : +1 (888) 439-2988 (Toll free), +1 (303)-739-1125 (Caller Paid)

HAZARDS IDENTIFICATION

Emergency Overview

This product has no known adverse effect on human health.

Physical and chemical properties

Form : tape, roll

INFORMATION ON INGREDIENTS

OSHA Hazard Communication Standard (29 CFR 1910.1200) requirements for Material Safety Data Sheets do not apply to this product. This product is excluded as an article. Information on potential hazards associated with product fabrication and/or installation are discussed in this datasheet.

FIREFIGHTING MEASURES

Special hazards arising from the article

Specific hazards during firefighting : Burning is accompanied by melting and dripping which may cause the fire to spread.
Hazardous combustion products may include: Carbon monoxide Carbon dioxide (CO₂)



DuPont™ Flexwrap™ NF

Version 4.1

Issue Date : 09/06/2023
Revision Date : 12/17/2018

Ref. 130000121391

EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Respiratory protection : Respiratory protection should not be required for normal use and handling.

Exposure Guidelines

Exposure Limit Values

Polyethylene			
Permissible exposure limit:	(OSHA)	5 mg/m ³	8 hr. TWA
Permissible exposure limit:	(OSHA)	15 mg/m ³	8 hr. TWA
Permissible exposure limit:	(OSHA)	15 millions of particles per cubic foot of air	TWA
Permissible exposure limit:	(OSHA)	15 mg/m ³	TWA
Permissible exposure limit:	(OSHA)	50 millions of particles per cubic foot of air	TWA
Permissible exposure limit:	(OSHA)	5 mg/m ³	TWA
TLV	(ACGIH)	10 mg/m ³	TWA
TLV	(ACGIH)	3 mg/m ³	TWA
AEL *	(DuPont)	5 mg/m ³	8 & 12 hr. TWA

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

DISPOSAL CONSIDERATIONS

Waste treatment methods

Product : Can be landfilled or incinerated, when in compliance with local regulations.



DuPont™ Flexwrap™ NF

Version 4.1

Issue Date : 09/06/2023
Revision Date : 12/17/2018

Ref. 130000121391

REGULATORY INFORMATION

TSCA (US) Status

Product is an article as defined at 40CFR720.3(c) and is not subject to TSCA Inventory requirements.

California Prop. 65:

This product does not contain any substances requiring a warning under the Safe Drinking Water and Toxic Enforcement Act.

OTHER INFORMATION

Further information

Do not use DuPont materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless the material has been provided from DuPont under a written contract that is consistent with DuPont policy regarding medical applications and expressly acknowledges the contemplated use. For further information, please contact your DuPont representative. You may also request a copy of the DuPont POLICY Regarding Medical Applications and DuPont CAUTION Regarding Medical Applications.

The DuPont Oval Logo, DuPont™ and all products denoted with ® or ™ are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.

The information provided in this Article Information Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.