

# How to Install Great Stuff™ Insulating Foam Sealant

## **INSTRUCTIONS**

Read all instructions and safe handling information before you start.


## Safety and Conditions of Use

- Wear appropriate personal protective equipment. Cover all skin, at a minimum wear long sleeves, safety glasses or goggles and gloves.
- Make sure you are working in a well-ventilated area and that you read ALL instructions carefully before use.
- Make sure the can has been stored properly and is at the right temperature (see can label).
- Great Stuff<sup>™</sup> Insulating Foam Sealant\* is not to be used for filling closed cavities or voids such as behind walls and under tub surrounds; this improper use of the product could result in the accumulation of flammable vapors and/or uncured material. Failure to follow the warnings and instructions provided with the product, and/or all applicable rules and regulations, can result in injury or death.

# **Application**

- Shake the can vigorously for a minimum of one minute.
- Firmly secure the QUICK STOP™ straw onto the valve stem.
- Ensure straw is fully sealed on the valve stem to prevent leakage.
- Pull open yellow tip. Window on tip will show green for "go."
- When finished, firmly close tip. Window will show red for "stop."
- Practice dispensing the foam on newspaper or sheet of paper or plastic.
- Insert tip into gap and dispense slowly. Do not force it from the can.
- Fill openings approximately 50% full; the foam will expand to fill the space. Overfilling can buckle materials. If required, mist foam with spray water bottle to speed curing.
- Foam is tack-free in 5 -15 minutes, trims in one hour and cures in 8 hours.<sup>1</sup>
- Cured foam can be trimmed, shaped, sanded, painted or stained. To trim, use a sharp knife or serrated blade.
- The Great Stuff<sup>™</sup> straw can is good for one-time use only, so plan your projects accordingly. After 2 hours without use, the can will seal shut and cannot be reused.
- Skin of cured foam can discolor if exposed to natural light.
  Paint or coat foam for best results.
- Once complete, clean up and dispose of empty can(s) properly.
  Empty cans can be recycled and non-empty cans should be handled according to your local regulations.





- Easy, stop-start product usage
- Less mess, less clean-up (saves time)
- · Less wasted foam (increases efficiency)



<sup>\*</sup> Great Stuff™ Insulating Foam Sealant is a former product of The Dow Chemical Company

<sup>1 170°</sup>F ± 5°F and 50 ± 5% RH, 1 inch bead diameter, 6 inch length. Cure rate is dependent on temperature, humidity and size of foam bead.



# For more information visit us at greatstuff.com or call 1-866-583-2583

NOTICE: No freedom from any patent owned by DuPont or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where DuPont is represented. The claims made may not have been approved for use in all countries or regions. DuPont assumes no obligation or liability for the information in this document. References to "DuPont" or the "Company" mean the DuPont legal entity selling the products to Customer unless otherwise expressly noted. NO EXPRESS WARRANTIES ARE GIVEN EXCEPT FOR ANY APPLICABLE WRITTEN WARRANTIES SPECIFICALLY PROVIDED BY DUPONT. ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED. The buyer assumes all risks as to the use of the material. Buyer's exclusive remedy or any claim (including without limitations, negligence, strict liability, or tort) shall be limited to the refund of the purchase price of the material. Failure to strictly adhere to any recommended procedures shall release DuPont Specialty Products USA, LLC or its affiliates, of all liability with respect to the materials or the use thereof. The information herein is not intended for use by non-professional designers, applicators or other persons who do not purchase or utilize this product in the normal course of their business.

#### DuPont Polyurethane Foam Insulation and Sealants

**CAUTION:** When cured, these products are combustible and will burn if exposed to open flame or sparks from high-energy sources. Do not expose to temperatures above 240°F (116°C). For more information, consult (Material) Safety Data Sheet ((M)SDS), call DuPont at 1-866-583-BLUE (2583) or contact your local building inspector. In an emergency, call 1-989-636-4400 in the U.S. or 1-519-339-3711 in Canada.

Great Stuff" contains isocyanate and a flammable blowing agent. Read all instructions and (Material) Safety Data Sheet ((M)SDS), carefully before use. Eliminate all sources of ignition before use. Cover all skin. Wear long sleeves, gloves, and safety glasses or goggles. Not for use in aviation, or food/beverage contact, or as structural support in marine applications. Provide adequate ventilation or wear proper respiratory protection. Contents under pressure. Not to be used for filling closed cavities or voids such as behind walls and under tub surrounds; this improper use of the product could result in the accumulation of flammable vapors and/or uncured material. Failure to follow the warnings and instructions provided with the product, and/or all applicable rules and regulations, can result in injury or death.

Building and/or construction practices unrelated to building materials could greatly affect moisture and the potential for mold formation. No material supplier including DuPont can give assurance that mold will not develop in any specific system.

DuPont", the DuPont Oval Logo, and all trademarks and service marks denoted with ™, <sup>su</sup> or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. © 2019 DuPont.