

Revision Date: 11/16/2022

# SAFETY DATA SHEET

# 1. Identification

Material name: EUCO 700 - 5 GAL UNIT PART B - 4

Material: 042A-10B

Recommended use and restriction on use

Recommended use: Sealant Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Euclid Admixture Canada Inc.

2835 Grand-Allee

Saint Hubert QC J4T 2R4

CA

**Contact person:** EH&S Department **Telephone:** (450)465-2233

**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

# 2. Hazard(s) identification

# **Hazard Classification**

# **Physical Hazards**

Flammable liquids Category 4

#### **Health Hazards**

Acute toxicity (Oral)

Acute toxicity (Dermal)

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Skin sensitizer

Category 1

# **Unknown toxicity - Health**

Acute toxicity, oral 44.93 %
Acute toxicity, dermal 77.23 %
Acute toxicity, inhalation, vapor 100 %
Acute toxicity, inhalation, dust 99.99 %

or mist

#### **Environmental Hazards**

Acute hazards to the aquatic Category 1

environment

Chronic hazards to the aquatic Category 1

environment



Revision Date: 11/16/2022

# **Unknown toxicity - Environment**

Acute hazards to the aquatic

environment

Chronic hazards to the aquatic 44.19 %

57.84 %

environment

#### **Label Elements**

# **Hazard Symbol:**



Signal Word: Danger

Hazard Statement: Combustible liquid.

Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage.

May cause an allergic skin reaction. May damage fertility or the unborn child.

Very toxic to aquatic life with long lasting effects.

Precautionary Statements

**Prevention:** Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Use personal protective equipment as required. Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON

CENTER/doctor if you feel unwell. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and

keep comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. In case of

fire: Use... to extinguish. Collect spillage.

Storage: Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.



Revision Date: 11/16/2022

Hazard(s) not otherwise classified (HNOC):

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
4-Nonylphenol	84852-15-3	25 - <50%
Calcium Carbonate (Limestone)	1317-65-3	10 - <20%
N-Aminoethylpiperazine	140-31-8	10 - <20%
Fatty acid, amidoamine resin	68410-23-1	5 - <10%
Polymeric thiol reaction product	72244-98-5	1 - <5%
Tris(dimethylaminomethyl)phenol	90-72-2	1 - <5%
Amorphous silica	7631-86-9	1 - <5%
Triethylenetetramine	112-24-3	0.1 - <1%
Diethylenetriamine	111-40-0	0.1 - <1%
Ethanol, 2-[(2-aminoethyl)amino]-		0.1 - <0.3%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

# Description of necessary first-aid measures

Inhalation: Call a physician or poison control center immediately. If breathing

stops, provide artificial respiration. Move to fresh air. If breathing is

difficult, give oxygen.

**Skin Contact:** Call a physician or poison control center immediately. Destroy or

thoroughly clean contaminated shoes. Immediately remove

contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get

medical attention.

Eye contact: Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control

center immediately.

Ingestion: Rinse mouth. Call a physician or poison control center immediately.

Never give liquid to an unconscious person. Do not induce vomiting

without advice from poison control center.

**Personal Protection for First-**

aid Responders:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

# Most important symptoms/effects, acute and delayed

Prolonged or repeated contact with skin Symptoms: Respiratory tract irritation.

> may cause redness, itching, irritation and eczema/chapping. Extreme

irritation of eyes and mucous membranes, including burning and tearing.



Revision Date: 11/16/2022

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

5. Fire-fighting measures

**General Fire Hazards:** Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Accidental release measures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Methods and material for containment and cleaning

up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for

disposal according to local regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

# 7. Handling and storage

Handling



Revision Date: 11/16/2022

Technical measures (e.g. Local and general ventilation):

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Safe handling advice: Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after

handling. Do not taste or swallow. Do not get in eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes, on skin, on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment.

Observe good industrial hygiene practices.

**Contact avoidance measures:** No data available.

**Hygiene measures:** Avoid contact with skin. Observe good industrial hygiene practices. Do not

eat, drink or smoke when using the product. Wash hands after handling. Do not get in eyes. When using do not smoke. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not get this material in contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be

allowed out of the workplace.

**Storage** 

Safe storage conditions: Store in a well-ventilated place. Store in a cool place. Store locked up.

Safe packaging materials: No data available.

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values	Source
Calcium Carbonate (Limestone) - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Calcium Carbonate (Limestone) - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Amorphous silica - Inhalable particles.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
Amorphous silica - Respirable particles.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
Amorphous silica - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Amorphous silica - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Amorphous silica - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Diethylenetriamine	TWA	1 ppm	US. ACGIH Threshold Limit Values, as amended (2008)



Revision Date: 11/16/2022

Chemical name	Туре	Exposure Limit	t Values	Source
Calcium Carbonate (Limestone) - Total dust.	STEL		20 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA		10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium Carbonate (Limestone) - Respirable fraction.	TWA		3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium Carbonate (Limestone) - Total dust.	TWA		10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Amorphous silica - Respirable fraction.	TWA		3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2020)
Amorphous silica - Inhalable fraction.	TWA		10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Amorphous silica - Respirable particles.	TWA		3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Amorphous silica - Total dust.	TWA		10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020)
Amorphous silica - Respirable fraction.	TWA		3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Amorphous silica - Total dust.	TWA		10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2020)
Amorphous silica - Inhalable particles.	TWA		10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Triethylenetetramine	TWA	0.5 ppm	3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Diethylenetriamine	TWA	1 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Diethylenetriamine	TWA	1 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Diethylenetriamine	TWA	1 ppm	4.2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)

# Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

# Individual protection measures, such as personal protective equipment

**Eye/face protection:** Wear a full-face respirator, if needed. Wear safety glasses with side shields

(or goggles) and a face shield.



Revision Date: 11/16/2022

**Skin Protection** 

**Hand Protection:** Additional Information: Use suitable protective gloves if risk of skin contact.

**Skin and Body Protection:** Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Avoid contact with skin. Observe good industrial hygiene practices. Do not

eat, drink or smoke when using the product. Wash hands after handling. Do not get in eyes. When using do not smoke. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not get this material in contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be

allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** 

Physical state: liquid
Form: liquid
Color: Tan
Odor: Mild

Odor threshold:

pH:

No data available.

No data available.

Melting point/freezing point:

No data available.

No data available.

No data available.

Flash Point: 93 °C 199 °F(Setaflash Closed Cup)

**Evaporation rate:** Slower than Ether

Flammability (solid, gas): No Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.2

Solubility(ies)

Solubility in water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.



Revision Date: 11/16/2022

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Heat, sparks, flames.

Incompatible Materials: No data available.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation:** In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

**Skin Contact:** Harmful in contact with skin. Causes severe skin burns. May cause an

allergic skin reaction.

**Eye contact:** Causes serious eye damage.

**Ingestion:** Harmful if swallowed.

# Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

# Information on toxicological effects

# Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 1,026.8 mg/kg

Dermal

**Product:** ATEmix: 1,268.86 mg/kg

Inhalation



Revision Date: 11/16/2022

**Product:** 

Specified substance(s):

Amorphous silica LC 50 (Rat): > 2.08 mg/l

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

4-Nonylphenol in vivo (Rabbit): Irritating, 1 - 8 d

N-Aminoethylpiperazine in vivo (Rabbit): Severe damage to the belly, 24 h

Fatty acid, amidoamine

resin

In vitro (In vitro): Not Classified

Tris(dimethylaminomet

hyl)phenol

in vivo (Rabbit): Corrosive

Amorphous silica in vivo (Rabbit): Not irritant, 48 h

Ethanol, 2-[(2-

aminoethyl)amino]-

in vivo (Rabbit): Corrosive, 4 - 48 h

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

4-Nonylphenol Rabbit, 24 - 72 hrs: Corrosive

Amorphous silica Rabbit, 24 - 72 hrs: Not irritant

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified



Revision Date: 11/16/2022

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

Specific Target Organ Toxicity - Repeated Exposure
Product:
No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: Constituents of this product may include crystalline silica which, if in

inhalable form, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic

or cause other serious lung problems.

# 12. Ecological information

#### **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

4-Nonylphenol EC 50 (Pimephales promelas, 96 h): 96 μg/l Experimental result, Key study

N-Aminoethylpiperazine LC 50 (Pimephales promelas, 96 h): 2,190 mg/l Experimental result, Key

study

10/17



Revision Date: 11/16/2022

Fatty acid, amidoamine

resin

LC 50 (Danio rerio, 96 h): 7.07 mg/l Read-across from supporting substance

(structural analogue or surrogate), Key study

Tris(dimethylaminomethyl

)phenol

LC 50 (Cyprinus carpio, 96 h): 175 mg/l Experimental result, Weight of

Evidence study

Diethylenetriamine LC 50 (Poecilia reticulata, 96 h): 0.43 g/l Experimental result, Key study

Ethanol, 2-[(2-aminoethyl)amino]-

LC 50 (Pimephales promelas, 96 h): 640 mg/l Estimated by calculation, Key

study

**Aquatic Invertebrates** 

Product:

No data available.

Specified substance(s):

4-Nonylphenol

EC 50 (Daphnia magna, 48 h): 84.4 µg/l experimental result Experimental

result, Key study

N-Aminoethylpiperazine

EC 50 (Daphnia magna, 48 h): 58 mg/l experimental result Experimental

result, Key study

Fatty acid, amidoamine

resin

EC 50 (Daphnia magna, 48 h): 5.18 mg/l read-across from supporting

substance (structural analogue or surrogate) Read-across from supporting

substance (structural analogue or surrogate), Key study

Triethylenetetramine LC 50 (Water flea (Daphnia magna), 48 h): 33.9 mg/l Intoxication

Diethylenetriamine EC 50 (Daphnia magna, 48 h): 16 mg/l experimental result Experimental

result, Key study

Ethanol, 2-[(2-

aminoethyl)amino]-

EC 50 (Daphnia magna, 48 h): 22 mg/l experimental result Experimental

result, Key study

# Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

4-Nonylphenol

NOAEL (Oncorhynchus mykiss): 0.006 mg/l experimental result

Experimental result, Key study

Diethylenetriamine

NOAEL (Gasterosteus aculeatus): > 10 mg/l experimental result

Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** 

No data available.

Specified substance(s):

4-Nonylphenol

NOAEL (Daphnia magna): 0.024 mg/l experimental result Experimental

result, Key study

Diethylenetriamine NOAEL (Daphnia magna): 5.6 mg/l experimental result Experimental result,

Key study



Revision Date: 11/16/2022

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Persistence and Degradability

**Biodegradation** 

Product: No data available.

Specified substance(s):

4-Nonylphenol 48.2 % (35 d) Detected in water. Experimental result, Key study

Fatty acid, amidoamine

resin

> 0 - 70 % (74 d) Detected in water. Experimental result, Key study

Tris(dimethylaminomethyl

)phenol

4 % (28 d) Detected in water. Experimental result, Key study

Diethylenetriamine 87 % Detected in water. Experimental result, Key study

Ethanol, 2-[(2aminoethyl)amino]- > 60 % (28 d) Detected in water. Experimental result, Key study

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

4-Nonylphenol Pimephales promelas, Bioconcentration Factor (BCF): 740 Aquatic sediment

Experimental result, Key study

Cyprinus carpio, Bioconcentration Factor (BCF): > 2.8 - 6.3 Aquatic Diethylenetriamine

sediment Experimental result, Key study

Cyprinus carpio, Bioconcentration Factor (BCF): 2.1 - 3.7 Aquatic sediment Ethanol, 2-[(2-

aminoethyl)amino]-Experimental result, Key study

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Specified substance(s):

N-Aminoethylpiperazine Log Kow: -1.57

Ethanol, 2-[(2-

aminoethyl)amino]-

Log Kow: -1.39

Mobility in soil: No data available.

Other adverse effects: Very toxic to aquatic life with long lasting effects.



Revision Date: 11/16/2022

# 13. Disposal considerations

**Disposal methods:** Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

# 14. Transport information

# TDG:

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nonylphenol), 9, PG III

# CFR / DOT:

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nonylphenol), 9, PG III, MARINE POLLUTANT

#### IMDG:

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nonylphenol), 9, PG III, MARINE POLLUTANT

#### **Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

# 15. Regulatory information

#### **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Chemical Identity Reportable quantity

4-Nonylphenol De minimis concentration: TSCA 5(a)(2)% One-Time Export Notification

only.

Nonyl Phenol De minimis concentration: TSCA 5(a)(2)% One-Time Export Notification

only.

# US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

# CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# **Hazard categories**

Fire Hazard



Revision Date: 11/16/2022

Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard
Flammable (gases, aerosols, liquids, or solids)
Acute toxicity (any route or exposure)
Skin Corrosion or Irritation
Serious eye damage or eye irritation
Respiratory or Skin Sensitization
Reproductive toxicity

# US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

Not regulated.

# US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

Chemical Identity% by weight4-Nonylphenol1.0%Dinonylphenol1.0%Nonyl Phenol

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

# Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

#### **US State Regulations**

#### **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

# International regulations

# **Montreal protocol**

Not applicable

#### Stockholm convention

Not applicable

# **Rotterdam convention**

Not applicable

#### **Kyoto protocol**

Not applicable

**VOC:** When appropriately mixed with the other part, product has a VOC less water and exempt solvent of: 87 g/l

Regulatory VOC (less water and : 140 g/l

exempt solvent)

VOC Method 310 : 11.40 %



Revision Date: 11/16/2022



Revision Date: 11/16/2022

**Inventory Status:** 

Australia AICS: One or more components in this

product are not listed on or exempt

from the Inventory.

Canada DSL Inventory List:

One or more components in this

product are not listed on or exempt

from the Inventory.

Canada NDSL Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Ontario Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

China Inv. Existing Chemical

Substances:

One or more components in this product are not listed on or exempt

from the Inventory.

Japan (ENCS) List: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan ISHL Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan Pharmacopoeia Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this

product are not listed on or exempt

from the Inventory.

Mexico INSQ: One or more components in this

product are not listed on or exempt

from the Inventory.

New Zealand Inventory of Chemicals: One or more components in this

product are not listed on or exempt

from the Inventory.

Philippines PICCS: One or more components in this

product are not listed on or exempt

from the Inventory.

Taiwan Chemical Substance Inventory: One or more components in this



Revision Date: 11/16/2022

product are not listed on or exempt

from the Inventory.

US TSCA Inventory: All components in this product are

listed on or exempt from the

Inventory.

EINECS, ELINCS or NLP: One or more components in this

product are not listed on or exempt

from the Inventory.

# 16.Other information, including date of preparation or last revision

**Revision Date:** 11/16/2022

Version #: 1.2

Further Information: No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.