

Version: 2.1 Revision Date: 11/11/2022

SAFETY DATA SHEET

1. Identification

Material name: EUCO-SPEED MP Material: 083B 50

Recommended use and restriction on use

Recommended use: Pigment Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Euclid Admixture Canada Inc. 2835 Grand-Allee Saint Hubert QC J4T 2R4 CA

Contact person: Telephone: Emergency telephone number: EH&S Department (450)465-2233 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Carcinogenicity	Category 1A
Toxic to reproduction	Category 1B
Specific Target Organ Toxicity -	Category 1 ^{1.}
Repeated Exposure	

Target Organs

1. Lung

Unknown toxicity - Health

Acute toxicity, oral	89.24 %
Acute toxicity, dermal	89.95 %
Acute toxicity, inhalation, vapor	100 %
Acute toxicity, inhalation, dust	99.47 %
or mist	

Label Elements

Hazard Symbol:





Signal Word:	Danger
Hazard Statement:	May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.
Precautionary Statements	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
Response:	IF exposed or concerned: Get medical advice/attention.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
d(s) not otherwise	None.

Hazard(classified (HNOC):

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	50 - <100%
Magnesium oxide	1309-48-4	5 - <10%
Silica, fused	60676-86-0	5 - <10%
Aluminum oxide	1344-28-1	0.1 - <1%
Calcium oxide	1305-78-8	0.1 - <1%
Iron oxide	1309-37-1	0.1 - <1%
Boric acid	10043-35-3	0.1 - <0.3%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first-aid measures

Inhalation:	Move to fresh air.
Skin Contact:	Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
Eye contact:	Rinse immediately with plenty of water.
Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.



Personal Protection for First- aid Responders:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Most important symptoms/effec	Most important symptoms/effects, acute and delayed		
Symptoms:	May cause skin and eye irritation.		
Hazards:	No data available.		
Indication of immediate medical	l attention and special treatment needed		
Treatment:	Symptoms may be delayed.		
5. Fire-fighting measures			
General Fire Hazards:	No unusual fire or explosion hazards noted.		
Suitable (and unsuitable) exting	uishing media		
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.		
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.		
Special protective equipment a	nd precautions for fire-fighters		
Special fire-fighting procedures:	No data available.		
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
6. Accidental release measure	es		
Personal precautions, protective equipment and emergency procedures:	No data available.		
Accidental release measures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.		
Methods and material for containment and cleaning up:	Collect spillage in containers, seal securely and deliver for disposal according to local regulations.		
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.		



— •• •• • •	
7. Handling and storage	
Handling	
Technical measures (e.g. Local and general ventilation):	Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.
Safe handling advice:	Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust.
Contact avoidance measures:	No data available.
Hygiene measures:	Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.
Storage	
Safe storage conditions:	Store locked up.
Safe packaging materials:	No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
	OSHA_AC T	0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values, as amended (02 2020)
Magnesium oxide - Inhalable fraction.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (2011)
Magnesium oxide - Total particulate.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Magnesium oxide - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)



Magnesium oxide - Total TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Magnesium oxide - Respirable fraction. TWA 50 millions of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Silica, fused TWA 50 millions of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Silica, fused TWA 20 millions of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Respirable TWA 20 millions of amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Respirable TWA 0.8 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Respirable TWA 50 millions of particles per oxitic foor i amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable TWA 50 millions of particles per oxitic foor i amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amende				
particles per cubic foot of dir amended (03 2016) Magnesium oxide - Respirable fraction, TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (00 2016) Silica, fused TWA 20 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Respirable TWA 0.8 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Total dust. PEL 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Total dust. PEL 5 mg/m3 US. OSHA Table Z-1 timits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) TWA 60 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fraction. TWA 16 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (02 2016) Aluminum oxide - Total dust. TWA 16 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (02 2016) Aluminum oxide - Total dust. TWA 16 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (02 2016)	•	TWA	15 mg/m3	amended (03 2016)
air air Respirable fraction. TWA 5 mg/m3 Silica, fused TWA 20 millions of particles per cubic foot of dir US. OSHA Table 2-3 (23 CFR 1910.1000), as amended (2000) TWA 20 millions of particles per cubic foot of dir US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Respirable TWA 0.8 mg/m3 US. OSHA Table 2-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (20 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table 2-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (20 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Respirable fraction. TWA 50 millions of particles per cubic foot of air US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fraction. TWA 15 mg/m3 US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (02 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (02 2016) Aluminum oxide - Total dust.		TWA	particles per	
Magnesium oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Silica, fused TWA 20 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Respirable fraction. TWA 0.8 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Respirable fraction. TWA 1 mg/m3 US. OSHA Table Z-1 (2000) Aluminum oxide - Total dust. PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) TWA 50 millions of particles per cubic foot of arreador. US. OSHA Table Z-1 GPC FR 1910.1000), as amended (02 2006) TWA 50 millions of particles per cubic foot of arreador. US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fraction. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable TWA 15 mg/m3 US.				
Silica, fused TWA 20 millions of particles per cubic foot of arrended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Respirable fraction. TWA 0.8 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Respirable fraction. TWA 1 mg/m3 US. OSHA Table Z-1 (2000) Aluminum oxide - Total dust. PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (28 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (28 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Respirable fraction. TWA 15 mg/m3 US OSHA Table Z-3 (20 CFR 1910.1000), as amended (03 20 16) Aluminum oxide - Respirable fraction. TWA 15 mg/m3 US OSHA Table Z-3 (20 CFR 1910.1000), as amended (03 20 16) Aluminum oxide - Respirable fraction. TWA 15 mg/m3 US OSHA Table Z-3 (20 CFR 1910.1000), as amended (03 20 16) Aluminum oxide - Respirable fraction. TWA 15 mg/m3 US OSHA Table Z-3 (20 CFR 1910.1000), as amended (03 20 16) Aluminum oxide - Respirable fraction. TWA 15 mg/m3 US ACGHT Trusshold Limit Values, as amended (01 20 21) Aluminum oxide - Respirable fraction. TWA		TWA		
particles per cubic foot 0 amended (2000) TWA 0.8 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Respirable fraction. TWA 1 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PWA 50 millions of particles per cubic foot 0 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fraction. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Murinum oxide - Respirable fracton. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fracton. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable particles. TWA 15 mg/m3 US. OSHA Table Z-1 limit Values, as amended (02 30216) Caluminum oxide - Respirable fraction. TWA 15 mg/m3 US. OSHA Table Z-1	Silica fused	τ\//Δ	20 millions of	LIS_OSHA Table 7-3 (29 CER 1910 1000) as
Image: cubic foot of air cubic foot of air TWA 0.8 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) Aluminum oxide - Respirable TWA 1 mg/m3 US: ACGIH Threshold Limit Values, as amended (2011) Aluminum oxide - Total dust. PEL 5 mg/m3 US: OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Respirable TWA 50 millions of particles provide (02 2006) amended (02 2006) Aluminum oxide - Respirable TWA 16 millions of particles provide (03 2016) amended (03 2016) Aluminum oxide - Respirable TWA 15 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable TWA 15 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (04 20216) Aluminum oxide - Total dust. TWA 15 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 10 mg/m3	Olica, ruscu	IWA		
TWA 0.8 mg/m3 US: OSHA Table 27: 29: OFR 1910.1000), as amended (2000) Aluminum oxide - Respirable TWA 1 mg/m3 US: ACGIH Threshold Limit Values, as amended (02 2006) Aluminum oxide - Total dust. PEL 5 mg/m3 US: OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US: OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) TWA 50 millions of particles per cubic foot of air US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fraction. TWA 50 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) TWA 15 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) amended (03 2016) Aluminum oxide - Respirable fraction. TWA 15 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (01 2021) Aluminum oxide - Inhalable particles. TWA 5 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (01 2021) Aluminum oxide - Inhalable particles. TWA 15 mg/m3 US: OSHA Table Z-3 (29 CFR 1910.1000), as amended (01 2021) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US: ACGIH Thres				
Atuminum oxide - Respirable fraction. TWA 1 mg/m3 US. ACGIH Threshold Linit Values, as amended (2011) Atuminum oxide - Total dust. PEL 5 mg/m3 US. OSHA Table 2-1 Linits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Atuminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (02 2006) TWA 50 millions of patricles per cubic foot of air US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fraction. TWA 50 millions of patricles per cubic foot of air US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table 2-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. ACGIH Threshold Linit Values, as amended (01 2021) Aluminum oxide - Total dust. TWA 10 mg/m3 US. ACGIH Threshold Linit Values, as amended (02 2016) Aluminum oxide - Total dust. TWA 2 mg/m3			air	
Aluminum oxide - Respirable TWA 1 mg/m3 US. ACGHT Threshold Limit Values, as amended (2011) Aluminum oxide - Total dust. PEL 5 mg/m3 US. OSHA Table 2-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table 2-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Respirable TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable TWA 16 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (01 2021) Aluminum oxide - Respirable TWA 10 mg/m3 US. CGHA Trable Z-3 (29 CFR 1910.1000), as amended (01 2021) Aluminum oxide - Respirable TWA 10 mg/m3 US. CGHA Table Z-3 (29 CFR 1910.1000), as amended (01 2021) Calcium oxide TWA 15 mg/m3 US. CGHA Trable Z-1 L		TWA	0.8 mg/m3	
Ifraction. amended (2011) PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (23 OFR 1910.1000), as Aluminum oxide - Respirable fraction. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as Aluminum oxide - Respirable fraction. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 16 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 10 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2017) Aluminum oxide - Respirable particles. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2016) Iron oxide - Respirable fraction. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006)	Aluminum oxide - Respirable	TWA	1 mg/m3	
Aluminum oxide - Total dust. PEL 15 mg/m3 Contaminants (29 CFR 1910.1000), as amended (02 2006) Aluminum oxide - Total dust. PEL 15 mg/m3 US, OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) TWA 50 millions of particles per cubic fort of air US, OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fraction. TWA 15 millions of particles per cubic fort of air TWA 50 mg/m3 US, OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US, OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US, OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US, OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2012) Aluminum oxide - Total dust. TWA 10 mg/m3 US, ACGIH Threshold Limit Values, as amended (02 2012) Aluminum oxide - Respirable fraction. TWA 2 mg/m3 US, ACGIH Threshold Limit Values, as amended (02 2013) Calcium oxide TWA 2 mg/m3 US, ACGIH Threshold Limit Values, as amended (02 2006) Iron oxide - Respirable fracti			-	amended (2011)
Aluminum oxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fraction. TWA 15 millions of usice particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2009) Iron oxide - Respirable TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (2021) Calcium oxide TWA 2 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2000) Iron		PEL	5 mg/m3	Contaminants (29 CFR 1910.1000), as
Contaminants (29 CFR 1910.1000), as amended (02 2006) TWA 50 militons of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fraction. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Aluminum oxide - Respirable fraction. TWA 3 mg/m3 US. ACGIH Threshold Limit Values, as amended (2020) PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (20206) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (20206) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)	Aluminum quide Total dust	סבו	45	
TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Respirable fraction. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Aluminum oxide - Respirable particles. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02020) Iron oxide - Respirable particles. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006) Iron oxide - Fume. PEL 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006) Iron oxide - Fume. PEL 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006) Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016) Iron ox	Aluminum oxide - Total dust.	PEL	15 mg/m3	Contaminants (29 CFR 1910.1000), as
Aluminum oxide - Respirable fraction. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. CGHT Threshold Limit Values, as amended (10 2021) Aluminum oxide - Respirable particles. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (2020) Calcium oxide TWA 2 mg/m3 US. OSHA Table Z-1 limits for Air Contaminants (29 CFR 1910.1000), as amended (2020) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-1 limits for Air Contaminants (29 CFR 1910.1000), as amended (202006) Iron oxide - Furme. PEL 10 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) <		TWA	50 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000), as
Aluminum oxide - Respirable fraction. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (10 2021) Aluminum oxide - Respirable particles. TWA 3 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. <t< td=""><td></td><td></td><td></td><td>amended (03 2016)</td></t<>				amended (03 2016)
Aluminum oxide - Respirable fraction. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Aluminum oxide - Respirable particles. TWA 3 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (2020) Calcium oxide - Respirable particles. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (2020) Calcium oxide - Respirable fraction. TWA 5 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006) Iron oxide - Fume. PEL 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 50 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) <				
fraction. particles per cubic foot of air amended (03 2016) Aluminum oxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Aluminum oxide - Respirable particles. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2020) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006) Iron oxide - Fume. PEL 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2006) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Respirable TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (
cubic foot of air cubic foot of air TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Aluminum oxide - Respirable particles. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 201) Calcium oxide - Respirable fraction. TWA 2 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2020) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxi		TWA		
air air TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Aluminum oxide - Respirable particles. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (20201) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (20201) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) Iron oxide - Respirable TWA 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable TWA 51 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA	fraction.			amended (03 2016)
TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Aluminum oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (0208) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (0208) Visor PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (20206) Iron oxide - Respirable TWA 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (20206) Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Total dust. TWA 50 millions of US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Respirable TWA 50 millions of US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Total dust. TWA 50 millions of US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable TWA 15 millions of US. OSHA Table Z-3 (29 CFR 1910.1				
Aluminum oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Aluminum oxide - Inhalable particles.TWA10 mg/m3US. ACGIH Threshold Limit Values, as amended (01 2021)Aluminum oxide - Respirable particles.TWA3 mg/m3US. ACGIH Threshold Limit Values, as amended (01 2021)Calcium oxideTWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (01 2021)Calcium oxideTWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (2020)Calcium oxideTWA2 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)Iron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)Iron oxide - Fume.PEL10 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA		τωα		US_OSHA Table 7-3 (29 CER 1910 1000) as
Aluminum oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Aluminum oxide - Respirable particles. TWA 3 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02021) Calcium oxide - Respirable particles. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02021) Contaminants (29 CFR 1910.1000), as amended (02020) Tron oxide - Respirable particles. S mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)			6 mg/me	amended (03 2016)
Aluminum oxide - Inhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Aluminum oxide - Respirable particles. TWA 3 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (0208) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 101) Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable fraction. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3	Aluminum oxide - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as
particles. amended (01 2021) Aluminum oxide - Respirable particles. TWA 3 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)				amended (03 2016)
Aluminum oxide - Respirable particles. TWA 3 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)		TWA	10 mg/m3	
particles. amended (01 2021) Calcium oxide TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Respirable TWA 5 mg/m3 Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 1006) amended (02 2006) Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) amended (02 2006) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air Iron oxide - Respirable TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Boric acid - Inhalable fraction. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (03 2016)				
Calcium oxideTWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (2008)PEL5 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)Iron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2011)Iron oxide - Fume.PEL10 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2006)Iron oxide - Total dust.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA5 mg/m3 particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3 MIron oxide - Total dust.TWA15 mg/m3 amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3 MIron oxide - Total dust.TWA15 mg/m3 amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3 MIron oxide - Total dust.TWA15 mg/m3 A amend		IWA	3 mg/m3	
PELamended (2008)PEL5 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)Iron oxide - Respirable fraction.TWA5 mg/m3US. ACGIH Threshold Limit Values, as amended (2011)Iron oxide - Fume.PEL10 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)Iron oxide - Total dust.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as		τ\λ/Δ	2 mg/m3	LIS ACCIH Threshold Limit Values as
Iron oxide - Respirable fraction.TWA5 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2006)Iron oxide - Respirable fraction.PEL10 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2011)Iron oxide - Total dust.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA5 mg/m3 particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as		IWA	2 mg/m3	
Iron oxide - Respirable fraction.TWA5 mg/m3 mg/m3US. ACGIH Threshold Limit Values, as amended (2011)Iron oxide - Fume.PEL10 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)Iron oxide - Total dust.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA50 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)US. ACGIH Threshold Limit Values, as amended (02 2012)		PEL	5 mg/m3	
Iron oxide - Respirable fraction.TWA5 mg/m3US. ACGIH Threshold Limit Values, as amended (2011)Iron oxide - Fume.PEL10 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)Iron oxide - Total dust.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as				
fraction. amended (2011) Iron oxide - Fume. PEL 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Iron oxide - Total dust. TWA 50 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Respirable fraction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Boric acid - Inhalable fraction. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Boric acid - Inhalable fraction. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2012) STEL 6 mg/m3 US. ACGIH Threshold Limit Values, as				
Iron oxide - Fume.PEL10 mg/m3US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)Iron oxide - Total dust.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - RespirableTWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - RespirableTWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - RespirableTWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as		IWA	5 mg/m3	
Iron oxide - Total dust.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as		PEL	10 mg/m3	US. OSHA Table Z-1 Limits for Air
Iron oxide - Total dust.TWA50 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as			-	Contaminants (29 CFR 1910.1000), as
particles per cubic foot of airamended (03 2016)Iron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as				
Iron oxide - Respirable fraction.TWA5 mg/m3 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as	Iron oxide - Total dust.	TWA		
airIron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as				amended (03 2016)
Iron oxide - Respirable fraction.TWA5 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as				
fraction.amended (03 2016)TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3 amended (02 2012)US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as	Iron oxide - Respirable	TWA		US_OSHA Table 7-3 (29 CER 1910 1000) as
TWA15 millions of particles per cubic foot of airUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Iron oxide - Total dust.TWA15 mg/m3US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)Boric acid - Inhalable fraction.TWA2 mg/m3US. ACGIH Threshold Limit Values, as amended (02 2012)STEL6 mg/m3US. ACGIH Threshold Limit Values, as			5 mg/m5	
particles per cubic foot of air amended (03 2016) Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Boric acid - Inhalable fraction. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2012) STEL 6 mg/m3 US. ACGIH Threshold Limit Values, as	-	TWA	15 millions of	
air Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Boric acid - Inhalable fraction. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2012) STEL 6 mg/m3 US. ACGIH Threshold Limit Values, as			particles per	
Iron oxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Boric acid - Inhalable fraction. TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2012) STEL 6 mg/m3 US. ACGIH Threshold Limit Values, as				
Boric acid - Inhalable TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2012) fraction. STEL 6 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2012)				
Boric acid - Inhalable TWA 2 mg/m3 US. ACGIH Threshold Limit Values, as amended (02 2012) STEL 6 mg/m3 US. ACGIH Threshold Limit Values, as	Iron oxide - Total dust.	TWA	15 mg/m3	
fraction. amended (02 2012) STEL 6 mg/m3 US. ACGIH Threshold Limit Values, as	Paria agid Inhalahla		0 m c/m 0	
STEL 6 mg/m3 US. ACGIH Threshold Limit Values, as		IWA	∠ mg/m3	
		STEL	6 ma/m3	

Appropriate Engineering Controls

Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.



Individual protection measures, such as personal protective equipment

Eye/face protection:	Wear goggles/face shield.
Skin Protection Hand Protection:	Additional Information: Use suitable protective gloves if risk of skin contact.
Skin and Body Protection:	No data available.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

9. Physical and chemical properties

Appearance

Physical state:	solid
Form:	Powder
Color:	Gray
Odor:	Odorless
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	No data available.
Evaporation rate:	No data available.
Flammability (solid, gas):	No
Upper/lower limit on flammability or explosi-	ve limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	2.75
Solubility(ies)	
Solubility in water:	Miscible with water.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.



Viscosity:	No data available.
10. Stability and reactivity	
Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.
11. Toxicological informatio	n
Information on likely routes of Inhalation:	f exposure In high concentrations, vapors, fumes or mists may irritate nose, throat and

Inhalation:	In high concentrations, vapors, fumes or mists may irritate nos mucus membranes.
Skin Contact:	Moderately irritating to skin with prolonged exposure.
Eye contact:	Eye contact is possible and should be avoided.

Ingestion: May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	ATEmix: 3,868.17 mg/kg
Dermal Product:	Not classified for acute toxicity based on available data.



Specified substance(s): Calcium oxide	LD 50 (Rabbit): > 2,500 mg/kg
Boric acid	LD 50 (Rabbit): > 2,000 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Specified substance(s): Crystalline Silica (Quartz)/ Silica Sand	LC 50: > 5.0 mg/l
Aluminum oxide	LC 50 (Rat): 7.6 mg/l
Calcium oxide	LC 50 (Rat): 40 mg/m3
Boric acid	LC 50 (Rat): > 2.12 mg/l
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Specified substance(s): Aluminum oxide	in vivo (Rabbit): Not irritant , 24 - 72 h
Calcium oxide	in vivo (Rabbit): Irritating , 24 - 72 h
Iron oxide	in vivo (Rabbit): Not irritant , 24 - 72 h
Boric acid	Irritating in vivo (Rabbit): Not classifiable , 72 h
Serious Eye Damage/Eye Irritatio Product: Specified substance(s):	on No data available.
Aluminum oxide	Rabbit, 24 hrs: Not irritant
Calcium oxide	Rabbit, 1 hrs: Irritating
Respiratory or Skin Sensitization	n

Respiratory or Skin Sensitization Product: No data available.



Carcinogenicity Product:	No data available.		
IARC Monographs on the Evalu	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:		
Crystalline Silica (Quartz)/ Silica Sand	Overall evaluation: Carcinogenic to humans.		
	m (NTP) Report on Carcinogens: Known To Be Human Carcinogen.		
US. OSHA Specifically Regulate Crystalline Silica (Quartz)/ Silica Sand	ed Substances (29 CFR 1910.1001-1050), as amended: Cancer		
Germ Cell Mutagenicity			
In vitro Product:	No data available.		
In vivo Product:	No data available.		
Reproductive toxicity Product:	May damage fertility or the unborn child.		
Specific Target Organ Toxicity - Single Exposure Product: No data available.			
Specific Target Organ Toxicity - Repeated Exposure Product: No data available.			
Target Organs Specific Target Organ Toxicity - Repeated Exposure: Lung			
Aspiration Hazard Product:	No data available.		



Other effects:

Constituents of this product may include crystalline silica which, if in inhalable form, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic or cause other serious lung problems.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:	No data available.	
Specified substance(s): Aluminum oxide	LC 50 (Pimephales promelas, 96 h): 1.16 mg/l Experimental result, Weight of Evidence study	
Calcium oxide	LC 100 (Poecilia reticulata, 96 h): 560 mg/l Experimental result, Key study	
Iron oxide	LC 50 (Pimephales promelas, 96 h): 3.66 mg/l Experimental result, Supporting study LC 90 (Danio rerio, 96 h): 100,000 mg/l Experimental result, Key study	
Boric acid	LC 50 (Limanda limanda, 96 h): 74 mg/l Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study LC 50 (Pimephales promelas, 96 h): 79.7 mg/l Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study	
Aquatic Invertebrates Product:	No data available.	
Specified substance(s): Aluminum oxide	EC 50 (Ceriodaphnia dubia, 48 h): 1.5 mg/l experimental result Experimental result, Weight of Evidence study	
Calcium oxide	EC 50 (Daphnia magna, 48 h): > 100 mg/l read-across based on grouping of substances (category approach) Read-across based on grouping of substances (category approach), Key study	
Iron oxide	EC 50 (Daphnia magna, 48 h): > 100 mg/l Experimental result, Key study	
Chronic hazards to the aquatic environment:		

Fis	h	
F	Product:	

No data available.

Specified substance(s):



Calcium oxide	NOAEL (Oncorhynchus mykiss): 307 mg/l read-across based on grouping of substances (category approach) Read-across based on grouping of substances (category approach), Key study
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Aluminum oxide	NOAEL (Daphnia magna): 1.89 mg/l experimental result Experimental result, Weight of Evidence study
Iron oxide	LC 50 (Daphnia magna): 5.9 mg/l Experimental result, Supporting study
Toxicity to Aquatic Plants Product:	No data available.
Specified substance(s): Boric acid	LC 50 (Waterweed (Elodea canadensis), 21 d): 5 mg/l Mortality
Persistence and Degradability	
Biodegradation Product:	No data available.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (B0 Product:	CF) No data available.
Partition Coefficient n-octanol / v Product:	water (log Kow) No data available.
Specified substance(s): Boric acid	Log Kow: 0.175
Mobility in soil:	No data available.
Other adverse effects:	No data available.
13. Disposal considerations	

Disposal methods:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Contaminated Packaging:	No data available.



14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated

Further Information:

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity	OSHA hazard(s)
Crystalline Silica	kidney effects
(Quartz)/ Silica Sand	lung effects
	immune system effects
	Cancer

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Delayed (Chronic) Health Hazard Carcinogenicity Toxic to reproduction Specific Target Organ Toxicity - Repeated Exposure

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances



US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

<u>Chemical Identity</u> Monoammonium phosphate

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) None present or none present in regulated quantities.

% by weight

US State Regulations

US. California Proposition 65

For more information go to www.P65Warnings.ca.gov.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

VOC:

Regulatory VOC (less water and exempt solvent)	:	< 5 g/l
VOC Method 310	:	0.00 %



Inventory Status: Australia AICS:	One or more components in this product are not listed on or exempt from the Inventory.
Canada DSL Inventory List:	All components in this product are listed on or exempt from the Inventory.
EINECS, ELINCS or NLP:	One or more components in this product are not listed on or exempt from the Inventory.
Japan (ENCS) List:	One or more components in this product are not listed on or exempt from the Inventory.
China Inv. Existing Chemical Substances:	One or more components in this product are not listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	One or more components in this product are not listed on or exempt from the Inventory.
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:	One or more components in this product are not listed on or exempt from the Inventory.
US TSCA Inventory:	All components in this product are listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:	One or more components in this product are not listed on or exempt from the Inventory.
Japan ISHL Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory.



16.Other information, including date of preparation or last revision

Revision Date:	11/11/2022
Version #:	2.1
Further Information:	No data available.
Disclaimer:	For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.