

Technical Information Sheet

Image Coming Soon

EdgeGard™ System

Item Description	Item Number
.000" x 00' x 000' (0.0 mm x 0.00 m x 00.0 m) color	W000000000

Description

The Elevate EdgeGard System is a unique roof edging system that combines ease of installation with high quality materials. The EdgeGard System can be used with all Elevate roofing systems as specified in Elevate Specifications and Details. Elevate also offers sheet metal, copings, counterflashing, gravel tops, drip edges and other sheet metal components in a variety of shapes and sizes. Contact your Elevate Sales Representative for additional information.

Method of Application

Refer to the Detail Drawings located in the Technical Database.

Storage

Store in original unopened containers protected from the weather.

Packaging

- Fascia: 10 sections at 12' (3.7 m) (120 lineal ft.)
- (36.6 mm per carton) and includes reinforcing clips and splice plates.
- Water Dam: 10 sections at 12' (3.7 m) (120 lineal ft. (36.6 mm) per carton) and includes nails.
- Water Dam Miters: 6 pieces per carton and includes nails (inside and outside are packaged separately).
- Spillout Scuppers: 4 pre-assembled pieces per carton; includes nails and splice plates.
- Downspout Scuppers: 2 pre-assembled pieces per carton and includes nails and splice plates.

LEED® Information

Post-Consumer Recycled Content: 25%

Post Industrial Recycled Content: 0%

Manufacturing Location: Waukesha, WI

NOTE: LEED® is a registered trademark of the U.S. Green Building Council

September 29, 2022

Sales: (800) 428-4442 | Technical (800) 428-4511

TIS 1501

1



Typical Properties

Properties	Value
Fascia Material	Mill finish aluminum, G-90 galvanized steel with Kynar 500®/Hylar 5000® finish, Aluminum with Kynar 500®/Hylar 5000® finish, or Anodized Aluminum
Gauge	Aluminum: .040"; (1.0 mm) and .050" (1.27 mm) Steel: 24 gauge (.64 mm)
Fascia Heights	5-1/2" (138 mm) and 7" (178 mm)
Water Dam	24-gauge (.64 mm) G-90 galvanized steel
Water Dam	.050" (1.3 mm) welded watertight Miters: aluminum
Downspout Scuppers	Welded watertight aluminum
Reinforcing Clips	.050" (1.3 mm) aluminum
Fasteners	Double hot-dipped Zinc coating
NOTE: Downspout and spillout scuppers are pre-assembled with fascia and include a retainer screen which is welded in place.	

Please contact a Holcim Regional Technical Coordinator for applicable warranty coverage, requirements, and additional information. Elevate details can be found at www.HolcimElevate.com. The full array of Elevate Pre-Manufactured Edge Metal Systems, related accessories, specifications, and details may be found using the following links:

<https://www.metalera.com/Brands/Firestone>

<https://www.hickmanedgesystems.com/Brands/Firestone>

Please contact Holcim Technical Services at 800-428-4511 for further information.

This sheet is meant to highlight Elevate products and specifications and is subject to change without notice. Holcim takes responsibility for furnishing quality materials that meet published Elevate product specifications or other technical documents, subject to normal manufacturing tolerances. Neither Holcim nor its representatives practice architecture. Holcim offers no opinion on and expressly refuses any responsibility for the soundness of any structure. Holcim accepts no liability for structural failure or resultant damages. Consult a competent structural engineer prior to installation if the structural soundness or structural ability to properly support a planned installation is in question. No Holcim representative is authorized to vary this disclaimer.

Firestone, the brand of premier roofing, wall, and lining systems you know and trust, will be coming to you under a new name: Elevate. During our transition, products carrying the brand name **Firestone** will change to **Elevate** on product labels and packaging, Technical Information Sheets, and elsewhere. Only the brand name is changing. Our products remain the same.

For further information on our brand transition to Elevate, scan the code below with your smartphone, or visit our website: www.holcimelevate.com

