

Technical Information Sheet

Image Coming Soon

Insulation Fastening Plate

Item Description	Item Number
Pail: 1,000 Pieces	W56RAC4190

Description

Insulation Fastening Plates are specially designed to be used with Elevate All-Purpose, Heavy-Duty, Concrete Drive and Stainless Steel Fasteners in roofing applications for attaching insulation as required by Elevate Specifications.

Method of Application

1. Position insulation plates over insulation as specified by Elevate Specifications.
2. Attach plates to roof deck using the appropriate Elevate fastener.
3. Install plates ribbed side up.

Storage

Store in unopened original containers protected for the weather.

Precautions

- Do not overdrive or underdrive fastener.
- Plates are designed to anchor roof insulation only.
- Avoid field seams directly over insulation plates.
- Cannot be used with Elevate Heavy Duty (HD) Plus Fasteners.

LEED® Information

Post-Consumer Recycled Content: 8%
Post Industrial Recycled Content: 17%
Manufacturing Location: Cleveland, OH



NOTE: LEED® is a registered trademark of the U.S. Green Building Council

Product Packaging

Plate Diameter	3" (76 mm)
Pail	1000 pieces
Weight of Pail	42 lb (19 kg) per
Pails per Pallet	60

Typical Properties

Properties	Typical Performance
Material	AZ50 Galvalume®
Material Thickness	0.017" (0.43 mm) - 0.023" (0.58mm)
Diameter	3" (76 mm)
Corrosion Resistant Coating	Meets FM No. 4470 Criteria
Pull Through Resistance	400 lbf (181.4 kgf) from center hole
Corrosion Resistance	Meets FM 4470 criteria

*Galvalume® is a registered trademark of BIEC International, Inc.

Please contact Holcim Technical Services at 800-428-4511 for further information.

This sheet is meant to highlight Elevate products and specifications and is subject to change without notice. Holcim takes responsibility for furnishing quality materials that meet published Elevate product specifications or other technical documents, subject to normal manufacturing tolerances. Neither Holcim nor its representatives practice architecture. Holcim offers no opinion on and expressly refuses any responsibility for the soundness of any structure. Holcim accepts no liability for structural failure or resultant damages. Consult a competent structural engineer prior to installation if the structural soundness or structural ability to properly support a planned installation is in question. No Holcim representative is authorized to vary this disclaimer.

Firestone, the brand of premier roofing, wall, and lining systems you know and trust, will be coming to you under a new name: Elevate. During our transition, products carrying the brand name **Firestone** will change to **Elevate** on product labels and packaging, Technical Information Sheets, and elsewhere. Only the brand name is changing. Our products remain the same.

For further information on our brand transition to Elevate, scan the code below with your smartphone, or visit our website: www.holcimelevate.com

