Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier						
Product Name	• Ply IV, Ply VI					
1.2 Relevant identified us	ses of the substance or mixture and uses advised against					
Relevant identified use(s)	Construction					
1.3 Details of the supplie	r of the safety data sheet					
Manufacturer	Firestone Building Products Company					
	200 4th Avenue S Nashville, TN 37201-2208 United States					
	firestonemsds@bfdp.com					
Telephone (General))• 800-428-4442					
1.4 Emergency telephone number						
Manufacturer	• (800) 424-9300 - CHEMTREC					

Manufacturer • (703) 527-3887 - CHEMTREC - International

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

2.1 Classification of the substance or mixture

CLP	 Skin Irritation 2 - H315 Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation - H335 Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336 Carcinogenicity 1B - H350

2.2 Label Elements

CLP

DANGER



Hazard statements •

- nts H315 Causes skin irritation
 - H335 May cause respiratory irritation
 - H336 May cause drowsiness or dizziness
 - H350 May cause cancer.

Precautionary statements

- **Prevention** P201 Obtain special instructions before use.
 - P202 Do not handle until all safety precautions have been read and understood.
 - P264 Wash thoroughly after handling.
 - P261 Avoid breathing dust..

	P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P281 - Use personal protective equipment as required.
Response •	 P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P321 - Specific treatment, see supplemental first aid information. P362 - Take off contaminated clothing and wash before reuse. P332+P313 - If skin irritation occurs: Get medical advice/attention. P308+P313 - IF exposed or concerned: Get medical advice/attention.
Storage/Disposal •	P403 - Store in a well-ventilated place. P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3 Other Hazards	
CLP ·	According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

United States (US) According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

• Skin Irritation 2 Eye Mild Irritation 2B Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects Carcinogenicity 1B

2.2 Label elements OSHA HCS 2012



Hazard statements • Causes skin irritation Causes eye irritation May cause respiratory irritation May cause drowsiness or dizziness May cause cancer.

Precautionary statements

Prevention •	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response •	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. If on skin: Wash with plenty of water. Specific treatment, see supplemental first aid information. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.

Storage/Disposa	Store in a well-ventilated place. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.			
2.3 Other hazards OSHA HCS 2012				
Canada According to: WHMIS				
2.1 Classification of the	substance or mixture			
WHMIS	Other Toxic Effects - D2A Other Toxic Effects - D2B			
2.2 Label elements				
WHMIS				
WHMIS	Other Toxic Effects - D2A Other Toxic Effects - D2B			
2.3 Other hazards				
WHMIS	 In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS). 			

Section 3 - Composition/Information on Ingredients

3.1 Substances

• Material does not meet the criteria of a substance.

3.2 Mixtures

Composition						
Chemical Name Identifiers % LD50/LC50 Classific Regulati		Classifications According to Regulation/Directive	Comments			
Petroleum asphalt, oxidized	CAS:64742-93-4 EINECS:265-196-4	75% TO 80%	NDA	EU CLP: Carc. 1B, H350 OSHA HCS 2012: Carc. 1B	NDA	
Glass, oxide, chemicals	CAS: 65997-17-3 EC Number: 266-046 -0	20% TO 25%	NDA	EU CLP: Not Classified OSHA HCS 2012: Not Classified	NDA	

Page 3 of 13

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

• Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. If signs/symptoms continue, get medical attention.

Skin

 In case of contact with substance, immediately flush skin with running water for at least 20 minutes. If irritation develops and persists, get medical attention.

Section 5 - Firefightir	ng Measures
Notes to Physician	 All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.
4.3 Indication of any i	mmediate medical attention and special treatment needed
	 Refer to Section 11 - Toxicological Information.
4.2 Most important sy	mptoms and effects, both acute and delayed
Ingestion	 Rinse mouth. Do not give anything by mouth to an unconscious person. Obtain medical attention immediately if ingested.
Eye	 In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

5.1 Extinguishing media

Suitable Extinguishing Media	Use dry chemical, foam and carbon dioxide.
Unsuitable Extinguishing Media	No data available.
5.2 Special hazards arisi	ng from the substance or mixture
Unusual Fire and Explosion Hazards	Burning of this product will produce thick black smoke.
Hazardous Combustion Products	 Primary combustion products are carbon monoxide, carbon dioxide and water. Combustion products may include sulfur oxides and hydrogen sulfide. Other undetermined compounds could be released in small quantities.
5.3 Advice for firefighters	6
	· Wear positive process a solf contained breathing apparatus (SCRA)

• Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection. Cool fire exposed containers with water.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions• No special precautions expected to be necessary if material is used under ordinary
conditions and as recommended.Emergency Procedures• No special emergency procedures are expected to be needed as this material is a
solid sheet.

6.2 Environmental precautions

• Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures • Pick up large pieces. Sweep and scoop up material and put into a suitable container for disposal.

6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

 Use only with adequate ventilation. Hydrogen sulfide may be emitted from heated asphalt. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly with soap and

Handling

Storage

water after handling and before eating, drinking, or using tobacco.

7.2 Conditions for safe storage, including any incompatibilities

• Store in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

			Exposure Limits	/Guidelines		
	Result	ACGIH	Belgium	Canada Alberta	Canada British Columbia	Canada Manitoba
Glass, oxide, chemicals	TWAs	1 fiber/cm3 TWA (respirable fibers: length >5 μm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination, listed under Synthetic vitreous fibers) as Glass wool fiber	10 mg/m3 TWA (dust and fiber)	1 fibre/cm3 TWA as Glass wool fiber	1 fibre/cm3 TWA (fibres >5 μm, with an aspect ratio of >=3:1, as determined by the membrane filter method at 400-450 times magnification (4 mm objective), using phase-contrast illumination, listed under Synthetic vitreous fibres) as Glass wool fiber	1 fiber/cm3 TWA (length >5 μm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination, respirable fibers, listed under Synthetic vitreous fibers) as Glass wool fiber
		E	posure Limits/Gu	idelines (Con't.)		
	Result	Canada New Brunswick	Canada Northwest Territories	Canada Nova Scotia	Canada Nunavut	Canada Ontario
Glass, oxide, chemicals	TWAs	1 fibre/cm3 TWA (fibres >5 μm with a diameter <3 μm, aspect ratio >5:1) as Glass wool fiber	3 fibre/cm3 TWA (with a diameter <=3.5 μm and a length >=10 μm); 5 mg/m3 TWA (total mass) as Glass wool fiber	1 fiber/cm3 TWA (length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination, respirable fibers, listed under Synthetic vitreous fibers) as Glass wool fiber	3 fibre/cm3 TWA (with a diameter <=3.5 μm and a length >=10 μm); 5 mg/m3 TWA (total mass) as Glass wool fiber	1 fibre/cm3 TWA (fibres >5 μm in length and an aspect ratio >=3:1 as determined by the membrane filter method at 400-450 times magnification (4 -mm objective), using phase-contrast illumination, respirable, listed under Synthetic Vitreous Fibres (Man Made Mineral Fibres)) as Glass wool fiber
		E>	posure Limits/Gu	idelines (Con't.)	•	
	Result	Canada Quebec	Canada Saskatchewan	Canada Yukon	Denmark	NIOSH

Glass, oxide, chemicals	TWAs	1 fibre/cm3 TWAEV (respirable, listed under Fibres - Artificial Vitreous Mineral Fibres) as Glass wool fiber	1 fibre/cm3 TWA (respirable fibres, listed under Synthetic vitreous fibres) as Glass wool fiber	30 mppcf TWA (dust or fibrous); 10 mg/m3 TWA (dust or fibrous)	1 fiber/cm3 TWA as Glass wool fiber	3 fiber/cm3 TWA (fibers <= 3.5 μm in diameter and >= 10 μm in length); 5 mg/m3 TWA (total) as Glass wool fiber
----------------------------	------	---	---	---	--	---

Exposure Control Notations

ACGIH

•Glass, oxide, chemicals as Glass wool fiber: **Carcinogens:** (A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans (listed under Synthetic vitreous fibers))

8.2 Exposure controls Engineering Measures/Controls This material is designed to be used outdoors, in roofing applications. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory	 For limited exposure use an N95 dust mask. For prolonged exposure use an air- purifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH or European Standard EN 149 certified respirator if exposure limits are exceeded or symptoms are experienced.
Eye/Face	Wear safety goggles.
Skin/Body	 Wear appropriate gloves. Wear long sleeves and/or protective coveralls.
Environmental Exposure Controls	 Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Material Description					
Physical Form	Solid	Appearance/Description	A fibrous black membrane with a petroleum odor.		
Color	Black	Odor	Petroleum		
Odor Threshold	Data lacking				
General Properties	-				
Boiling Point	> 1000 °F(> 537.7778 °C)	Melting Point/Freezing Point	Data lacking		
Decomposition Temperature	Data lacking	pН	Data lacking		
Specific Gravity/Relative Density	1.08 to 1.11 Water=1	Water Solubility	Insoluble		
Viscosity	Data lacking	Explosive Properties	Data lacking		
Oxidizing Properties:	Data lacking				
Volatility					
Vapor Pressure	Data lacking	Vapor Density	Data lacking		
Evaporation Rate	Data lacking	Volatiles (Wt.)	0 %		
i	i	i			

Volatiles (Vol.)	0 %				
Flammability					
Flash Point	> 535 °F(> 279.4444 °C) COC (Cleveland Open Cup)	UEL	Data lacking		
LEL	Data lacking	Autoignition	> 650 °F(> 343.3333 °C)		
Flammability (solid, gas)	Data lacking				
Environmental					
Octanol/Water Partition coefficient	Data lacking				

9.2 Other Information

• No additional physical and chemical parameters noted.

Section 10: Stability and	Section 10: Stability and Reactivity						
10.1 Reactivity							
	 No dangerous reaction known under conditions of normal use. 						
10.2 Chemical stability							
	 Stable under normal temperatures and pressures. 						
10.3 Possibility of hazardo	ous reactions						
	 Hazardous polymerization not indicated. 						

10.4 Conditions to avoid

• Incompatible materials.

10.5 Incompatible materials

• These products may react with strong oxidizing agents and water.

10.6 Hazardous decomposition products

• Primary combustion products are carbon monoxide, carbon dioxide and water. Combustion products may include sulfur oxides and hydrogen sulfide.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components					
Glass, oxide, chemicals	65997-17	Tumorigen / Carcinogen: Inhalation-Rat TCLo • 5 mg/m ³ 7 Hour(s) 90 Week(s)-Intermittent;			
(20% TO 25%)	-3	Tumorigenic:Carcinogenic by RTECS criteria; Blood:Leukemia			

GHS Properties	Classification	
Acute toxicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking	
Skin corrosion/Irritation	EU/CLP • Skin Irritation 2 OSHA HCS 2012 • Skin Irritation 2	
Serious eye damage/Irritation	EU/CLP • Data lacking OSHA HCS 2012 • Eye Mild Irritation 2B	
Skin sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking	

Respiratory sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Aspiration Hazard	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Carcinogenicity	EU/CLP • Carcinogenicity 1B OSHA HCS 2012 • Carcinogenicity 1B
Germ Cell Mutagenicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Toxicity for Reproduction	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
STOT-SE	EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
STOT-RE	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking

Potential Health Effects

Inhalation	
Acute (Immediate)	 May cause respiratory irritation. May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.
Chronic (Delayed)	No data available
Skin	
Acute (Immediate)	Causes skin irritation.
Chronic (Delayed)	No data available.
Eye	
Acute (Immediate)	Causes eye irritation.
Chronic (Delayed)	No data available.
Ingestion	
Acute (Immediate)	 Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.
Chronic (Delayed)	No data available.
Carcinogenic Effects	 Repeated and prolonged exposure may cause cancer.

Key to abbreviations TC = Toxic Concentration

Section 12 - Ecological Information

12.1 Toxicity

• Material data lacking.

12.2 Persistence and degradability

Material data lacking.

12.3 Bioaccumulative potential

• Material data lacking.

12.4 Mobility in Soil

• Material data lacking.

12.5 Results of PBT and vPvB assessment

• No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

• No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
ADN	NDA	Not Regulated	NDA	NDA	NDA
ADR/RID	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

14.6 Special precautions for • None specified. user

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code · Data lacking.

Marpol and the IBC Code

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Chronic

	State Right To Know							
Component	CAS	MA	NJ	PA				
Glass, oxide, chemicals	65997-17-3	No	No	No				
Petroleum asphalt, oxidized	64742-93-4	No	Yes	No				

Inventory								
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA		
Glass, oxide, chemicals	65997-17-3	Yes	No	Yes	No	Yes		

Petroleum asphalt, oxidized	64742-93-4	Yes	No	Yes	N	0	Yes
elgium							
_abor							
-	-	rations - Carcinog	gens and Mutagens				
Petroleum aspha					64742-93-4	Not Listed	
 Glass, oxide, ch 	iemicals				65997-17-3	Not Listed	
Bulgaria							
Environment							
-	-	Admissible Hazar	dous Contaminant	Levels - 24 Hour			
 Petroleum aspha 	alt, oxidized			(64742-93-4	Not Listed	
 Glass, oxide, ch 	emicals			(65997-17-3	Not Listed	
-	-	Admissible Hazar	dous Contaminant				
Petroleum aspha					64742-93-4	Not Listed	
 Glass, oxide, ch 	iemicais				65997-17-3	Not Listed	
-	-	Admissible Hazar	dous Contaminant		04740.00.4	Nation 1	
Petroleum aspha					64742-93-4	Not Listed	
 Glass, oxide, ch 	iemicals				65997-17-3	Not Listed	
Canada							
Labor Canada - WHMIS	Classifications	of Substances					
		s of Substances			64742-93-4	Not Listed	
Petroleum aspha					65997-17-3	Not Listed	
 Glass, oxide, ch 	lemicals				00997-17-3	NOT LISTED	
Canada - WHMIS	-	closure List					
Petroleum aspha					64742-93-4	Not Listed	
 Glass, oxide, ch 	iemicals				65997-17-3	Not Listed	
Environment-							
Canada - CEPA -	-	ices List					
Petroleum aspha					64742-93-4	Not Listed	
 Glass, oxide, ch 	iemicals				65997-17-3	Not Listed	
Denmark							
Environment	(1)		- 1 O				
		ipstances - Produc	ct Groups/Function		04740 00 4	Nat Lists	
Petroleum aspha					64742-93-4	Not Listed	
 Glass, oxide, ch 	iemicais				65997-17-3	Not Listed	
Europe							
Other	009) Amor VI	Table 2.2 Classifi	action				
Petroleum aspha	,	Table 3.2 - Classifi	callOII		64742-93-4	Not Listed	
 Glass, oxide, ch 					65997-17-3	Not Listed	
- Giass, Uxiue, Ch	ICI IIICAIS				00991-11-0	NUL LISTED	
		Table 3.2 - Concer	ntration Limits				
Petroleum aspha				(64742-93-4	Not Listed	
· Glass, oxide, ch	emicals				65997-17-3	Not Listed	

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed

Germany

Labor		
Germany - Immission Control - Qualifying Quantities for Major Accident Prevention	I	
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Germany - Immission Control - Qualifying Quantities for Safety Reporting		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Germany - TRGS 505 - Specific Lead Regulations		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Germany - TRGS 511 - Specific Ammonium Nitrate Regulations		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Environment		
Germany - TA Luft - Types and Classes		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Germany - TA Luft - Emission Limits for Carcinogenic Substances		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Germany - TA Luft - Emission Limits for Fibers		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Germany - TA Luft - Emission Limits for Inorganic Dusts		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Germany - TA Luft - Emission Limits for Inorganic Gases		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Germany - TA Luft - Emission Limits for Organic Substances		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed

Germany - Water Classification (VwVwS) - Annex 1 Petroleum asphalt, oxidized Glass, oxide, chemicals 	64742-93-4 65997-17-3	Not Listed Not Listed
Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes Petroleum asphalt, oxidized Glass, oxide, chemicals 	64742-93-4 65997-17-3	Not Listed Not Listed
Germany - Water Classification (VwVwS) - Annex 3 Petroleum asphalt, oxidized Glass, oxide, chemicals 	64742-93-4 65997-17-3	Not Listed Not Listed

United States

Labor U.S OSHA - Process Safety Management - Highly Hazardous Chemicals			
Petroleum asphalt, oxidized	64742-93-4	Not Listed	
Glass, oxide, chemicals	65997-17-3	Not Listed	
U.S OSHA - Specifically Regulated Chemicals			
Petroleum asphalt, oxidized	64742-93-4	Not Listed	
Glass, oxide, chemicals	65997-17-3	Not Listed	
Environment			
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants			
Petroleum asphalt, oxidized	64742-93-4	Not Listed	
Glass, oxide, chemicals	65997-17-3	Not Listed	
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantitie	s		
Petroleum asphalt, oxidized	64742-93-4	Not Listed	
Glass, oxide, chemicals	65997-17-3	Not Listed	
U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities			
Petroleum asphalt, oxidized	64742-93-4	Not Listed	
Glass, oxide, chemicals	65997-17-3	Not Listed	
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA I	RQs		
Petroleum asphalt, oxidized	64742-93-4	Not Listed	
Glass, oxide, chemicals	65997-17-3	Not Listed	
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs			
Petroleum asphalt, oxidized	64742-93-4	Not Listed	
Glass, oxide, chemicals	65997-17-3	Not Listed	
U.S CERCLA/SARA - Section 313 - Emission Reporting			
Petroleum asphalt, oxidized	64742-93-4	Not Listed	
Glass, oxide, chemicals	65997-17-3	Not Listed	
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing			
Petroleum asphalt, oxidized	64742-93-4	Not Listed	
Glass, oxide, chemicals	65997-17-3	Not Listed	

United States - California

Environment

- U.S. California Proposition 65 Carcinogens List
- Petroleum asphalt, oxidized

64742-93-4 Not Listed

Glass, oxide, chemicals	65997-17-3	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Female		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Male		
Petroleum asphalt, oxidized	64742-93-4	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
		LIOLOG

United States - Pennsylvania

Labor						
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List						
Petroleum asphalt, oxidized	64742-93-4	Not Listed				
Glass, oxide, chemicals	65997-17-3	Not Listed				
U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances						
Petroleum asphalt, oxidized	64742-93-4	Not Listed				
Glass, oxide, chemicals	65997-17-3	Not Listed				

15.2 Chemical Safety Assessment

• No Chemical Safety Assessment has been carried out.

Changes to this revision: Updated mailing address.

Section 16 - Other Information

Revision Date

- 26/January/2018
- Preparation Date
- 29/October/2015
- Other Information
- Disclaimer/Statement of
- Liability

 The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company, LLC assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.

Key to abbreviations

NDA = No data available