

Date Revised: 08/24/2022

Supersedes: 12/21/2016

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name(s): Five Star® Crack Repair SLV/Component A

Synonyms: N/A

Product Use: Concrete Repair

Manufacturer/Supplier Five Star Products, Inc.

2 Enterprise Drive, Suite 303

Shelton, CT 06484 USA

Phone #: 203-336-7900

Emergency Phone #: VelocityEHS 1-800-255-3924

(Outside the U.S. 1-813-248-0585)

SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION (Component A)

Classification: Skin Irritation, Category 2

Eye Irritation, Category 2 Acute Toxicity, Category 4 Skin Sensitivity, Category 1

Respiratory Sensitivity, Category 1 STOT Single Exposure, Category 3 STOT Repeated Exposure, Category 2

Label Elements/Hazard

Pictograms:





Signal Word: Danger

Hazard Statements: H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergic or asthmatic symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated

exposure.

Precautionary Statements /

Prevention:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.



Date Revised: 08/24/2022

Supersedes: 12/21/2016

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

Response: P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if

you feel unwell.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rincing.

P313 Get medical advice / attention.

P314 Get Medical advice / attention if you feel unwell. P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention. P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P341 If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P342+311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor / physician.

P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse.

Storage: P403+233 Store in a well ventilated place. Keep container tightly

closed.

P405 Store locked up.

Disposal: P501 Dispose of contents / container in accordance with local / national

regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (Component A)				
Chemical Name(s)	CAS No.	Content %		
Diphenylmethanediisocyanate	0000101-68-8	25-50		
Benzene, (1-methylpropyl)(phenylmethyl)	0101646-63-3	10-25		
Polymeric Diphenylmethane Diisocyanate	0009016-87-9	10-25		
(Benzene,(1-methylpropyl)(1-phenylethyl)-)	0101646-62-2	10-25		
Isocyanates, reaction product of polyol with methylenediphenyl diisocyanate	Proprietary	10-25		
Benzene, (1-methylpropyl)(2-phenylethyl)	0142828-65-7	1.0-10		



Date Revised: 08/24/2022

Supersedes: 12/21/2016

SECTION 4: FIRST AID MEASURES (Component A)

Inhalation: Remove to fresh air, keep patient warm and at rest. If breathing is

> irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give

nothing by mouth.

Eye Contact: Irrigate copiously with clean water for at least 15 minutes, holding the

eyelids apart and seek medical attention.

Skin Contact: Remove contaminated clothing. Wash with mild soap and water. Get

medical attention if skin irritation or dermatitis persists.

Give plenty of water. DO NOT induce vomiting. Call a physician Ingestion:

immediately.

Other: Referral to a physician is recommended if there is any question about

the seriousness of the injury/exposure. If sensitization occurs, future

contact with the material should be avoided.

Most important symptoms and effects, both acute and delayed

Overview: Inhalation: Inhalation at levels above the occupational exposure limit

> could cause respiratory sensitization and risk of serious damage to respiratory system. The onset of the respiratory symptoms may be delayed for several hours after exposure. A hyper-reactive response to even minimal concentrations of MDI may develop in sensitized persons. Sensitized persons should not be exposed to any mixture containing

unreacted MDI.

Ingestion: Swallowing small amounts of this material during normal handling is unlikely, and is not likely to cause harmful effects. Swallowing

large amounts may be harmful.

Inhalation: Harmful if inhaled. May cause respiratory irritation. May cause allergy

or asthma symptoms of breathing difficulties if inhaled.

Eyes: Causes serious eye irritation.

Skin: May cause an allergic skin reaction. Causes skin irritation.

SECTION 5: FIRE-FIGHTING MEASURES (Component A)

Extinguishing Media Water spray, dry chemical, alcohol foam, carbon dioxide

Special Hazards arising from the Substance or Mixture:

Hazardous decomposition: Carbon monoxide, hydrogen cyanide,

nitrogen oxides, aromatic isocyanates, gases/vapors

Avoid breathing dust / fume / gas / mist / vapors / spray.

Advice for Fire-fighters: Wear full protective clothing, including helmet, self-contained positive

pressure or pressure demand breathing apparatus, protective clothing,

and face mask.



Date Revised: 08/24/2022

Supersedes: 12/21/2016

SECTION 6: ACCIDENTAL RELEASE MEASURES (Component A)

Personal Precautions: Avoid all personal contact. In enclosed areas, cleanup personnel

should wear self-contained breathing apparatus.

Environmental Precautions: Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and

wash thoroughly before reuse.

SECTION 7: HANDLING AND STORAGE (Component A)

Handling: Avoid breathing aerosols, mists and vapors. Avoid contact with skin

and eyes. Avoid personal contact with the product or reaction mixture. Use only with adequate ventilation to ensure that the occupational exposure limit is not exceeded. The efficiency of the ventilation system must be monitored regularly because of the possibility of blockage.

Storage: Handle containers carefully to prevent damage and spillage.

Precautions should be taken to minimize exposure to atmospheric humidity or water as carbon dioxide may be formed which, in closed containers can result in pressurization. Care should be taken when reopening partly used containers.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this

preparation is used.

Examination of lung function should be carried out on a regular basis on persons applying this preparation. Incompatible materials: Water, amines, strong bases, alcohols, metal compounds and surface-active

materials

Store away from all moisture. If container is exposed to high heat, it can be pressurized and possibly rupture explosively. Keep the container tightly closed and in a cool, well-ventilated place.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (Component A)

Exposure Guidelines:

Component	CAS No.	ACGIH (TLV)	OSHA (PEL)
Diphenylmethanediisocyanate	0000101-68-8	TWA: 0.005 ppm Ceiling: 0.01 ppmSkin, S	C 0.2 mg/m3 (0.02 ppm)
Polymeric Diphenylmethane Diisocyanate	0009016-87-9	No Established Limit	No Established Limit
(Benzene,(1-methylpropyl)(1-phenylethyl)-)	0101646-62-2	No Established Limit	No Established Limit
Benzene, (1-methylpropyl)(phenylmethyl)	0101646-63-3	No Established Limit	No Established Limit
Benzene, (1-methylpropyl)(2-phenylethyl)-	0142828-65-7	No Established Limit	No Established Limit
Isocyanates, reaction product of polyol with methylenediphenyl diisocyanate	Proprietary	No Established Limit	No Established Limit

Engineering Measures:

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general



Date Revised: 08/24/2022

Supersedes: 12/21/2016

extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable

respiratory protection must be worn.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection: Wear splash proof chemical goggles / full face shield if there is a

potential for splashing.

Skin / Body Protection: Wear suitable gloves (neoprene, nitrile rubber or PVC) and protective

clothing to mitigate exposure.

Other Protective Clothing or

Equipment:

Use protective clothing which is chemical resistant to this material.

Safety shoes and boots should also be chemical resistant.

Respiratory Protection When the product is sprayed or heated without adequate ventilation, an

approved MSHA/NIOSH positive-pressure, supplied-air respirator may

be required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Component A)			
Physical State:	Liquid		
Appearance:	Yellow		
Evaporation Rate:	Not Available		
Odor:	Slightly Musky		
Solubility in Water:	Insoluble; reacts with water		
Flash Point:	> 300°F (149°C)		
Specific Gravity (g/cc):	approximately 1.117 @ 77°F (25°C)		
Vapor Density (air = 1):	Not Available		
Vapor Pressure:	~4 x 10-6 mmHg @ 68°F (20°C)		
VOC Content:	None		
Freezing Point:	Not Available		
pH:	Not Available		
Initial Boiling Point and Boiling Range:	500°F (260°C) (decomposes)		

SECTION 10: STABILITY AND REACTIVITY (Component A)

Reactivity: Polymerization may occur at elevated temperatures in the presence of

alkalis, tertiary amines and metal compounds.

Stability: Stable under normal circumstances

Possibility of Hazardous

Reactions:

High heat and fire may produce carbon dioxide, carbon monoxide,

hydrogen cyanide, and oxides of nitrogen.

Conditions to Avoid: No data available

Incompatible Materials: Water, amines, strong bases, alcohols, metal compounds and surface-

active materials



Date Revised: 08/24/2022

Supersedes: 12/21/2016

Hazardous Decomposition Products:

Carbon monoxide, hydrogen cyanide, nitrogen oxides, aromatic

isocyanates, gases/vapors

SECTION 11: TOXICOLOGICAL INFORMATION (Component A)

Acute Oral Toxicity: Not determined

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Diphenylmethanediisocyanate (101-68-8)	4,700.00, Rat Category: 5	No data available	No data available	No data available	No data available
Benzene, (1-methylpropyl) (phenylmethyl) (101646-63- 3)	No data available	No data available	No data available	No data available	No data available
Polymeric Diphenylmethane Diisocyanate - (9016-87-9)	49,000.00, Rat Category: NA	9,400.00, Rabbit - Category:NA	No data available	No data available	No data available
(Benzene,(1-methylpropyl) (1-phenylethyl)-) (101646-62-2)	No data available	No data available	No data available	No data available	No data available
Isocyanates, reaction product of polyol with methylenediphenyl diisocyanate - (Proprietary)	No data available	No data available	No data available	No data available	No data available
Benzene, (1-methylpropyl)(2- phenylethyl) (142828-65-7)	No data available	No data available	No data available	No data available	No data available

Acute Oral Toxicity: Not Applicable

Acute Dermal Toxicity: Not Applicable

Acute Inhalation Toxicity: Harmful if inhaled.

Skin Irritation: Causes skin irritation.

Eye Irritation: Causes serious eye irritation.

Respiratory Sensitization: May cause allergy or asthma symptoms of breathing difficulties if

inhaled.

Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not Applicable
Carcinogenicity: Not Applicable

Reproductive toxicity: Not Applicable

STOT – Single exposure: May cause respiratory irritation.



Date Revised: 08/24/2022

Supersedes: 12/21/2016

STOT – Repeated exposure: May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Not Applicable

SECTION 12: ECOLOGICAL INFORMATION (Component A)

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Diphenylmethanediisocyanate - (101-68-8)	Not Available	129.70, Daphnia magna	Not Available
Benzene, (1-methylpropyl)(phenylmethyl) (101646-63- 3)	Not Available	Not Available	Not Available
Polymeric Diphenylmethane Diisocyanate - (9016-87-9)	Not Available	Not Available	Not Available
(Benzene,(1-methylpropyl)(1-phenylethyl)-) - (101646- 62-2)	Not Available	Not Available	Not Available
Isocyanates, reaction product of polyol with methylenediphenyl diisocyanate - (Proprietary)	Not Available	Not Available	Not Available
Benzene, (1-methylpropyl)(2-phenylethyl) (142828-65-7)	Not Available	Not Available	Not Available

Persistence and degradability: There is no data available on the preparation itself.

Bioaccumulative Potential: Not Measured.

Mobility in Soil: No data available.

Results of PBT & vPvB

Assessment: This product contains no PBT/vPvB chemicals.

Other Adverse Effects: No data available.

SECTION 13: DISPOSAL CONSIDERATIONS (Component A)

If the material as supplied becomes a waste, dispose in accordance with federal, state and local regulations.

SECTION 14: TRANSPORT INFORMATION (Component A)

US DEPARTMENT of TRANSPORTATION (DOT)

Proper Shipping Name: Not regulated

Class: None

UN #: None

Packing Group: None



Date Revised: 08/24/2022

Supersedes: 12/21/2016

CANADA Transportation of Dangerous Goods (TDG)

Proper Shipping Name: Not regulated

Class: None

UN #: None

Packing Group: None

INTERNATIONAL AIR TRANSPORTATION Proper

Shipping Name (ICAO/IATA): Not regulated

Class: None

UN #: None

Packing Group: None

WATER TRANSPORTATION

Proper Shipping Name

(IMO/IMDG): Not regulated

Class: None

UN #: None

Packing Group: None

Marine Pollutant: No

SECTION 15: REGULATORY INFORMATION (Component A)

Regulatory Overview: The regulatory data in Section 15 is not intended to be all-inclusive,

only selected regulations are represented.

Toxic Substance Control Act

(TSCA):

All components of this material are either listed or exempt from listing

on the TSCA Inventory.

WHMIS Classification: D2A

US EPA Tier II Hazards: Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): Yes

EPCRA 311/312

Chemicals and RQs (Ibs): Diphenylmethanediisocyanate (5000.00)



Date Revised: 08/24/2022

Supersedes: 12/21/2016

EPCRA 302 Extremely

Hazardous:

To the best of our knowledge, there are no chemicals at levels which

require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Diphenylmethanediisocyanate

Polymeric Diphenylmethane Diisocyanate

Proposition 65 - Carcinogens

(>0.0%):

To the best of our knowledge, there are no chemicals at levels which

require reporting under this statute.

Proposition 65 -

Developmental Toxins

(>0.0%):

To the best of our knowledge, there are no chemicals at levels which

require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which

require reporting under this statute.

Proposition 65 - Male Repro

Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which

require reporting under this statute.

New Jersey RTK

Diphenylmethanediisocyanate

Substances (>1%):

Polymeric Diphenylmethane Diisocyanate

Pennsylvania RTK

Substances (>1%):

Diphenylmethanediisocyanate

SECTION 16: OTHER INFORMATION (Component A)

HMIS Rating:

Health	Flammability	Physical Hazard	Personal Protection
2	1	1	В

Disclaimer:

This information is furnished without warranty of any kind, expressed or implied. Five Star Products, Inc. bases the information and recommendations in this document on data believed to be current and accurate.



Date Revised: 08/24/2022

Supersedes: 12/21/2016

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name(s): Five Star® Crack Repair SLV/Component B

Synonyms: N/A

Product Use: Concrete Repair

Manufacturer/Supplier Five Star Products, Inc.

60 Parrott Drive

Shelton, CT 06484 USA

Phone #: 203-336-7900

Emergency Phone #: CHEM-TEL 1-800-255-3924

(Outside the U.S. 1-813-248-0585)

SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION (Component B)

Classification: Eye Irritation, Category 2

Label Elements/Hazard

Pictograms:



Signal Word: Warning

Hazard Statements: H319 Causes serious eye irritation

Precautionary P264 Wash thoroughly after handling.

Statements/Prevention: P280 Wear protective gloves / eye protection / face protection

Response: P305+351+338 IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses if present and easy to do - continue

rinsing.

P337+313 If eye irritation persists: Get medical advice / attention

Storage: No GHS storage statements.

Disposal: No GHS storage statements.



Date Revised: 08/24/2022

Supersedes: 12/21/2016

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS					
Chemical Name(s) CAS No. Content %					
Ethylenediamine, propoxylated	0025214-63-5	50-75			
Benzene, (1-methylpropyl)(phenylmethyl)	0101646-63-3	25-50			
(Benzene,(1-methylpropyl)(1-phenylethyl)-)	0101646-62-2	10-25			
Benzene, (1-methylpropyl)(2-phenylethyl)	0142828-65-7	10-25			

SECTION 4: FIRST AID MEASURES (Component B)

Inhalation: Move to fresh air; give oxygen if breathing is difficult. Call a physician

if symptoms persist.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes.

Call a physician if symptoms persist.

Skin Contact: Remove contaminated clothing. Wash with mild soap and water. Get

medical attention if skin irritation or dermatitis persists.

Ingestion: Give plenty of water. DO NOT induce vomiting. Call a physician

immediately.

Most important symptoms and effects, both acute and delayed

Inhalation: May cause respiratory irritation.

Eyes: Causes serious eye irritation.

Skin: May cause skin irritation.

Ingestion: Swallowing small amounts of this material during normal handling is

unlikely and is not likely to cause harmful effects. Swallowing large

amounts may be harmful.

SECTION 5: FIRE-FIGHTING MEASURES (Component B)

Extinguishing Media Water spray, dry chemical, alcohol foam, carbon dioxide

Special Hazards arising from the Substance or Mixture:

Hazardous decomposition: Oxides of carbon and nitrogen,

Aldehydes

Advice for Fire-fighters: Wear full protective clothing, including helmet, self-contained positive

pressure or pressure demand breathing apparatus, protective clothing,

and face mask.

SECTION 6: ACCIDENTAL RELEASE MEASURES (Component B)

Personal Precautions: Avoid all personal contact. In enclosed areas, cleanup personnel

should wear self-contained breathing apparatus and PPE.

Environmental Precautions: Do not allow spills to enter drains or waterways.



Date Revised: 08/24/2022

Supersedes: 12/21/2016

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

SECTION 7: HANDLING AND STORAGE (Component B)

Handling: Avoid breathing aerosols, mists and vapors. Avoid contact with skin and

eyes. Avoid personal contact with the product or reaction mixture. Use only with adequate ventilation to ensure that the occupational exposure limit is not exceeded. The efficiency of the ventilation system must be

monitored regularly because of the possibility of blockage.

Storage: Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing Agents

If container is exposed to high heat, it can be pressurized and possibly rupture explosively. Keep the container tightly closed and in a cool,

well-ventilated place

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (Component B)

Exposure Guidelines

Component	CAS No.	ACGIH (TLV)	OSHA (PEL)
Ethylenediamine, propoxylated	0025214-63-5	No Established Limit	No Established Limit
(Benzene,(1-methylpropyl)(1- phenylethyl)-)	0101646-62-2	No Established Limit	No Established Limit
Benzene, (1-methylpropyl) (phenylmethyl)	0101646-63-3	No Established Limit	No Established Limit
Benzene, (1-methylpropyl)(2- phenylethyl)-	0142828-65-7	No Established Limit	No Established Limit

Engineering Measures: Use local and general exhaust ventilation to maintain airborne

concentrations below TLV. Suitable respiratory equipment should be used in cases of insufficient ventilation or where operational procedures

demand it.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection: Wear splash proof chemical goggles / full face shield if there is a

potential for splashing.

Skin / Body Protection: Wear suitable gloves (neoprene, nitrile rubber or PVC) and protective

clothing to mitigate exposure.

Other Protective Clothing or

Equipment:

Use protective clothing which is chemical resistant to this material.

Safety shoes and boots should also be chemical resistant.



Date Revised: 08/24/2022

Supersedes: 12/21/2016

Respiratory Protection

When the product is sprayed or heated without adequate ventilation, an approved MSHA/NIOSH positive-pressure, supplied-air respirator may be required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Component B)		
Physical State:	Liquid	
Appearance:	Black	
Evaporation Rate:	Not Available	
Flash Point:	> 200°F (93°C)	
Odor:	Characteristic	
Solubility in Water:	Soluble	
Specific Gravity (g/cc):	1.002 (H2O = 1)	
Vapor Density (air=1):	Not Available	
Vapor Pressure:	Not Available	
VOC Content:	None	
Boiling Point:	Not Available	
pH:	Not Available	
SECTION 10: STABILITY AND REACTIVITY (Component B)		

Reactivity: Hazardous Polymerization will not occur. **Stability:** Stable under normal circumstances.

Possibility of Hazardous

Reactions: No data available.

Conditions to Avoid: No data available.

Incompatible Materials: Oxidizing Agents

Hazardous Decomposition

Products: Oxides of carbon and nitrogen, Aldehydes



Date Revised: 08/24/2022

Supersedes: 12/21/2016

SECTION 11: TOXICOLOGICAL INFORMATION (Component B)

Acute Toxicity:

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Ethylenediamine, propoxylated - (25214-63-5)	No data	No data	No data	No data	No data
	available	available	available	available	available
Benzene, (1- methylpropyl)(phenylmethyl) (101646-63- 3)	No data available	No data available	No data available	No data available	No data available
(Benzene,(1-methylpropyl)(1-phenylethyl)-) (101646-62-2)	No data	No data	No data	No data	No data
	available	available	available	available	available
Benzene, (1-methylpropyl)(2-phenylethyl) (142828-65-7)	No data	No data	No data	No data	No data
	available	available	available	available	available

Acute Oral Toxicity: Not Applicable

Acute Dermal Toxicity: Not Applicable

Acute Inhalation Toxicity: Not Applicable

Skin Irritation: Not Applicable

Eye Irritation: Causes serious eye irritation.

Respiratory Sensitization:

Skin Sensitization:

Not Applicable

Germ Cell Mutagenicity:

Not Applicable

Carcinogenicity:

Not Applicable

Reproductive toxicity:

STOT – Single exposure:

Not Applicable

Not Applicable

Not Applicable

Aspiration Hazard: Not Applicable

SECTION 12: ECOLOGICAL INFORMATION (Component B)

Toxicity: Toxicity to microorganisms: EC0: >1000 mg/L (Activated sludge

microorganisms, 3 h) Biodegradation: Aerobic, <50%, exposure time:

28 d

Acute and Prologned Toxicity to Fish: LCO: >1000 mg/L (Zebra fish

(Brachydanio rerio), 48 h)

Aquatic Ecotoxicity:



Date Revised: 08/24/2022

Supersedes: 12/21/2016

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Ethylenediamine, propoxylated - (25214-63-5)	Not Available	Not Available	Not Available
Benzene, (1-methylpropyl)(phenylmethyl) (101646-63-3)	Not Available	Not Available	Not Available
(Benzene,(1-methylpropyl)(1-phenylethyl)-) - (101646-62- 2)	Not Available	Not Available	Not Available
Benzene, (1-methylpropyl)(2-phenylethyl) (142828-65-7)	Not Available	Not Available	Not Available

Persistence and degradability: There is no data available on the preparation itself.

Bioaccumulative Potential: Not Measured.

Mobility in Soil: No data available.

Results of PBT & vPvB

Assessment: This product contains no PBT/vPvB chemicals.

Other Adverse Effects: No data available.

SECTION 13: DISPOSAL CONSIDERATIONS (Component B)

If the material as supplied becomes a waste, dispose in accordance with federal, state and local regulations.

SECTION 14: TRANSPORT INFORMATION (Component B)

US DEPARTMENT of TRANSPORTATION (DOT)

Proper Shipping Name: Not regulated

Class: None

UN #: None

Packing Group: None

CANADA Transportation of Dangerous Goods (TDG)

Proper Shipping Name: Not regulated

Class: None

UN #: None

Packing Group: None



Date Revised: 08/24/2022

Supersedes: 12/21/2016

INTERNATIONAL AIR TRANSPORTATION Proper

Shipping Name (ICAO/IATA): Not regulated

Class: None

UN #: None

Packing Group: None

WATER TRANSPORTATION

Proper Shipping Name

(IMO/IMDG): Not regulated

Class: None

UN #: None

Packing Group: None

Marine Pollutant: No

SECTION 15: REGULATORY INFORMATION (Component B)

Regulatory Overview: The regulatory data in Section 15 is not intended to be all-inclusive,

only selected regulations are represented.

Toxic Substance Control Act

(TSCA):

All components of this material are either listed or exempt from listing

on the TSCA Inventory.

WHMIS Classification: D2B

US EPA Tier II Hazards: Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312

Chemicals and RQs (lbs):

To the best of our knowledge, there are no chemicals at levels which

require reporting under this statute.

EPCRA 302 Extremely

Hazardous:

To the best of our knowledge, there are no chemicals at levels which

require reporting under this statute.

EPCRA 313 Toxic Chemicals: To the best of our knowledge, there are no chemicals at levels which

require reporting under this statute.

Proposition 65 - Carcinogens

(>0.0%):

To the best of our knowledge, there are no chemicals at levels which

require reporting under this statute.

Proposition 65 -

Developmental Toxins

(>0.0%):

To the best of our knowledge, there are no chemicals at levels which

require reporting under this statute.



Date Revised: 08/24/2022

Supersedes: 12/21/2016

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro

Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

SECTION 16: OTHER INFORMATION (Component B)

HMIS Rating:	Health	Flammability	Physical Hazard	Personal Protection
	2	1	1	В

Disclaimer: This information is furnished without warranty of any kind, expressed or

Five Star Products, Inc. bases the information and recommendations in this document on data believed to be current and

accurate.