



Supersedes:

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name(s):	Five Star <sup>®</sup> Crane Rail Grout /Component A	
Synonyms:	Epoxy Resin, Component A	
Product Use:	For use with Five Star Epoxy Aggregate and Five Star Epoxy Hardener	
Restrictions on Use:	To be used with specific Five Star <sup>®</sup> systems.	
Manufacturer/Supplier	Five Star Products, Inc. 60 Parrott Drive Shelton, CT 06484 USA	
Phone #:	203-336-7900	
Emergency Phone #:	CHEM-TEL 1-800-255-3924 (Outside the U.S. 1-813-248-0585)	

### SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION

Classification:	Skin Irritation, Category 2 Eye Irritation, Category 2A Skin sensitization, Category 1 Acute aquatic toxicity, Category 2 Chronic aquatic toxicity, Category 2
Label Elements/Hazard Pictograms:	
Signal Word:	Warning
Hazard Statements:	Causes skin irritation, H315 May cause an allergic skin reaction, H317 Caused serious eye irritation, H319 Toxic to aquatic life with long lasting effects, H411
Precautionary Statements/Prevention:	Avoid breathing dust/fume/gas/mist/vapors/spray, P261 Wash skin thoroughly after handling, P264 Contaminated work clothing should not be allowed out of the workplace, P272 Avoid release to the environment, P273 Wear protective gloves/eye protection/face protection, P280
Response:	If in eyes: Rinse cautiously with water for several minutes, P351. Remove contact lenses, if present and easy to do. Continue rinsing,

Five Star	Safety Data Sheet	Date Revised: 4/12/2016	
****		Supersedes:	
	P338, P305, P351 If eye irritation pr attention/advice, P337, P313 If on skin (or hair): Wash with plent If swallowed: Rinse mouth. Do NOT If skin irritation or rash occurs, P33 P313. Take of contaminated clothing and v Collect spillate, P391 Get medical advice/attention if you	ty of soap and water, P302, P352 induce vomiting, P330, P331. 3: Get medical advice/attention, wash before reuse, P362	
Storage:	Keep container tightly closed and in a dry well-ventilated space.		
Disposal:	Dispose of contents/container in accordance with applicable regional, national, and local laws and regulations.		
Hazards Not Otherwise Classified:	Not applicable	Not applicable	
Ingredients with Unknown Toxicity:	Not applicable	Not applicable	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
Hazardous Ingredient(s)	Common Name/Synonyms	CAS No.	% wt/wt
Bisphenol A Diglycidyl Ether Resin Mixture	n/a	25068-38-6	80-90
C8 and C10 Alkyl Glycidly Ethers	n/a	68609-96-1	10-20

SECTION 4: FIRST AID MEASURES	
Inhalation:	If inhaled: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Consult a physician.
Eye Contact:	If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a physician.
Skin Contact:	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower for at least 15 minutes. Immediately call a poison center or doctor if irritation develops. Wash contaminated clothing before reuse.
Ingestion:	If swallowed: Rinse mouth. Call POISON CENTER for most current information. Do NOT induce vomiting. Immediately call a poison center or doctor. If vomiting occurs naturally, have victim lean forward to

Five Star	Safety Data Sheet	Date Revised: 4/12/2016 Supersedes:
	reduce the risk of aspiration. Never unconscious person.	give anything by mouth to an
General Advice:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible). First Aid responders should pay attention to self-protection and use recommended protective clothing (chemical resistant gloves, splash protection).	
Note to Physicians:	Symptoms may not appear immediately. Treat symptomatically.	

SECTION 5: FIRE-FIGHTING MEASURES		
Flammability and Explosion Information:	Not available	
Sensitivity to Mechanical Impact:	Not available	
MEANS OF EXTINCTION		
Suitable Extinguishing Media:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable Extinguishing Media:	Not available	
Protection of Firefighters:	Wear self-contained breathing apparatus for fire-fighting if necessary.	

SECTION 6: ACCIDENTAL RELEASE MEASURES		
Emergency Procedures:	Uncontrolled releases should be responded to by trained personnel using pre-planned procedures. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and respond with trained personnel. Eliminate all ignition sources.	
Personal Precautions:	Use personal protective equipment. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. When respirators are required, select NIOSH/MSHA approved based on actual or potential airborne concentrations in accordance with latest OSHA and/or ANSI recommendations.	
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.	
Methods for Containment:	Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.	
Other Information:	See Section 13 for disposal considerations.	



Supersedes:

## SECTION 7: HANDLING AND STORAGE Handling: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Storage: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Component	CAS No.	ACGIH	OSHA
Bisphenol A Diglycidyl Ether Resin Mixture	25068-38-6	n/a	n/a
C8 and C10 Alkyl Glycidil Ethers	68609-96-1	n/a	n/a

PEL: Permissible Exposure Limit TLV: Threshold Limit Value

Engineering Controls:	Not normally required.
-----------------------	------------------------

### **PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Eye/Face Protection:	Face shield and safety glasses. Use equipment for eye protection that meets the standards referenced for OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.
Hand Protection:	Wear protective gloves. Rubber or polyethylene material is recommended. Consult manufacturer specifications for further information.
Skin and Body Protection:	Wear protective clothing. Clothing with full length sleeves and pants should be worn.
General Hygiene Considerations:	Handle according to established industrial hygiene and safety practices. Provide readily accessible eye wash stations and safety showers. Wash at end of shift and before eating, smoking, or using the toilet. Remove contaminated clothing and launder or discard.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	Clear light amber liquid	
Color:	Light amber	
Odor:	Semi Sweet	
Odor Threshold:	Not Applicable	
Physical State:	Liquid	
pH:	Not Available	



Supersedes:

Melting Point / Freezing Point:	Not Available		
Initial Boiling Point:	Not Available		
Boiling Point:	Not Available		
Flash Point:	93.4°C, 200°F Setaflash Closed Cup ASTM D 3828		
Evaporation Rate:	Not Applicable		
Flammability (solid, gas):	Not Applicable		
Lower Flammability Limit:	Not Applicable		
Upper Flammability Limit:	Not Applicable		
Vapor Pressure:	1.33 mbar		
Vapor Density:	1 [Air = 1]		
Relative Density:	1.10		
Solubility:	Slightly		
Partition Coefficient: n-Octanol/Water:	Not Applicable		
Auto-ignition Temperature:	Not Available		
Decomposition Temperature:	Not Available		
Viscosity:	1000 cps		
Percent Volatile, wt.%:	0%		
VOC Content, wt.%:	0%		
Density:	1.10 g/cc		
Coefficient of Water/Oil Distribution:	Not Applicable		

### SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions.
Hazardous decomposition byproducts:	CO, CO <sub>2</sub> , smoke, toxic vapors
Conditions to Avoid:	Amine compounds under uncontrolled conditions.
Incompatible Materials:	Strong oxidizing agents.

### SECTION 11: TOXICOLOGICAL INFORMATION

# Acute Toxicity:Primary Irritant Effect<br/>On the Skin:Irritant to skin and mucous membranes.Primary Irritant Effect<br/>On the Eye:Irritating effect.



Date Revised: 4/12/2016

Supersedes:

Swallowing:	Can cause abdominal irritation, nausea, vomiting, and diarrhea.
Additional Toxicological Information:	This product has no carcinogens listed by IARC, NTP, NIOSH, OSHA, or ACGIH as of this date, greater or equal to $0.1\%$

### SECTION 12: ECOLOGICAL INFORMATION

Toxicity:	All work practices must be aimed at eliminating environmental contamination.	
Aquatic Toxicity:	This material is harmful to the environment.	
Persistence and Degradability:	The product is partially biodegradable. Significant residue remains.	
<b>Bio-accumulative Potential:</b>	Does not accumulate in organisms.	
Mobility in Soil:	No further relevant information available	
Ecotoxical Effects Remark:	Toxic for fish. Due to mechanical actions of the product damages may occur. The declared action may be partly caused by lack of oxygen.	
Additional Ecological Information:	No further relevant information available	
General Notes:	No further relevant information available	
PBT Assessment:	N/A	
vPvB Assessment:	N/A	
Other Adverse Effects:	No further relevant information available	

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### **Waste Treatment Methods**

Recommendation:	The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
	Care should be taken when handling emptied containers t h a t have not been cleaned or rinsed out. Empty containers and liners may retain some product residues. Vapor from some product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
	Processing, use or contamination may change the waste disposal requirements. Do not dispose of on land, in surface waters, or in storm drains. Waste should be recycled or disposed of in accordance with regulations. Large amounts should be collected for reuse or consigned to licensed hazardous waste haulers for disposal.



Date Revised: 4/12/2016

Supersedes:

ALL DISPOSAL MUST BE IN ACCORDANCE WITH ALL FEDERAL, STATE, PROVINCIAL, AND LOCAL REGULATIONS. IF IN DOUBT, CONTACT PROPER AGENCIES.

Uncleaned Packaging:	Empty containers may contain residue and may be dangerous. Do not
	attempt to refill or clean without proper instructions. Empty drums
	should be drained and stored safely for reconditioning or recycling.

### **Recommendation:** Disposal must be made according to official regulations.

### **SECTION 14: TRANSPORT INFORMATION**

US DEPARTMENT of TRANSPORTATION (DOT)		
Proper Shipping Name:	NOT REGULATED	
Class:	NONE	
UN #:	NONE	
Packing Group:	NONE	
CANADA Transportation of Dangerous Goods (TDG) Proper Shipping Name:	NOT REGULATED	
Class:	NONE	
UN #:	NONE	
Packing Group:	NONE	
INTERNATIONAL AIR TRANSPORTATION Proper Shipping Name (ICAO/IATA):	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS (BISPHENOL-A EPOXY RESIN), 9, PG III	
Class:	9	
UN #:	3082	
Packing Group:	III	
WATER TRANSPORTATION		
Proper Shipping Name (IMO/IMDG):	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS (BISPHENOL-A-EPOXY RESIN), 9, PG III	
Class:	9	
UN#:	3082	
Packing Group:	III	
Marine Pollutant:	Bisphenol-A Epoxy Resin	



Supersedes:

SECTION 15: REGULATORY IN	NFORMATION			
CHEMICAL INVENTORIES				
US (TSCA):	The components of this product are in compliance with the chemic notification requirements of TSCA.			
CANADA (DSL):	The components of this product are in compliance with the chemic notification requirements of NSN Regulations under CEPA, 1999.			
FEDERAL REGULATIONS				
CANADA:	n/a			
WHMIS Classification:	n/a			
UNITED STATES:	This SDS has been prepared to meet the US OSHA Hazard Communication Standard, 29 CFR 1910.1200			
SARA Title III:	No components are listed.			
STATE REGULATIONS				
Massachusetts	US Massachusetts Commonwealth's Right-to-Know Las (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)			
New Jersey	US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)			
Pennsylvania	US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)			
California California Prop 65:	This product does not contain chemicals known to the State of California to be Carcinogenic.			

SECTION 16: OTHER INFORMATION				
HMIS Rating:	Health	Flammability	Physical Hazard	Personal Protection
	2	1	0	В
Disclaimer:	implied.	Five Star Pro	oducts, Inc. bases	of any kind, expressed or the information and lieved to be current and

accurate.