

Date Revised: 2/19/2019

Supersedes: 2/15/2019

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION				
Product Name(s):	Five Star® DP Epoxy Grout - Nuclear/Component A Res Five Star® DP Epoxy Grout High Flow - Nuclear/Component A Resin			
Synonyms:	Epoxy Resin, Component A			
Product Use:	For use with Five Star Epoxy Aggregate and Five Star Epoxy Hardener in nuclear safety application zones.			
Restrictions on Use:	To be used with specific Five $Star^{\ensuremath{\mathbb{R}}}$ systems.			
Manufacturer/Supplier	Five Star Products, Inc. 60 Parrott Drive Shelton, CT 06484 USA			
Phone #:	203-336-7900			
Emergency Phone #:	CHEM-TEL 1-800-255-3924 (Outside the U.S. 1-813-248-0585)			

SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION

Classification:	Skin Irritation, Category 2 Eye Irritation, Category 2A Skin sensitization, Category 1 Acute aquatic toxicity, Category 2 Chronic aquatic toxicity, Category 2
Label Elements/Hazard Pictograms:	
Signal Word:	Warning
Hazard Statements:	Causes skin irritation, H315 May cause an allergic skin reaction, H317 Causes serious eye irritation, H319 Toxic to aquatic life, H401 Toxic to aquatic life with long lasting effects, H411



Date Revised: 2/19/2019

Supersedes: 2/15/2019


Precautionary Statements/Prevention:	Avoid breathing dust/fume/gas/mist/vapors/spray, P261 Wash skin thoroughly after handling, P264 Contaminated work clothing should not be allowed out of the workplace, P272 Avoid release to the environment, P273 Wear protective gloves/eye protection/face protection, P280
Response:	If in eyes: Rinse cautiously with water for several minutes, P351. Remove contact lenses, if present and easy to do. Continue rinsing, P338, P305, P351 If eye irritation persists: Get medical attention/advice, P337, P313 If on skin (or hair): Wash with plenty of soap and water, P302, P352 If swallowed: Rinse mouth. Do NOT induce vomiting, P330, P331. If skin irritation or rash occurs, P333: Get medical advice/attention, P313. Take of contaminated clothing and wash before reuse, P362 Collect spillate, P391 Get medical advice/attention if you feel unwell, P314
Storage:	Keep container tightly closed and in a dry well-ventilated space.
Disposal:	Dispose of contents/container in accordance with applicable regional, national, and local laws and regulations.
Hazards Not Otherwise Classified:	Not applicable
Ingredients with Unknown Toxicity:	Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS						
Hazardous Ingredient(s)	Common Name/SynonymsCAS No.% wt/wt					
Bisphenol A Diglycidyl Ether Resin Mixture	n/a	25068-38-6	80-90			
C8 and C10 Alkyl Glycidly Ethers	n/a	68609-96-1	10-20			

SECTION 4: FIRST AID MEASURES

Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Consult a physician.



SECTION 5: FIRE-FIGHTING MEASURES		
Flammability and Explosion Information:	Not available	
Sensitivity to Mechanical Impact:	Not available	
MEANS OF EXTINCTION		
Suitable Extinguishing Media:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable Extinguishing		
Media:	Not available	
Protection of Firefighters:	Wear self-contained breathing apparatus for fire-fighting if necessary.	

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures:	Uncontrolled releases should be responded to by trained personnel using pre-planned procedures. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and respond with trained personnel. Eliminate all ignition sources.
Personal Precautions:	Use personal protective equipment. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. When respirators are required, select NIOSH/MSHA approved based on actual or potential airborne concentrations in accordance with latest OSHA and/or ANSI recommendations.



Date Revised: 2/19/2019

Supersedes: 2/15/2019

Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods for Containment:	Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
Other Information:	See Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE		
Handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.	
Storage:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.	

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component	CAS No.	ACGIH (TLV)	OSHA (PEL)	
Bisphenol A Diglycidyl Ether Resin Mixture	25068-38-6	Not Established	Not Established	
C8 and C10 Alkyl Glycidil Ethers	68609-96-1	Not Established	Not Established	

PEL: Permissible Exposure Limit TLV: Threshold Limit Value

Engineering Controls: Not normally required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection: Face shield and safety glasses. Use equipment for eye protection that meets the standards referenced for OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment. Wear protective gloves. Rubber or polyethylene material is Hand Protection: recommended. Consult manufacturer specifications for further information. Skin and Body Protection: Wear protective clothing. Clothing with full length sleeves and pants should be worn. **General Hygiene** Handle according to established industrial hygiene and safety practices. **Considerations:** Provide readily accessible eye wash stations and safety showers. Wash at end of shift and before eating, smoking, or using the toilet. Remove contaminated clothing and launder or discard.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES



Date Revised: 2/19/2019

Supersedes: 2/15/2019

Appearance:	Clear light amber liquid
Color:	Light amber
Odor:	Semi Sweet
Odor Threshold:	N/A
Physical State:	Liquid
pH:	Not available
Melting Point / Freezing Point:	Not available
Initial Boiling Point:	Not available
Boiling Point:	Not available
Flash Point:	93.4 °C, 200 °F Setaflash Closed Cup ASTM D 3828
Evaporation Rate:	N/A
Flammability (solid, gas):	N/A
Lower Flammability Limit:	N/A
Upper Flammability Limit:	N/A
Vapor Pressure:	1.33 mbar
Vapor Density:	1 [Air = 1]
Relative Density:	1.10
Solubility:	Slightly
Partition Coefficient: n-Octanol/Water:	N/A
Auto-ignition Temperature:	Not available
Decomposition Temperature:	Not available
Viscosity:	1000 cps
Percent Volatile, wt.%:	0%
VOC Content, wt.%:	0%
Density:	N/A
Coefficient of Water/Oil Distribution:	N/A

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions.
Hazardous decomposition byproducts:	CO, CO_2 , smoke, toxic vapors
Conditions to Avoid:	Amine compounds under uncontrolled conditions.
Incompatible Materials:	Strong oxidizing agents.



SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity:

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Bisphenol A Diglycidyl Ether Resin Mixture	>5,000.00, Rat Category: N/A	20,000.00, Rabbit Category: N/A	No Data Available	No Data Available	No Data Available
Primary Irritant Effect On the Skin:	Irritant to skin and mucous membranes.				
Primary Irritant Effect On the Eye: Swallowing:	Irritating effect.				
Additional Toxicological Information:	Can cause abdominal irritation, nausea, vomiting, and diarrhea. This product has no carcinogens listed by IARC, NTP, NIOSH, OSHA, or ACGIH as of this date, greater or equal to 0.1%				

SECTION 12: ECOLOGICAL INFORMATION Toxicity: All work practices must be aimed at eliminating environmental contamination. **Aquatic Toxicity:** This material is harmful to the environment. Persistence and **Degradability:** The product is partially biodegradable. Significant residue remains. **Bio-accumulative Potential:** Does not accumulate in organisms. **Mobility in Soil:** No further relevant information available **Ecotoxical Effects** Toxic for fish. Due to mechanical actions of the product damages may occur. The declared action may be partly caused by lack of oxygen. **Remark: Additional Ecological** Information: No further relevant information available No further relevant information available **General Notes:**

N/A

PBT Assessment:



N/A

vPvB Assessment:

Other Adverse Effects:

No further relevant information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods			
Recommendation:	The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.		
	Care should be taken when handling emptied containers t h a t have not been cleaned or rinsed out. Empty containers and liners may retain some product residues. Vapor from some product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.		
	Processing, use or contamination may change the waste disposal requirements. Do not dispose of on land, in surface waters, or in storm drains. Waste should be recycled or disposed of in accordance with regulations. Large amounts should be collected for reuse or consigned to licensed hazardous waste haulers for disposal. ALL DISPOSAL MUST BE IN ACCORDANCE WITH ALL FEDERAL, STATE,		
	PROVINCIAL, AND LOCAL REGULATIONS. IF IN DOUBT, CONTACT PROPER AGENCIES.		
Uncleaned Packaging:	Empty containers may contain residue and may be dangerous. Do not attempt to refill or clean without proper instructions. Empty drums should be drained and stored safely for reconditioning or recycling.		
Recommendation:	Disposal must be made according to official regulations.		

SECTION 14: TRANSPORT INFORMATION

US DEPARTMENT of TRANSPORTATION (DOT)			
Proper Shipping Name:	NOT REGULATED		
Class:	NONE		
UN #:	NONE		
Packing Group:	NONE		
INTERNATIONAL AIR TRANSPORTATION Proper Shipping Name (ICAO/IATA):	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS (BISPHENOL-A EPICHLORHYDRIN RESIN), 9, PG III		
	•		

Class:



Supersedes: 2/15/2019

UN #:	3082
Packing Group:	III
WATER TRANSPORTATION Proper Shipping Name (IMO/IMDG):	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS (BISPHENOL-A-EPOXY RESIN), 9, PG III
	9
Class:	3082
UN#:	III
Packing Group:	Bisphenol-A Epichlorhydrin Resin
Marine Pollutant:	

SECTION 15: REGULATORY INFORMATION					
CHEMICAL INVENTORIES					
US (TSCA):	The components of this product are in compliance with the chem notification requirements of TSCA.				
CANADA (DSL):	The components of this product are in compliance with the chem notification requirements of NSN Regulations under CEPA, 1999.				
FEDERAL REGULATIONS	EGULATIONS				
CANADA:	n/a				
WHMIS Classification:	n/a				
UNITED STATES:	This SDS has been prepared to meet the US OSHA Hazard Communication Standard, 29 CFR 1910.1200				
SARA Title III:	No components are listed.				
STATE REGULATIONS					
Massachusetts	US Massachusetts Commonwealth's Right-to-Know Las (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)				
New Jersey	US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)				
Pennsylvania	US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)				
California	This product contains the following Proposition 65 chemicals:				
California Prop 65:	Chemical Name: Epichlorohydrin, CAS No. 106-89-8, CA Prop 65: Carcinogen, May contain trace amounts (<0.1%)				
	Chemical Name: Bisphenol A, CAS No. 80-05-7, CA Prop 65: Birth defects or other reproductive harm – female, contains $<1\%$				



Date Revised: 2/19/2019

Supersedes: 2/15/2019

Chemical Name: Epichlorohydrin, CAS No. 106-89-8, CA Prop 65: Birth defects or other reproductive harm – male, contains <0.1%

SECTION 16: OTHER INFORMATION

HMIS (Hazardous Material Information System:

Health	Flammability	Physical Hazard	Personal Protection
2	1	0	Х, В

Disclaimer:

This information is furnished without warranty of any kind, expressed or implied. Five Star Products, Inc. bases the information and recommendations in this document on data believed to be current and accurate.