

Supersedes: 07/29/2022

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION Five Star[®] DP Epoxy Grout / Component C Epoxy Grout Aggregate **Product Name(s):** Five Star[®] DP Epoxy Grout PG / Component C Epoxy Grout Aggregate Five Star[®] DP Epoxy Grout High Flow / Component C Epoxy Grout Aggregate Five Star[®] Elastomeric Grout / Component C Epoxy Grout Aggregate Five Star[®] Epoxy Grout N / Component C Epoxy Grout Aggregate Five Star[®] Epoxy Grout Red N / Component C Epoxy Grout Aggregate Five Star[®] Epoxy Novolac Grout / Component C Epoxy Grout Aggregate Five Star[®] HP Epoxy Grout / Component C Epoxy Grout Aggregate Five Star[®] LC Epoxy Grout / Component C Epoxy Grout Aggregate (formerly Crane Rail Grout) Five Star Novolac Structural Concrete[®]/Component C Epoxy Grout Aggregate Five Star[®] Pile Jacket Epoxy Grout HP/Component C Epoxy Grout Aggregate Five Star[®] High Flow Pile Jacket Epoxy Grout LPL-HF/Component C Aggregate Five Star[®] ProFIX[™]/Component C Epoxy Grout Aggregate Five Star[®] RailForm[™] HPG / Component C Epoxy Grout Aggregate Five Star[®] Rapid Epoxy Grout /Component C Epoxy Grout Aggregate Five Star[®] Rapid Surface Repair Easy Mix/Component C Epoxy Grout Aggregate Five Star[®] SP Epoxy Grout PG / Component C Epoxy Grout Aggregate Synonyms: Aggregate, Component C Product Use: Aggregate for reactive polymer construction products. Designed for use with appropriate hardener and resin. Use per Five Star's product recommendations Restrictions on Use: Manufacturer/Supplier Five Star Products, Inc. 2 Enterprise Drive Suite 303 Shelton, CT 06484 USA Phone #: 203-336-7900 VelocityEHS 1-800-255-3924 **Emergency Phone #:** (Outside the U.S. 1-813-248-0585)



Date Revised: 08/24/2022

Supersedes: 07/29/2022

SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION

Classification:	Acute Oral Toxicity – Category 4
	Skin Corrosion/Irritation – Category 1
	Acute Toxicity – Dermal, Category 5
	Eye Damage/Irritation – Category 1
	Sensitization – Respiratory, Category 1
	Specific Target Organ Systemic Toxicity (Single Exposure) – Cat 3
	Carcinogenicity – Category 1A
	Specific Target Organ Toxicity (Repeated Exposure) – Cat 2
Label Elements/Hazard Pictograms:	
Signal Word:	Warning
Hazard Statements:	H302 Harmful if swallowed
	H313 May be harmful in contact with skin
	H314 Causes severe skin burns and eye damage
	H318 Causes serious eye damage
	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
	H335 May cause respiratory irritation
	H350 May cause cancer by inhalation
	H373 May cause damage to organs through prolonged or repeat exposure
Precautionary	P260 Do not breathe dust, fume, gas, mist, vapors, or spray.
Statements/Prevention:	P264 Wash thoroughly after handling.
	P280 Wear protective gloves, protective clothing, eye protection and face protection.
	P284 Wear respiratory protection.
Response:	P330, P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
	P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P351, P338, P310 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.
	P333, P313 If skin irritation or rash occurs: Get medical advice / attention.
	P342, P363 If experiencing respiratory symptoms: Call a poison center or doctor, P310. Wash contaminated clothing before reuse.
Storage:	Store in a dry space.



Supersedes: 07/29/2022

Disposal:

Dispose of contents/container in accordance with applicable regional, national, and local laws and regulations.

Hazards Not Otherwise Classified:

Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
Hazardous Ingredient(s)	Common Name/Synonyms	CAS No.	% wt/wt
Quartz	Silicon Dioxide, Silica Sand, Crystalline Silica	14808-60-7	65-90
Amorphous Silica Mixture	Not Applicable	Trade Secret	10-35

SECTION 4: FIRST AID MEASURES		
Inhalation:	If inhaled: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms call poison center or doctor.	
Eye Contact:	If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
Skin Contact:	Wash skin thoroughly.	
Ingestion:	If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth to an unconscious person.	
General Advice:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).	
Note to Physicians:	Symptoms may not appear immediately. Treat symptomatically.	

SECTION 5: FIRE-FIGHTING MEASURES

.

Flammability and Explosion Information:	Not flammable or combustible by OSHA/WHMIS criteria.
Sensitivity to Mechanical Impact:	This material is not sensitive to mechanical impact.
Sensitivity to Static Discharge:	This material is not sensitive to static discharge.
MEANS OF EXTINCTION	
Suitable Extinguishing Media:	Small Fire: Dry chemical, CO2, or water spray.



Date Revised: 08/24/2022

Supersedes: 07/29/2022

Large Fire: Dry chemical, CO2, alcohol-resistant foam or water spray. Move containers from fire area if you can do it without risk. Dike firecontrol water for later disposal; do not scatter the material.

Unsuitable Extinguishing Media:	Not available
Product of Combustion:	Non-combustible
Protection of Firefighters:	As in any fire, wear self-contained breathing apparatus pressure- demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES		
Emergency Procedures:	Use personal protective equipment. Ensure adequate ventilation. Keep people from spill. Avoid dust formation.	
Personal Precautions:	Avoid inhalation of dust. Do not get into eyes, on skin, or clothing.	
Environmental Precautions:	The environmental impact of this product has not been fully investigated.	
Methods for Containment:	Cover powder spill with plastic sheet or tarp to minimize spreading. Collect this material into a disposal container by sucking or sweeping up.	
Methods for Cleanup:	Pick up and transfer to properly labeled containers.	
Other Information:	See Section 13 for disposal considerations.	

SECTION 7: HANDLING AND STORAGE	
---------------------------------	--

Handling:Wear personal protective equipment. Ensure adequate ventilation. Avoid
dust formation. Do not breathe dust. Prevent contact with skin, eyes,
and clothing. Wash thoroughly after handling.

Storage:

Store in a dry space.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component	CAS No.	ACGIH TLV	OSHA PEL
Quartz*	14808-60-7	TWA: 0.025mg/m ³ respirable fraction	TWA: 0.050 mg/m ³ AL: 0.025 mg/m ³
Amorphous Silica Mixture	Trade Secret	Not Established	TWA: Total 15 mg/m ³ Respirable 5 mg/m ³

AL: Actionable Level

PEL: Permissible Exposure Limit TLV: Threshold Limit Value



Supersedes: 07/29/2022

*Respirable (< 6 micron) fraction for product is <0.1%

Engineering Controls:	Not normally required.	
PERSONAL PROTECTIVE EQUIPMENT (PPE)		
Eye/Face Protection:	Tightly fitting safety goggles	
Hand Protection:	Wear protective gloves.	
Skin and Body Protection:	Wear protective clothing. Clothing with full length sleeves and pants should be worn.	
Respiratory Protection:	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations:	Handle according to established industrial hygiene and safety practices.	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	Granular Powder	
Color:	Gray, Tan, Pink	
Odor:	None	
Odor Threshold:	None	
Physical State:	Solid, powder	
pH:	1:1 W/O Water=12	
Melting Point / Freezing Point:	>2,000°F (1,093°C)	
Initial Boiling Point:	Not Applicable	
Boiling Point:	Not Applicable	
Flash Point:	Not Applicable	
Evaporation Rate:	Not Applicable	
Flammability (solid, gas):	Not Applicable	
Lower Flammability Limit:	Not Applicable	
Upper Flammability Limit:	Not Applicable	
Vapor Pressure:	Not Applicable	
Vapor Density:	Not Applicable	
Relative Density:	2.5-2.8	
Solubility:	Negligible	



Date Revised: 08/24/2022

Supersedes: 07/29/2022

Partition Coefficient: n-Octanol/Water:	Not Applicable
Auto-ignition Temperature:	Not Applicable
Decomposition Temperature:	Not Applicable
Viscosity:	Not Applicable
Percent Volatile, wt.%:	Not Applicable
VOC Content, wt.%:	Not Applicable
Density:	2.5-2.8 g/cc
Coefficient of Water/Oil Distribution:	Not Applicable

SECTION 10: STABILITY AND R	EACTIVITY
Chemical Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions:	None under normal processing.
Conditions to Avoid:	Exposure to water – product may harden on contact with water.
Incompatible Materials:	Strong acids.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product information

Inhalation:	Irritating to respiratory system. Irritating to mucous membranes.
Eye contact:	Risk of serious damage to eyes.
Skin contact:	Irritating to skin. May cause allergic skin reaction. May cause alkali burns.
Ingestion:	Harmful if swallowed.


Secondary Component Information:

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Amorphous Silica Mixture	> 2,000 mg/kg	> 2,000 mg/kg	> 5 mg/L

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Quartz	500 – 22,500 mg/kg (Rat)	Not Established	Not Established*

*LCL50: 0.3 mg/m3 / 10Y (Human)

Symptoms related to the physical, chemical and toxicological characteristics: No information available.





Supersedes: 07/29/2022

Delayed and immediate effects	s and also chronic effects from short- and long-term exposure
Sensitization:	May cause sensitization by skin contact.

Mutagenic Effects:No information available.Carcinogenicity:The table below indicates whether each agency has listed any ingredient
as a carcinogen. Crystalline silica (quartz) has been classified by the
International Agency for Research on Cancer (IARC) as a known human
carcinogen (Group 1). May cause cancer by inhalation.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2*	Group 1	Known	Х

*The respirable fraction as a whole is less than 0.1% and anticipated usage would generate far less than 0.1% as a respirable quantity above exposure guidelines as noted in Section 8.

ACGIH: (American Conference of Governmental Industrial Hygienists):	A2 - Suspected Human Carcinogen
IARC: (International Agency for Research on Cancer):	Group 1 - Carcinogenic to Humans
NTP: (National Toxicity Program):	Known Carcinogen
OSHA: (Occupational Safety & Health Administration):	X - Present
Reproductive Toxicity:	No information available.
STOT - single exposure:	May cause respiratory irritation.
STOT - repeated exposure:	Causes damage to organs through prolonged or repeated exposure if inhaled. Lungs.
Chronic Toxicity:	Inhalation overexposure to free crystalline silica may cause delayed lung injury including silicosis, a disabling and potentially fatal lung disease.
Aspiration Hazard:	No information available.
Numerical measures of toxicity	- Product
The following values are calculated based on chapter 3.1 of the GHS document:	LD 50 Oral: 500 mg/kg; Acute toxicity estimate

SECTION 12: ECOLOGICAL INFORMATION

Toxicity:

Aquatic Toxicity:	The environmental impact of this product has not been fully investigated.
Persistence and Degradability:	No information available.



Supersedes: 07/29/2022

Bio-accumulative Potential:	Does not accumulate in organisms
Mobility in Soil:	No further relevant information available
Ecotoxical Effects Remark:	No information available.
Additional Ecological Information:	No information available.
General Notes:	This statement was deduced from products with a similar structure or composition. Due to available data on eliminability/decomposition and bio-accumulation potential prolonged term damage of the environment cannot be excluded. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Poisonous for fish and plankton in water bodies and toxic for aquatic organisms until alkaline pH is neutralized.
PBT Assessment:	Not Available
vPvB Assessment:	Not Available
Other Adverse Effects:	No further relevant information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Recommendation:	This material as supplied is not a hazardous waste according to Federal regulations (40CFR261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered.
Uncleaned Packaging Recommendation:	Disposal must be made according to official regulations. Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

US DEPARTMENT of TRANSPORTATION (DOT) Proper Shipping Name:	Not regulated
Class:	None
UN #:	None
Packing Group:	None
CANADA Transportation of Dangerous Goods (TDG) Proper Shipping Name:	Not regulated
Class:	None



UN #:	None
Packing Group:	None
Air Transport (ICAO- IATA/DGR) Proper Shipping Name:	Not regulated
Class:	None
UN#:	None
Packing Group:	None
Sea Transport (IMDG Code/GGVSee) Proper	
Sea Transport (IMDG Code/GGVSee) Proper Shipping Name:	Not regulated
Code/GGVSee) Proper	Not regulated None
Code/GGVSee) Proper Shipping Name:	5
Code/GGVSee) Proper Shipping Name: Class:	None
Code/GGVSee) Proper Shipping Name: Class: UN#	None None

SECTION 15: REGULATORY INFORMATION							
CHEMICAL INVENTORIES							
US (TSCA):	The components of this product are in compliance with the chemical notification requirements of TSCA.						
CANADA (DSL):	The components of this product are in compliance with the chemical notification requirements of NSN Regulations under CEPA, 1999.						
U.S. FEDERAL REGULATIONS	Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the CFR, Part 372.						
UNITED STATES:	This SDS has been prepared to meet the US OSHA Hazard Communication Standard, 29 CFR 1910.1200						
SARA 311/312 Hazard Categories:	Acute health hazard – Yes Chronic Health hazard – Yes Fire Hazard – No Sudden Release of Pressure – No Reactive Hazard – No						
US STATE Right to Know Regulations:	Chemical Name	NJ	MA	PA	IL	RI	
	Quartz	x	x	X		x	

Х

Х

Х

Amorphous Silica Mixture



Date Revised: 08/24/2022

Supersedes: 07/29/2022

California	This product contains the following Proposition 65 chemicals.			
California Prop 65:	Chemical Name: Quartz, CAS-No: 14808-60-7 CA Prop. 65: Carcinogen			
	Chemical Name: May contain trace amounts (<0.005%) of one or more of: arsenic, lead, nickel, cadmium, mercury, CA Prop 65: Birth defects or other reproductive harm.			

SECTION 16: OTHER INFORMATION							
HMIS Rating:	Health	Flammability	Physical Hazard	Personal Protection			
	1	0	0	Е, Х			
Disclaimer:	This information	This information is furnished without warranty of any kind, expressed or					

This information is furnished without warranty of any kind, expressed or implied. Five Star Products, Inc. bases the information and recommendations in this document on data believed to be current and accurate.