

Date Revised: 05/11/2023

Supersedes: 01/18/2023

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name(s): Five Star® Epoxy Novolac Grout/Component B Hardener

Five Star® Novolac Structural Concrete/Component B Hardener

Synonyms: Epoxy Novolac Hardener/Novolac Epoxy Hardener

Product Use: For use with Five Star Epoxy Aggregate and Five Star Novolac Epoxy

Resin

Restrictions on Use: To be used with specific Five Star® systems.

Manufacturer/Supplier Five Star Products, Inc.

2 Enterprise Drive, Suite 303

Shelton, CT 06484

Phone #: 203-336-7900

Emergency Phone #: VelocityEHS 1-800-255-3924

(Outside the U.S. 1-813-248-0585)

SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION

Classification: Acute Toxicity – Oral, Category 4

Acute Toxicity - Dermal, Category 3

Skin Corrosion – Category 1
Eye Damage – Category 1
Sensitization – Skin, Category 1
STOT, Single Exposure – Category 3

Label Elements/Hazard

Pictograms:





Signal Word: Danger

Hazard Statements: Harmful if swallowed, H302

Toxic in contact with skin, H311

Causes severe skin burns and eye damage, H314

May cause an allergic skin reaction, H317

Causes serious eye damage, H318 May cause respiratory irritation, H335

Precautionary
Statements/Prevention:

Do not breathe dust, fume, gas, mist, vapors, or spray, P260

Wash thoroughly after handling, P264

Do not eat, drink or smoke when using this product, P270 Contaminated work clothing should not be allowed out of the

workplace, P272

Wear protective gloves, protective clothing, eye protection and face

protection, P280



Date Revised: 05/11/2023

Supersedes: 01/18/2023

Wear respiratory protection, P284

Response: If swallowed: Rinse mouth. Do NOT induce vomiting, P330, P331.

If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower, P361, P353.

If inhaled: Remove person to fresh air and keep comfortable for

breathing, P340.

If in eyes: Rinse cautiously with water for several minutes, P351. Remove contact lenses, if present and easy to do. Continue rinsing,

P338.

Immediately call a poison center or doctor, P310.

If skin irritation or rash occurs, P333: Get medical advice/attention,

P313.

If experiencing respiratory symptoms, P342: Call a poison center or doctor, P310. Wash contaminated clothing before reuse, P363.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with applicable regional,

national, and local laws and regulations.

Hazards Not Otherwise

Classified:

Not applicable

Ingredients with Unknown

Toxicity:

Some of this product mixture may contain ingredients of unknown

acute toxicity.

| SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS | | | | | |
|--|----------------------|--------------|---------|--|--|
| Hazardous Ingredient(s) | Common Name/Synonyms | CAS No. | % wt/wt | | |
| Aromatic Amine | Trade Secret | Trade Secret | 50-70 | | |
| 1,2-Ethanediamine, N1-(2-aminoethyl)-N2-[2-[(2-aminoethyl)amino]ethyl] | Not applicable | 112-57-2 | 0-40 | | |
| Tertiary Amines | Not available | Trade Secret | 1-10 | | |
| Aliphatic Amines | Not applicable | Trade Secret | 0-40 | | |

SECTION 4: FIRST AID MEASURES

Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or doctor.

Acute and delayed symptoms and effects: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Signs/symptoms may include burning pain in the nose and throat, coughing, wheezing, shortness of breath and pulmonary edema.



Date Revised: 05/11/2023

Supersedes: 01/18/2023

Eye Contact: If in eyes: Rinse cautiously with water for at least 30 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center or doctor.

Acute and delayed symptoms and effects: Causes serious eye damage.

Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired

vision or complete loss of vision.

Skin Contact: If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower for at least 15 minutes. Immediately call a poison center or doctor. Wash contaminated clothing before reuse.

Acute and delayed symptoms and effects: Toxic in contact with skin. May cause an allergic skin reaction. Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, and blistering, ulceration, and tissue destruction.

Ingestion: If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a

poison center or doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth

to an unconscious person.

Acute and delayed symptoms and effects: Harmful if swallowed. Causes burns to nose, mouth, throat, and digestive tract. Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea, blood in the feces and/or vomitus may also be seen.

General Advice: In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible). First Aid responders should pay attention to self-protection and use

recommended protective clothing (chemical resistant gloves, splash

protection).

Note to Physicians: Symptoms may not appear immediately. Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Flammability and Explosion

Information: Not flammable or combustible by OSHA/WHMIS criteria.

MEANS OF EXTINCTION

Suitable Extinguishing Media: Small Fire: Dry chemical, CO2 or water spray.

Large Fire: Dry chemical, CO2, alcohol-resistant foam or water spray. Move containers from fire area if you can do it without risk. Dike fire-

control water for later disposal; do not scatter the material.

Unsuitable Extinguishing

Media:

Do not use water jet. Product will float and can be reignited on the

surface of the water.

Products of Combustion: Oxides of carbon, oxides of nitrogen, ammonia.



Date Revised: 05/11/2023

Supersedes: 01/18/2023

Protection of Firefighters:

TOXIC; inhalation, ingestion or skin contact with material may cause severe injury or death. Contact with molten substance may cause severe burns to skin and eyes. Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. Wear positive pressure self- contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures: As an immediate precautionary measure, isolate spill or leak area in all

directions for at least 50 meters (150 feet). Stay upwind. Keep out of low areas. Ventilate enclosed areas. ELIMINATE all ignition sources (no

smoking, flares, sparks or flames in immediate area).

Personal Precautions: Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing. Use personal protection recommended

in Section 8.

Environmental Precautions: Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment: Stop leak if you can do it without risk.

Methods for Clean-Up: Absorb or cover with dry earth, sand or other non-combustible material

and transfer to containers.

Other Information: See Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Handling: Do not swallow. Do not breathe mist, vapors, or spray. Do not get in

eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. See Section 8 for

information on Personal Protective Equipment.

Storage: Store locked up. Store away from incompatible Materials. See Section

10 for information on Incompatible Materials. Keep out of the reach of

children.



Date Revised: 05/11/2023

Supersedes: 01/18/2023

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Component | CAS No. | ACGIH(PEL) | OSHA(TLV) |
|--|--------------|-----------------|-----------------|
| Aromatic Amine | Trade Secret | Not established | Not established |
| 1,2-Ethanediamine, N1-(2-aminoethyl)-N2-[2-[(2-aminoethyl)amino]ethyl] | 112-57-2 | Not established | Not established |
| Tertiary Amines | Trade Secret | Not established | Not established |
| Aliphatic Amines | Trade Secret | Not established | Not established |

PEL: Permissible Exposure Limit TLV: Threshold Limit Value

Engineering Controls: Not normally required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection: Wear chemical safety goggles and full face shield. Ensure that

eyewash stations and safety showers are close to the workstation location. Use equipment for eye protection that meets the standards referenced for OSHA regulations in 29 CFR 1910.133 for Personal

Protective Equipment.

Hand Protection: Wear protective gloves. Rubber or polyethylene material is

recommended. Consult manufacturer specifications for further

information.

Skin and Body Protection: Wear protective clothing. Clothing with full length sleeves and pants

should be worn.

Respiratory Protection: Wear respiratory protection. If engineering controls and ventilation are

not sufficient to control exposure to below the allowable limits then an

appropriate NIOSH/MSHA approved air-purifying respirator with

organic vapor cartridge, or self-contained breathing apparatus must be sued when oxygen concentrations are low or if airborne concentrations

exceed the limits of the air-purifying respirators.

General Hygiene Handle according to established industrial hygiene and safety

Considerations: practices.

| SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES | | | |
|---|-----------------------|--|--|
| Appearance: | Reddish brown liquid. | | |
| Color: | Reddish brown. | | |
| Odor: | Strong, ammoniacal | | |
| Odor Threshold: | N/A | | |
| Physical State: | Liquid | | |



Date Revised: 05/11/2023

Supersedes: 01/18/2023

| | T | |
|---|---|--|
| pH: | alkaline | |
| Melting Point / Freezing Point: | Not available | |
| Initial Boiling Point: | Not available | |
| Boiling Point: | > 100° C (212°F) | |
| Flash Point: | > 93.4° C (200.1°F) | |
| Evaporation Rate: | Not available. | |
| Flammability (solid, gas): | Not available. | |
| Lower Flammability Limit: | Not available. | |
| Upper Flammability Limit: | Not available. | |
| Vapor Pressure: | <1.33 mbar | |
| Vapor Density: | > 1 (Air=1) | |
| Relative Density: | 1.02-1.03 (Water=1) | |
| Solubility: | Partially soluble in water | |
| Partition Coefficient: n-Octanol/Water: | Not available. | |
| Auto-ignition Temperature: | Can auto-ignite in air at approximately 572°F (300°C) | |
| Decomposition Temperature: | Not available | |
| Viscosity: | 20-50 | |
| Percent Volatile, wt.%: | 0% | |
| VOC Content, wt.%: | 0% | |
| Density: | Not available | |
| Coefficient of Water/Oil Distribution: | Not available | |

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions.

Hazardous decomposition

byproducts: Oxides of carbon, oxides of nitrogen, ammonia.

Conditions to Avoid: Can auto-ignite in air at approximately 572°F (300°C)

Incompatible Materials: Epoxy resins under uncontrolled conditions, acid, oxidizing material,

halogenated, organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity

Primary Irritant Effect

On the Skin: Irritant to skin and mucous membranes.



Date Revised: 05/11/2023

Supersedes: 01/18/2023

Primary Irritant Effect

Irritating effect. On the Eye:

Swallowing: Can cause abdominal irritation, nausea, vomiting, and diarrhea.

Additional Toxicological

Information:

This product has no carcinogens listed by IARC, NTP, NIOSH, OSHA, or

ACGIH as of this date, greater or equal to 0.1%

SECTION 12: ECOLOGICAL INFORMATION

Toxicity: All work practices must be aimed at eliminating environmental

contamination.

Aquatic Toxicity: This material is harmful to the environment.

Persistence and Degradability:

The product is partially biodegradable. Significant residue remains.

Bio-accumulative Potential: Does not accumulate in organisms.

Mobility in Soil: No further relevant information available

Ecotoxical Effects

Remark:

Toxic for fish. Due to mechanical actions of the product damages may occur. The declared action may be partly caused by lack of oxygen.

Additional Ecological

Information:

No further relevant information available

General Notes: No further relevant information available

PBT Assessment: N/A

vPvB Assessment: N/A

Other Adverse Effects: No further relevant information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Recommendation: The generation of waste should be avoided or minimized wherever

possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Care should be taken when handling emptied containers t h a t have not been cleaned or rinsed out. Empty containers and liners may retain some product residues. Vapor from some product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers.

Processing, use or contamination may change the waste disposal requirements. Do not dispose of on land, in surface waters, or in storm drains. Waste should be recycled or disposed of in accordance with



Date Revised: 05/11/2023

Supersedes: 01/18/2023

regulations. Large amounts should be collected for reuse or consigned

to licensed hazardous waste haulers for disposal.

ALL DISPOSAL MUST BE IN ACCORDANCE WITH ALL FEDERAL, STATE, PROVINCIAL, AND LOCAL REGULATIONS. IF IN DOUBT, CONTACT

PROPER AGENCIES.

Uncleaned Packaging: Empty containers may contain residue and may be dangerous. Do not

attempt to refill or clean without proper instructions. Empty drums should be drained and stored safely for reconditioning or recycling.

Recommendation: Disposal must be made according to official regulations.

SECTION 14: TRANSPORT INFORMATION

US DEPARTMENT of

TRANSPORTION (DOT) Proper

Shipping Name:

UN2735, AMINES, LIQUID, CORROSIVE, NOS (AROMATIC AMINES/

TETRAETHYLENEPENTAMINE) 8, PG III

Class:

UN #: UN2735

Packing Group: III

Air Transport: ICAO-

IATA/DGR (Cargo) Proper

Shipping Name:

UN2735, AMINES, LIQUID, CORROSIVE, NOS (AROMATIC AMINES/

TETRAETHYLENEPENTAMINE) 8, PG III

Class: 8

UN#: UN2735

Packing Group: III

Sea Transport: (IMDG-

Code/GGVSee):

UN2735, AMINES, LIQUID, CORROSIVE, NOS (AROMATIC AMINES/

TETRAETHYLENEPENTAMINE) 8, PG III

Class:

UN #: UN2735

Packing Group: III

CANADA Transportation of Dangerous Goods (TDG)

Proper Shipping Name:

UN2735, AMINES, LIQUID, CORROSIVE, NOS (AROMATIC AMINES/

TETRAETHYLENEPENTAMINE) 8, PG III

Class: 8

UN #: UN2735

Packing Group: III

SECTION 15: REGULATORY INFORMATION

CHEMICAL INVENTORIES

US (TSCA): The components of this product are in compliance with the chemical

notification requirements of TSCA.



Date Revised: 05/11/2023

Supersedes: 01/18/2023

CANADA (DSL): The components of this product are in compliance with the chemical

notification requirements of NSN Regulations under CEPA, 1999.

FEDERAL REGULATIONS

CANADA: n/a

WHMIS Classification: n/a

UNITED STATES: This SDS has been prepared to meet the US OSHA Hazard

Communication Standard, 29 CFR 1910.1200

SARA Title III: No components are listed.

STATE REGULATIONS

US Massachusetts Commonwealth's Right-to-Know Las (Appendix A to Massachusetts:

105 Code of Massachusetts Regulations Section 670.000)

US New Jersey Worker and Community Right-to-Know Act (New Jersey **New Jersey:**

Statute Annotated Section 34:5A-5)

Pennsylvania: US Pennsylvania Worker and Community Right-to-Know Law (34 Pa.

Code Chap. 301-323)

California

This product does not contain chemicals known to the State of California to be Carcinogenic.

California Prop 65:

SECTION 16: OTHER INFORMATION

Disclaimer: This information is furnished without warranty of any kind, expressed or

> Five Star Products, Inc. bases the information and recommendations in this document on data believed to be current and

accurate.

HMIS (Hazardous Material Information System:

| Health | Flammability | Reactivity | Personal Protection |
|--------|--------------|------------|---------------------|
| 3 | 1 | 1 | F |