

Date Revised: 11/13/2015

Supersedes: 7/30/2015

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Five Star® MP Epoxy Patch / Component B **Product Name(s):**

Synonyms: N/A

Product Use: Durable concrete construction and repair; Chemical resistant

applications.

Restrictions on Use: Use with MP Epoxy Patch Components A and C.

Manufacturer/Supplier Five Star Products, Inc.

60 Parrott Drive

Shelton, CT 06484 USA

Phone #: 203-336-7900

Emergency Phone #: CHEM-TEL 1-800-255-3924

(Outside the U.S. 1-813-248-0585)

SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION

Classification: Reproductive Toxicity, Category 2

Skin Corrosion/Irritation, Category 1

Acute Toxicity, Category 4 Skin Sensitization, Category 1

Label Elements/Hazard

Pictograms:







Signal Word: Danger

Hazard Statements: Harmful if swallowed, H302.

Causes severe skin burns and eye damage, H314.

May cause an allergic skin reaction, H317.

Suspected of damaging fertility or the unborn child, H361.

Precautionary

If medical advice is needed, have product container or label at hand. **Statements/Prevention:**

Keep out of reach of children.

Read label before use.

Do not breathe dust/fume/gas/mist/vapors/spray.

Response: If in EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

If on SKIN: Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.



Date Revised: 11/13/2015

Supersedes: 7/30/2015

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local, regional,

national, and international regulations.

Classification System

NFPA ratings (scale 0-4):



HMIS ratings (scale 0-4):



PBT Assessment: N/A

vPvB Assessment: N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
Dangerous Components	CAS No.	% wt/wt	
4-nonylphenol, branched	84852-15-3	40 - 75	
Polyoxypropylenediamine	9046-10-0	10 - 25	
3, 6-diazaoctanethylenediamin	112-24-3	1-10	
2,4,6-tris (dimethylaminomethyl)phenol	90-72-2	≤10	
1,6-Hexanediamine, N-(6-aminohexyl)-	143-23-7	≤2.5	

SECTION 4: FIRST AID MEASURES

General Information: Immediately remove any clothing soiled by the product. Symptoms of

poisoning may even occur after several hours; therefore medical

observation for at least 48 hours after the accident.

Inhalation: If inhaled: Supply fresh air and be sure to call for a doctor. In case of

unconsciousness, place patient stably in side position for

transportation.

Eye Contact: If in eyes: Rinse opened eye for several minutes under running water.

Then consult a doctor.

Skin Contact: If skin irritation continues, consult a doctor.



Date Revised: 11/13/2015

Supersedes: 7/30/2015

Ingestion: If swallowed: Drink copious amounts of water and provide fresh air.

Immediately call a doctor. Seek medical treatment.

Most important symptoms and

effects, both acute and

delayed: No further relevant information available.

Indication of any immediate medical attention and special

treatment needed: No further relevant information available.

SECTION 5: FIRE-FIGHTING MEASURES

MEANS OF EXTINCTION

Suitable Extinguishing Media: CO₂, extinguishing powder or water spray. Fight larger fires with water

spray or alcohol resistant foam.

Special hazards arising from

the substance or mixture: No further relevant information available.

Protection of Firefighters: Because fire may produce thermal decomposition products, wear a

self-contained breathing apparatus (SCBA) with a full face piece

operated in pressure-demand or positive-pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment &

Emergency Procedures: Wear protective equipment. Keep unprotected persons away.

Environmental Precautions: Inform respective authorities in case of seepage into water course or

sewage system.

Methods and Material for Containment and Clean up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure

adequate ventilation.

Reference to other sections: See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling: Wear appropriate personal protective clothing to prevent eye and skin

contact. Avoid breathing vapors or mists of this product. Use with

adequate ventilation. Do not take internally.

Information about protection

against Explosions and Fires: No special measures required.

Storage: Store away from incompatible materials. Keep receptacle tightly

sealed.



Date Revised: 11/13/2015

Supersedes: 7/30/2015

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about

design of technical systems: No further data; see item 7.

Components with limit values that require monitoring at the workplace:

Component(s)	WEEL
112-24-3, 6-diazaoctanethylenediamin	Long-term value: 6 mg/m³, 1ppm
	Skin

Additional Information: The lists that were valid during the creation were used as basis.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection: Wear appropriate eye protection to prevent eye contact.

Hand Protection: Wear protective gloves. The glove material has to be impermeable and

resistant to the product / the substance / the preparation.

Breathing Equipment: In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use respiratory protective

device that is independent of circulating air.

General Protective and

Keep away from foodstuffs, beverages and feed. Immediately remove **Hygiene Considerations:** all soiled and contaminated clothing. Wash hands before breaks and at

the end of work. Do not inhale gases / fumes / aerosols. Avoid

contact with the eyes and skin.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	Liquid	
Color:	Amber	
Odor:	Characteristic	
Odor Threshold:	Not determined	
pH value:	Not determined	
Melting Point / Melting Range:	Undetermined	
Boiling Point / Boiling Range:	Undetermined	
Flash Point:	>94°C (>201°F)	
Flammability (solid, gaseous):	Not Applicable	
Ignition temperature:	335°C (635°F)	
Decomposition Temperature:	Not determined	
Auto Igniting:	Product is not self-igniting.	
Danger of Explosion:	Product does not present an explosion hazard.	
Explosion Limit – Lower:	1.3 Vol%	
Explosion Limit – Upper:	13.0 Vol%	



Date Revised: 11/13/2015

Supersedes: 7/30/2015

Vapor Pressure at 20°C (68°F):	0.1hPa
Density at 20°C (68°F):	0.97 g/cm³ (8.095 lbs/gal)
Relative Density:	Not determined
Vapor Density:	Not determined
Evaporation Rate:	Not determined
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition Coefficient (n-octanol/water):	Not determined
Viscosity, Dynamic:	Not determined
Viscosity, Kinematic:	Not determined
Organic Solvents:	12.0%
Solids Content:	100.0%
Other information:	No further relevant information available
Volatile Organic Compounds:	Not determined

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Chemical Stability

Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous

reactions: No dangerous reactions known.

Conditions to Avoid: No further relevant information available. **Incompatible materials:** No further relevant information available.

Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute Toxicity:

LD/LC50 values that are relevant for classification:

112-24-3 3.6-diazaoctanethylenediamin				
Oral	LD50	2500 mg/kg (rat)		
Dermal	LD50	805 mg/kg (rabbit)		

Primary Irritant Effect

On the Skin: Caustic effect on skin and mucous membranes.



Date Revised: 11/13/2015

Supersedes: 7/30/2015

Primary Irritant Effect

On the Eye: Strong caustic effect.

Sensitization: Sensitization possible through skin contact.

Additional toxicological

information:

The product shows the following dangers according to internally

approved calculation methods for preparations:

Harmful Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and

to the danger of perforation of esophagus and stomach.

Carcinogenic Categories

IARC (Int'l Agency for 105-60-2 1,6-hexanolactam 4 **Research on Cancer):** 71-43-2 benzene 1

NTP (National Toxicology

Program): 71-43-2 benzene K

OSHA-Ca (Occupational Safety

and Health Administation): 71-43-2 benzene

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Aquatic Toxicity: No further relevant information available.

Persistence and

Degradability: No further relevant information available.

Bio-accumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Ecotoxical effects Remark: Very toxic for fish.

Additional Ecological Information

General Notes: Water hazard class 3 (self-assessment): Extremely hazardous for

water.

Do not allow product to reach ground water, water course or sewage

system, even in small quantities.

Water hazard class 1 (self-assessment): Slightly hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or

unneutralized.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms.

Results of PBT Assessment: N/A
Results of vPvB Assessment: N/A

Other Adverse Effects: No further relevant information available.



Date Revised: 11/13/2015

Supersedes: 7/30/2015

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Recommendation: Must not be disposed of as normal garbage. Do not allow product to

reach sewage system. It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal and

provincial environmental regulations.

Uncleaned Packaging

Recommendation: Disposal must be made according to Federal, State & Local regulations.

SECTION 14: TRANSPORT INFORMATION

UN Number -

DOT, ADR, IMDG, IATA: UN1760

UN Proper Shipping Name

DOT: Corrosive liquids, n.o.s. (nonylphenol)

ADR: 1760 Corrosive liquids, n.o.s. (nonylphenol), ENVIRONMENTALLY

HAZARDOUS

IMDG: Corrosive Liquid, n.o.s. (nonylphenol), MARINE POLLUTANT

IATA: Corrosive Liquid, n.o.s. (nonylphenol)

Transport Hazard Class(es)

DOT:

Class: 8 Corrosive substances

Label: 8

ADR, IMDG:

Class: 8 Corrosive substances

Label: 8

IATA:

Class: 8 Corrosive substances

Label: 8

Packing Group: III

DOT, ADR, IMDG, IATA Environmental Hazards

Marine Pollutant: Yes, Symbol (fish and tree)

Special Marking (ADR): Symbol (fish and tree)



Date Revised: 11/13/2015

Supersedes: 7/30/2015

Special Precautions for User: Warning: Corrosive substances

F-A, S-B **EMS Number:**

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code: Not applicable

Transport/Additional Information

DOT Remarks: Add "Marine Pollutant" to end of proper shipping name if shipping in a

bulk container (>119 gallons).

Special marking with the symbol (fish and tree).

ADR Excepted Quantities

Code: E1

Maximum net quantity per inner packaging: 30 ml (EQ): Maximum net quantity per outer packaging: 1000 ml

U.S. Domestic Ground

Shipments: Same as listed for Standard Shipments above.

U.S. Domestic Ground Non-Bulk (119 gal or less per

container) Shipments: Same as listed for Standard Shipments above.

Emergency Response Guide

Not determined (ERG) Number:

IMDG Limited quantities (LQ): 5L

IMDG Excepted quantities Code:E1

(EQ): Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation" UN1760, Corrosive liquids, n.o.s. (nonylphenol), ENVIRONMENTALLY

HAZARDOUS, 8 III

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture **SARA**

Section 355 (Extremely

Hazardous Substances): 7664-41-7 ammonia, anhydrous

Section 313 (Specific toxic

chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of

1986 and 40 CFR Part 372. If ammonia, anhydrous ≤0.1% 7664-41-7 71-43-2 so, the chemicals are listed: benzene ≤0.01%

TSCA(Toxic Substances

Control Act): All ingredients are listed.



Date Revised: 11/13/2015

Supersedes: 7/30/2015

CA Proposition 65: 71-43-2 benzene

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

71-43-2 benzene

Chemicals known to cause developmental toxicity:

71-43-2 benzene

Cancerogenity Categories

EPA (Environmental Protection Agency):

71-43-2 benzene A, K/L

TLV (Threshold Limit Value established by ACGIH):

105-60-2 1,6-hexamolactam A5 71-43-2 benzene A1

MAK (German Maximum

Workplace Concentration): 71-43-2 benzene 1

NIOSH-Ca (National Institute for Occupational Safety and

Health): 71-43-2 benzene

National Regulations

Water Hazard Class: Water hazard class 3 (Self-Assessment): Extremely hazardous for

water.

Chemical Safety Assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: OTHER INFORMATION

Disclaimer: This information is furnished without warranty of any kind, expressed or

implied. Five Star Products, Inc. bases the information and

recommendations in this document on data believed to be current and

accurate.