

Date Revised: 1/19/2016

Supersedes:

### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

Product Name(s): Five Star® Pile Jacket Grout HP/Component B Hardener

Synonyms: Pile Jacket HP Hardener

Product Use: For use with Pile Jacket Epoxy Resin and Pile Jacket Epoxy Grout HP

Aggregate

Restrictions on Use: To be used with specific Five Star® systems.

Manufacturer/Supplier Five Star Products, Inc.

60 Parrot Drive Shelton, CT 06484

Phone #: 203-336-7900

Emergency Phone #: CHEM-TEL 1-800-255-3924

(Outside the U.S. 1-813-248-0585)

### **SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION**

**Classification:** Acute Toxicity – Oral, Category 4

Acute Toxicity - Dermal, Category 3

Skin Corrosion – Category 1 Eye Damage – Category 1 Flammable Liquids – Category 4

Sensitization – Respiratory, Category 1

Sensitization - Skin, Category 1

Label Elements/Hazard

**Pictograms:** 









Signal Word: Danger

**Hazard Statements:** Harmful if swallowed, H302

Toxic in contact with skin, H311

Causes severe skin burns and eye damage, H314

May cause respiratory irritation, H335 May cause an allergic skin reaction, H317

**Precautionary** 

Do not breathe dust, fume, gas, mist, vapors, or spray, P260

**Statements/Prevention:** Wash thoroughly after handling, P264

Do not eat, drink or smoke when using this product, P270

Contaminated work clothing should not be allowed out of the workplace, P272

Wear protective gloves, protective clothing, eye protection and face protection, P280

Wear respiratory protection, P284



Date Revised: 1/19/2016

Supersedes:

**Response:** If swallowed: Rinse mouth. Do NOT induce vomiting, P330, P331.

If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower, P361, P353.

If inhaled: Remove person to fresh air and keep comfortable for

breathing, P340.

If in eyes: Rinse cautiously with water for several minutes, P351. Remove contact lenses, if present and easy to do. Continue rinsing,

P338.

Immediately call a poison center or doctor, P310.

If skin irritation or rash occurs, P333: Get medical advice/attention,

P313.

If experiencing respiratory symptoms, P342: Call a poison center or doctor, P310. Wash contaminated clothing before reuse, P363.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/container in accordance with applicable regional,

national, and local laws and regulations.

**Hazards Not Otherwise** 

Classified: Not applicable

Ingredients with Unknown

**Toxicity:** 

70% of this product mixture consists of ingredients of unknown acute

toxicity.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS			
Hazardous Ingredient(s) Common Name/Synonyms		CAS No.	% wt/wt
Aromatic Alcohol	Not Applicable	Trade Secret	10-30
Aliphatic Amine	Not Applicable	Trade Secret	60-90
Amine Catalyst	Not Applicable	Trade Secret	0-15

### **SECTION 4: FIRST AID MEASURES**

**Inhalation:** If inhaled: Remove person to fresh air and keep comfortable for

breathing. If experiencing respiratory symptoms: Call a poison center

or doctor.

**Acute and delayed symptoms and effects:** May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Signs/symptoms may include burning pain in the nose and throat, coughing, wheezing, shortness of breath and

pulmonary edema.

**Eye Contact:** If in eyes: Rinse cautiously with water for at least 30 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center or doctor.



Date Revised: 1/19/2016

Supersedes:

**Acute and delayed symptoms and effects:** Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

**Skin Contact:** If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower for at least 15 minutes. Immediately call a poison center or doctor. Wash contaminated clothing before reuse.

Acute and delayed symptoms and effects: Toxic in contact with skin. May cause an allergic skin reaction. Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, and blistering, ulceration, and tissue destruction.

**Ingestion:** If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a

poison center or doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth

to an unconscious person.

Acute and delayed symptoms and effects: Harmful if swallowed. Causes burns to nose, mouth, throat, and digestive tract. Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea, blood in the feces and/or vomitus may also be seen.

**General Advice:** In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible). First Aid responders should pay attention to self-protection and use

recommended protective clothing (chemical resistant gloves, splash

protection).

**Note to Physicians:** Symptoms may not appear immediately. Treat symptomatically.

### **SECTION 5: FIRE-FIGHTING MEASURES**

Flammability and Explosion

**Information:** Flammable or combustible by OSHA/WHMIS criteria.

**Sensitivity to Mechanical** 

**Impact:** This material is not sensitive to mechanical impact.

**MEANS OF EXTINCTION** 

**Suitable Extinguishing Media:** Small Fire: Dry chemical, CO2 or water spray.

Large Fire: Dry chemical, CO2, alcohol-resistant foam or water spray. Move containers from fire area if you can do it without risk. Dike fire-

control water for later disposal; do not scatter the material.

**Unsuitable Extinguishing** 

Media: Not available

**Products of Combustion:** Oxides of carbon, oxides of nitrogen, ammonia

**Protection of Firefighters:** TOXIC; inhalation, ingestion or skin contact with material may cause

severe injury or death. Contact with molten substance may cause severe burns to skin and eyes. Avoid any skin contact. Effects of



Date Revised: 1/19/2016

Supersedes:

contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. Wear positive pressure self- contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Emergency Procedures:** As an immediate precautionary measure, isolate spill or leak area in all

directions for at least 50 meters (150 feet). Stay upwind. Keep out of low areas. Ventilate enclosed areas. ELIMINATE all ignition sources (no

smoking, flares, sparks or flames in immediate area).

**Personal Precautions:** Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing. Use personal protection recommended

in Section 8.

**Environmental Precautions:** Prevent entry into waterways, sewers, basements or confined areas.

**Methods for Containment:** Stop leak if you can do it without risk.

**Methods for Clean-Up:** Absorb or cover with dry earth, sand or other non-combustible material

and transfer to containers.

**Other Information:** See Section 13 for disposal considerations.

### **SECTION 7: HANDLING AND STORAGE**

**Handling:** Do not swallow. Do not breathe mist, vapors, or spray. Do not get in

eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. See Section 8 for

information on Personal Protective Equipment.

**Storage:** Store locked up. Store away from incompatible Materials. See Section

10 for information on

Incompatible Materials. Keep out of the reach of children.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Exposure Guidelines**

Component	CAS No.	ACGIH	OSHA
Aromatic Alcohol	Trade Secret	No TLV Established	No PEL Established
Aliphatic Amine	Trade Secret	No TLV Established	No PEL Established



Date Revised: 1/19/2016

Supersedes:

Amine Catalyst Trade Secret No TLV Established No PEL Established

PEL: Permissible Exposure Limit TLV: Threshold Limit Value

**Engineering Controls:** Not normally required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

**Eye/Face Protection:** Wear chemical safety goggles and full face shield. Ensure that

eyewash stations and safety showers are close to the workstation location. Use equipment for eye protection that meets the standards referenced for OSHA regulations in 29 CFR 1910.133 for Personal

Protective Equipment.

**Hand Protection:** Wear protective gloves. Rubber or polyethylene material is

recommended. Consult manufacturer specifications for further

information.

**Skin and Body Protection:** Wear protective clothing. Clothing with full length sleeves and pants

should be worn.

**Respiratory Protection:** Wear respiratory protection. If engineering controls and ventilation are

not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator with

organic vapor cartridge, or self-contained breathing apparatus must be

sued when oxygen concentrations are low or if airborne concentrations

exceed the limits of the air-purifying respirators.

General Hygiene Considerations:

Handle according to established industrial hygiene and safety

practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Liquid		
Color:	Light yellow to amber		
Odor:	Slight ammoniacal		
Odor Threshold:	Not Available		
Physical State:	Liquid		
pH:	Not Applicable; Alkaline – 10% solution 10-12		
Melting Point / Freezing Point:	Not Available		
Initial Boiling Point:	Not Available		
Boiling Point:	Not Available		
Flash Point:	76°C (169°F) Closed Cup		
Evaporation Rate:	Not Applicable		
Flammability (solid, gas):	Not Applicable		
Lower Flammability Limit:	Not Applicable		



Date Revised: 1/19/2016

Supersedes:

	1
Upper Flammability Limit:	Not Applicable
Vapor Pressure:	Not Available
Vapor Density:	Not Available
Relative Density:	1.01
Solubility:	Partial
Partition Coefficient: n-Octanol/Water:	Not Available
Auto-ignition Temperature:	300°C (572°F)
<b>Decomposition Temperature:</b>	>150°C (>302°F)
Viscosity:	700-2000 cps
Percent Volatile, wt.%:	0
VOC Content, wt.%:	0
Density:	1.01 g/cc
Coefficient of Water/Oil Distribution:	Not Available

### **SECTION 10: STABILITY AND REACTIVITY**

**Chemical Stability:** Stable under normal conditions.

**Hazardous decomposition** 

byproducts: Hazardous polymerization may occur.

**Conditions to Avoid:** Can auto-ignite in air at approximately 572°F (300°C)

**Incompatible Materials:** Epoxy resins under uncontrolled conditions, acid, oxidizing material,

halogenated, organic compounds.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

LD50 Oral >2000 mg/kg (rat) **Acute Toxicity:** 

LD50 Dermal >2000 mg/kg (rabbit)

**Primary Irritant Effect** 

Irritant to skin and mucous membranes. On the Skin:

**Primary Irritant Effect** 

On the Eye: Irritating effect.

**Swallowing:** Can cause abdominal irritation, nausea, vomiting, and diarrhea.

**Additional Toxicological** 

This product has no carcinogens listed by IARC, NTP, NIOSH, OSHA, or Information:

ACGIH as of this date, greater or equal to 0.1%



Date Revised: 1/19/2016

Supersedes:

### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity:** All work practices must be aimed at eliminating environmental

contamination.

This material is harmful to the environment in unreacted form. **Aquatic Toxicity:** 

Persistence and Degradability:

The product is partially biodegradable. Significant residue remains.

**Bio-accumulative Potential:** Does not accumulate in organisms.

**Mobility in Soil:** No further relevant information available

**Ecotoxical Effects** 

Remark: No known significant effects or critical hazards.

**Additional Ecological** 

**vPvB** Assessment:

Information: No further relevant information available

**General Notes:** No further relevant information available

**PBT Assessment:** N/A

N/A **Other Adverse Effects:** No further relevant information available

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### **Waste Treatment Methods**

Recommendation: The generation of waste should be avoided or minimized wherever

possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Care should be taken when handling emptied containers t h a t have not been cleaned or rinsed out. Empty containers and liners may retain some product residues. Vapor from some product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Processing, use or contamination may change the waste disposal requirements. Do not dispose of on land, in surface waters, or in storm drains. Waste should be recycled or disposed of in accordance with regulations. Large amounts should be collected for reuse or consigned to licensed hazardous waste haulers for disposal.

ALL DISPOSAL MUST BE IN ACCORDANCE WITH ALL FEDERAL, STATE, PROVINCIAL, AND LOCAL REGULATIONS. I F IN DOUBT, CONTACT

PROPER AGENCIES.

**Uncleaned Packaging:** Empty containers may contain residue and may be dangerous. Do not

> attempt to refill or clean without proper instructions. Empty drums should be drained and stored safely for reconditioning or recycling.



Date Revised: 1/19/2016

Supersedes:

**Recommendation:** Disposal must be made according to official regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

US DEPARTMENT of TRANSPORTATION (DOT)

**Proper Shipping Name:** Amines, liquid, corrosive, n.o.s. (aliphatic amines, aromatic amine)

Class: 8

**UN #:** UN2735

Packing Group: II

CANADA Transportation of Dangerous Goods (TDG)

**Proper Shipping Name:** Amines, liquid, corrosive, n.o.s. (aliphatic amines, aromatic amine)

Class: 8

**UN #:** UN2735

Packing Group: II

Air Transport (ICAO-

IATA/DGR)

**Proper Shipping Name:** Amines, liquid, corrosive, N.O.S. (aliphatic amines, aromatic amine)

Class: 8

**UN #:** UN2735

Packing Group: II

Sea Transport (IMDG-Code/GGVSee) Proper

**Shipping Name:** Amines, liquid, corrosive, N.O.S. (aliphatic amines, aromatic amine)

**UN #:** UN2735

Class: 8

Packing Group: II

Marine Pollutant: Yes

**Special Provision(s):** None

### **SECTION 15: REGULATORY INFORMATION**

**CHEMICAL INVENTORIES** 

**US (TSCA):** The components of this product are in compliance with the chemical

notification requirements of TSCA.

**CANADA (DSL):** The components of this product are in compliance with the chemical

notification requirements of NSN Regulations under CEPA, 1999.



Date Revised: 1/19/2016

Supersedes:

**FEDERAL REGULATIONS** 

**CANADA:** At least one component is not listed.

**WHMIS Classification:** Class B-3 Combustible liquid (flash point 100°F – 200°F)

Class D-2B Material causing other toxic effects

Class E Corrosive Material

**UNITED STATES:** This SDS has been prepared to meet the US OSHA Hazard

Communication Standard, 29 CFR 1910.1200

**SARA Title III:** No components are listed.

**STATE REGULATIONS** 

**US STATE Right to Know** 

Regulations

Chemical Name	NJ	MA	PA	IL	RI
Aromatic Alcohol	X		X		

California

This product does not contain chemicals known to the State of California

to be Carcinogenic.

#### **SECTION 16: OTHER INFORMATION**

HMIS (Hazardous Material Information System:

Health	Flammability	Reactivity	Personal Protection
3	2	0	В

Disclaimer:

California Prop 65:

This information is furnished without warranty of any kind, expressed or implied. Five Star Products, Inc. bases the information and recommendations in this document on data believed to be current and accurate.