



EverGuard[®]TPO

Single-Ply Roofing Systems



When great defense is the name of the game, roofing pros turn to GAF EverGuard[®] TPO.



We protect what matters most[™]



It's never just a roof. It's a promise, kept.


When you choose durable, cost-effective, reflective white GAF TPO for your roofing job, you can rest easy knowing that it'll protect the very important people inside it. When people count on you, count on GAF.

It's a complete solution, built to last

There's a TPO solution for just about any roofing challenge that comes your way. Whether you're looking for endurance, energy efficiency, or cost effectiveness, GAF offers a full line of TPO membranes to roof or re-roof your building.

To find the solution that's right for you, visit [gaf.com/tpo](https://www.gaf.com/tpo)

**Adhered
Fleece-back TPO**
with OlyBond500® Canister



Key Points

- High wind uplift rating¹
- Excellent hail protection¹
- Minimal tool investment
- Up to 35-year guarantee²


Cost



Install time



**Adhered
Smooth TPO**
with Traditional Bonding Adhesive



Key Points

- High wind uplift rating¹
- Minimizes thermal bridging
- Minimal tool investment
- Up to 35-year guarantee²

Cost



Install time



**Adhered
Fleece-back TPO**
with WB181 Wet Lay-in



Key Points

- Fast membrane installation
- Excellent hail protection¹
- Minimal tool investment
- Up to 35-year guarantee²


Cost



Install time



**Adhered
Smooth TPO**
with Quick Spray



Key Points

- Fast membrane installation
- High wind uplift rating¹
- Wide installation temperature range
- Up to 35-year guarantee²

Cost



Install time



**Mechanically
Attached Smooth TPO**
with Drill-Tec™ Fasteners



Key Points

- Wide temperature range²
- Fastest, most common system
- Minimal tool investment
- Up to 30-year guarantee²


Cost



Install time



**GAF
RhinoBond®
Smooth System**



Key Points

- Wide installation temperature range
- Fast membrane installation
- Odorless solution
- Up to 35-year guarantee²

Cost



Install time




¹RhinoBond® is a registered trademark of OMG, Inc.

¹See applicable warranty for complete coverage and restrictions. GAF's guarantees and warranties do not provide coverage for winds speeds in excess of 55 mph. Additional wind coverage may be available for purchase for eligible systems. GAF guarantees and warranties do not provide coverage for punctures. Additional puncture coverage may be available for purchase for eligible systems. Contact GAF for more information.

²Refer to the applicable Application and Specification manual for the specified system (Adhered, Mechanically Attached or RhinoBond) for specific requirements.

The USS Arizona Memorial



It's protection that performs

When you choose TPO from GAF, you have the experience and expertise of North America's largest manufacturer of roofing products standing behind your product.

Over the last 18 years, building owners from coast to coast have chosen to install more than 3.4 billion square feet of GAF EverGuard® TPO to protect their investments, their businesses, and their tenants.

Learn more about GAF EverGuard® TPO at gaf.com/tpo

It's the perfect finishing touch, every time

Have a complex roof with lots of penetrations and corners? Take the hassle out of rooftop challenges with new GAF flexible TPO accessories. Get the thickness and protection you need with the pliability and ease-of-installation that makes your job headache free.

Find out more at gaf.com/flexibleTPO



**Vent**

Limits air flow to one direction, which helps prevent moisture buildup

**Coated SPEEDTITE™ Drain**

TPO or PVC-coated flange for direct hot-air welding of TPO or PVC roof membrane



NEW!
OUR MOST FLEXIBLE

Square Tube Wrap

Tube wraps are split with overlap to wrap around square or rectangular tubing



NEW!
OUR MOST FLEXIBLE

Preformed Split Pipe Boot

Three standard sizes accommodate most pipes and conduits

**Universal Corner**


Accommodates both inside and outside corners of base and curb flashing

**Pourable Sealer Pocket**

Structural foundation for EverGuard® Pourable Sealant

**Preformed Vent Boot**

Accommodates most common pipes and conduits from 1" to 6"



NEW!
OUR MOST FLEXIBLE

Fluted Corner

For use in flashing outside corners of base and curb flashing



NEW!
OUR MOST FLEXIBLE

Corner Curb Wrap

Four standard sizes to flash curbs that are 24", 36", 48", and 60" in size

**Scupper**

TPO can be heat welded to the scupper for a strong, secure installation



NEW!
OUR MOST FLEXIBLE

Inside Corner


Manufactured to accommodate inside corners of base and curb flashings



NEW!
OUR MOST FLEXIBLE

T-Joint Cover Patches


Conforming seal for use over T-joints in 60 and 80 mil membrane applications

**Walkway Roll**


Can be heat welded directly to TPO membrane or installed with seam tape; available in gray and yellow

**EverGuard® TPO Cover Tape**

Self-adhered TPO ideal for stripping in TPO and edge metal

**Heat Weld Cover Tape**

Half heat-weldable and half self-adhered for edge details



It's a network of industry- leading experts

Whether it's your first day on the job or your thousandth, you can rely on GAF for quality products, training, and support services. From technical help to architectural information services to professional education programs, we can help you address your every roofing need.

Discover how GAF can make your job easier and more efficient at gaf.com/tpo

It's worry-free protection, for years to come

We worry about producing high-quality products backed by strong guarantees — so that you don't have to worry about your roof. With available guarantee coverage up to 35 years for select systems¹, building owners can rest easy knowing that their commercial roof has true edge-to-edge coverage.²

To find out more about our industry-leading guarantees, visit gaf.com/tpo/guarantees



¹Refer to the applicable Application and Specification manual for the specified system (Adhered, Mechanically Attached or RhinoBond) for specific requirements.

²For EverGuard® Diamond Pledge™ NDL Roof Guarantees and System Pledge™ Roof Guarantees only. Refer to applicable guarantee or warranty for complete coverage and restrictions.





It's making global history

Our EverGuard Extreme® TPO is NSF P151 certified so that the water it collects can be used as potable water.¹

Get the full sustainability story at gaf.com/green

¹NSF Protocol 151 certification confirms that products do not leach contaminants into the rainwater that runs across them. Additional filtration, purification or treatment of water may be required before drinking. Please consult local authorities for potable water requirements.

