

GAF RoofCoatings

We're building better coatings solutions around you



Find the coatings you need right here. Optimized with your business needs in mind. We're making the products you need easy to find and easy to use. So it's easy to get the job done. *Fast.*

GAF

We protect what matters most™

We provide training around your crew's needs



Choosing the right coating is just the start. Make sure your crew has the skills and labor-saving techniques they need to get the job done right. Connect with your local GAF Coatings rep, who can answer your most pressing questions, and register for live demos or on-site, on-demand, or remote training in all of our coatings solutions.



gaf.com/Coatings



GAF RepairPro: The sealant you'll always want on hand



Self-leveling GAF RepairPro Sealant is flexible, durable, and UV stable, and can be used in a wide variety of applications. Available in white and black.

- **Emergency Repairs:** Can be applied to most damp surfaces to stop leaks immediately^{1,2}
- **Maintenance Applications:** Multi-purpose sealant in convenient packaging makes RepairPro an ideal go-to product for roofers and maintenance/service teams

RepairPro forms a flexible, durable seal and is easily applied in one step. GAF Premium Fabric may be used for extra reinforcement on penetrations, flashings, and seams.

Advantages:

- Professional Flashing Grade
- Can be used with or without fabric. No mixing!
- No primer needed over most substrates
- UV Stable — does not require a top coat

¹ Standing water should be removed. Metal surfaces must be dry. See product packaging for more details.

² Not for use on silicone-coated roofs.

A **stañdard** INDUSTRIES COMPANY




©2022 GAF 7/22 • COMCO100

gaf.com/Coatings

For new roofs, recovers, and reroofs, choose the

GAF Premium Acrylic HydroStop® Liquid Membrane System

For recover, reroof, and new roof applications, count on the **GAF Premium Acrylic HydroStop® System**. This versatile and easy-to-apply FM 4470 (SH)-rated roof system offers excellent adhesion to a variety of substrates, including new and existing metal, structural concrete, TPO, PVC, Hypalon®, EPDM, polyiso, gypsum roof board, and asphaltic roofs! This full-fabric assembly provides a combination of reinforcement and toughness.



¹ New TPO and asphaltic roofs should be weathered for at least 30 days.

Products to purchase:

1	GAF Premium Acrylic HydroStop® Top Coat		<ul style="list-style-type: none"> A professional-grade, water-based, acrylic elastomeric coating that is part of the GAF Premium Acrylic HydroStop® Coating System
2	GAF Premium Acrylic HydroStop® Base Coat		<ul style="list-style-type: none"> A water-based acrylic base coat. Used in conjunction with Premium Acrylic HydroStop® Top Coat and GAF Premium Fabric, it creates the GAF Premium Acrylic HydroStop® System.
3	GAF Premium Fabric		<ul style="list-style-type: none"> A 100% polyester reinforcement for penetrations Easily conforms around penetrations and improves strength while maintaining flexibility

Premium Acrylic HydroStop® Liquid Coatings



Restore structurally sound roofs with

GAF Acrylic Protective Coatings

Choose GAF Acrylic Roof Coatings for protection against normal weathering, aging, and UV exposure on roofs that need moderate restoration and extension of life.

Additional Acrylic Coatings Benefits:

- **A variety of warranties available**
See product label or the *GAF Liquid-Applied Roofing Manual* for specific requirements. See applicable limited warranties, available at gaf.com, for complete coverage and restrictions.
- **Substrates** — use on BUR, SBS, APP, metal, structural concrete, aged single-ply, SPF, and previously coated acrylic roofs
- Acrylic top coats meet ASTM D6083
- CRRC Rated (white only), FM Approved, UL Classified, and Miami-Dade County Product Control approved¹

¹ Refer to UL Product_iQ, FM RoofNav, and Miami-Dade County NOA for actual assemblies.

Acrylic Protective Coatings:

GAF Acrylic Top Coat		<ul style="list-style-type: none"> Premium elastomeric acrylic coating Forms a monolithic coating that helps provide protection against damage from exposure to UV and weather elements
GAF High Tensile Acrylic Top Coat		<ul style="list-style-type: none"> Features a high-tensile emulsion polymer and reinforcing pigments for durability Helps provide protection against damage from exposure to UV and weather elements
GAF Acrylic Base Coat		<ul style="list-style-type: none"> Combine with GAF Acrylic Top Coat or GAF High Tensile Acrylic Top Coat to form an elastomeric, monolithic membrane that helps provide protection against water infiltration, normal weathering, aging, and ultraviolet exposure
GAF Premium Brush-Grade Acrylic Flashing		<ul style="list-style-type: none"> Ideal for filling and leveling gaps, alligatoring, and other low-lying roof areas Lightweight, spreadable consistency

Acrylic Protective Coatings



Stand up to ponding water with

GAF Silicone Protective Coatings


Choose GAF Silicone Protective Coatings for protection against leaks due to ponding water, wide temperature application window, and tenacious adhesion when restoring existing metal, asphaltic, aged single-ply, SPF, and previously coated roofs.

Additional Silicone Protective Coatings Benefits:

- Wide temperature application range
- Easy to apply by spray, roller, or brush
- CRRC Rated (white only), FM Approved, UL Classified, and Miami-Dade County Product Control approved! NSF P151 Approved for Rainwater Catchment Systems (Unisil High Solids Silicone, Unisil HS II High Solids Silicone, and Unisil II Silicone only)
- **Substrates** — use on metal, asphaltic, aged single-ply, SPF, and previously coated roofs

¹ Refer to UL Product_iQ, FM RoofNav, and Miami-Dade County NOA for actual assemblies.

Silicone Protective Coatings:

GAF Unisil High Solids Silicone Roof Coating		<ul style="list-style-type: none"> A high-solids, low-VOC, moisture-cure silicone coating Provides durable protection against weather elements, UV rays, and leaks due to ponding water for a variety of substrates One-coat application
GAF Unisil Silicone Roof Coating		<ul style="list-style-type: none"> A low-solids, solvent-based silicone coating Provides durable protection against weather elements, UV rays, and leaks when applied over polyurethane foam insulation and other appropriate substrates
GAF Silicone Mastic		<ul style="list-style-type: none"> A thick, brush-grade, high-build silicone sealant Easy-to-use, flexible repair material that adheres to a variety of substrates

Silicone Protective Coatings



To learn more about the GAF Premium Acrylic HydroStop® Liquid Membrane System, training, or how to become an approved applicator, scan this code to find your dedicated GAF Technical Sales Representative.

We're building better coating solutions around you

Find the coatings you need right here. Optimized with your business needs in mind. We're making the products you need easy to find and easy to use. So it's easy to get the job done. *Fast.*

For more details, see the other side of this Quick Reference Guide.

Premium Acrylic HydroStop® Liquid Coatings



GAF Premium Acrylic HydroStop® Top Coat
GAF Premium Acrylic HydroStop® Base Coat

- A water-based acrylic base coat and top coat used in conjunction with the GAF Premium Fabric to create the GAF Premium Acrylic HydroStop® System

Acrylic Protective Coatings



GAF Acrylic Top Coat
GAF High Tensile Acrylic Top Coat
GAF Acrylic Base Coat

- Elastomeric acrylic coating
- Features high-tensile emulsion polymers and reinforcing pigments for durability
- Combine with GAF Acrylic Top Coat to form an elastomeric, monolithic membrane

Silicone Protective Coatings



GAF Unisil High Solids Silicone Roof Coating
GAF Silicone Mastic
GAF Unisil Silicone Roof Coating

- A high-solids, low-VOC, moisture-cure silicone coating
- A thick, brush-grade, high-build silicone sealant
- A low-solids, solvent-based silicone coating

GAF Flashings



GAF Premium Brush-Grade Acrylic Flashing
GAF Brush-Grade Acrylic Flashing
GAF Spray-Grade Acrylic Flashing
GAF WOB Brush-Grade Acrylic Flashing

- Ideal for filling and leveling gaps, alligating, and other low-lying roof areas
- Lightweight, spreadable consistency is flexible and contains no plasticizers
- A thick, butter-grade sealant that is easily worked into vertical seams on metal roofs, into gaps in flashings, around protrusions, and into heavily alligatored areas in weathered asphaltic roofing
- A sprayable acrylic flashing-grade material that helps provide a seal along seams and around fasteners on metal roofs and counter-flashing
- A water-based, acrylic flashing without biocide

GAF Sealants



GAF RepairPro Sealant

- A solvent-based, synthetic, self-leveling, elastomeric sealant
- Can be used for emergency leak repairs

Fabrics, tapes, tools, and accessories



Reinforcing Fabrics & Tapes



Chip Flashing Brush
4" — 12 per box



Hand Roof Brush
4" — 12 per box



Roof Block Brush
6" — 12 per box

GAF Primers and Cleaners



GAF EPDM Activator Cleaner
GAF Cleaning Concentrate
GAF Metal Roof Primer
GAF TPO Red Primer
GAF Bonding Primer PART A & B
GAF Epoxy Primer
GAF Multi-Purpose Primer PART A & B

- Water-based, rinsable primer used directly on rubber roof (EPDM) applications
- Water-based cleaning agent and degreaser for a wide variety of surfaces and substrates
- Highly durable premium-quality exterior acrylic latex primer for use on metal substrates
- Solvent-based thermoplastic primer for TPO
- Two-component, quick-drying epoxy polyamide penetrating primer/sealer
- Designed to seal porous substrates while improving adhesion
- Single-component epoxy primer/sealer for porous substrates
- Two component, water-based primer for optimizing adhesion of silicone, acrylic, polyurethane, and butyl coatings

