# SAFETY DATA SHEET



#### 1. Identification

**Product identifier** 

HYDROSTOP BARRIERGUARD WATERPROOFING

Other means of identification		
Product Code		
Recommended use	Water Proofer.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	GAF 1 Campus Drive Parsippany, NJ 07054 USA	
Telephone	1-800-766-3411	
Emergency phone number	CHEMTREC [DAY OR NIGHT] Within USA and CANADA Outside USA and Canada:	1-800-424-9300 1-800-424-9300 1 703-741-5970 Collect Calls Accepted

# 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.

Label elements



Signal word	Warning.
Hazard statement	Not available.
Precautionary statement	
Prevention	Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aqua Ammonia (10-30%)		1336-21-6	0.1 to <1
Paraffinic Oil		64742-65-0	0.1 to <1
Non-Hazardous Ingredients			90 to <100
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.		

Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good

Conditions for safe storage,<br/>including any incompatibilitiesStore locked up. Store in original tightly closed container. Store away from incompatible materials<br/>(see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aqua Ammonia (10-30%) (CAS 1336-21-6)	PEL	35 mg/m3	
		50 ppm	
Paraffinic Oil (CAS 64742-65-0)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	

US. ACGIH Threshold Limit Values	
Components	

Components	Туре	Value	Form
Aqua Ammonia (10-30%) (CAS 1336-21-6)	STEL	35 ppm	
· · · · ·	TWA	25 ppm	
Paraffinic Oil (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Aqua Ammonia (10-30%) (CAS 1336-21-6)	STEL	27 mg/m3	
		35 ppm	
	TWA	18 mg/m3	
		25 ppm	
Paraffinic Oil (CAS 64742-65-0)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
logical limit values	No biological exposure limits noted for the	ne ingredient(s).	
propriate engineering htrols	Good general ventilation (typically 10 air should be matched to conditions. If appl or other engineering controls to maintair exposure limits have not been established	icable, use process enclosu n airborne levels below reco	res, local exhaust ventilation mmended exposure limits. I
ividual protection measure	s, such as personal protective equipment	t	
Eye/face protection	If contact is likely, safety glasses with si	de shields are recommende	d.
Skin protection Hand protection	For prolonged or repeated skin contact	use suitable protective glove	s.
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clo	thing, when necessary.	
neral hygiene nsiderations	Always observe good personal hygiene and before eating, drinking, and/or smol equipment to remove contaminants.		

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated

Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.69 lbs/gal
Percent volatile	11.66 %
Specific gravity	1.04
VOC	0 lbs/gal Material estimated 0 g/l Material estimated 0 lbs/gal Regulatory estimated 0 g/l Regulatory estimated
10. Stability and reactivit	у

# ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardous<br/>reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidContact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decomposition<br/>productsNo hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
Aqua Ammonia (10-30%) (CAS 1	336-21-6)		
Acute			
Oral			
LD50	Rat	350 mg/kg	
* Estimates for product may	be based on additional compone	nt data not shown.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatio	n		
<b>Respiratory sensitization</b>	Not available.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Matarial name: HVDPOSTOP BARP			000.0

Carcinogenicity OSHA Specifically Regulate	May cause cancer. d Substances (29 CFR 1910.1001-1050)	
Not listed.	ogram (NTP) Report on Carcinogens	
Paraffinic Oil (CAS 64742	2-65-0) Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.	

## 12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species		Test Results	
Aqua Ammonia (10-	-30%) (CAS 1336-21-6)				
Aquatic					
Fish	LC50	Western mosquitofish (Gar	mbusia affinis)	15 mg/l, 96 hours	

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

#### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

# Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. One or more components are not listed on TSCA.

	TSCA Section 12(b) Export I	Notification (40 CFR 707, Su	ıbpt. D)		
	Not regulated.				
	CERCLA Hazardous Substa	. ,			
	Aqua Ammonia (10-30%) (CAS 1336-21-6) SARA 304 Emergency release notification		Listed.		
	Not regulated. OSHA Specifically Regulate	d Substances (29 CFR 1910	.1001-1050)		
	Not listed.				
Su	perfund Amendments and Re Hazard categories	authorization Act of 1986 (S Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	SARA)		
	SARA 302 Extremely hazard Not listed.	ous substance			
	SARA 311/312 Hazardous chemical	No			
	SARA 313 (TRI reporting)				
	Chemical name		CAS number	% by wt.	
	Aqua Ammonia (10-30%)		1336-21-6	0.1 to <1	
Otl	ner federal regulations				
	Clean Air Act (CAA) Section	112 Hazardous Air Pollutar	nts (HAPs) List		
	Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Release F	Prevention (40 CFR	68.130)	
	Not regulated.				
	Safe Drinking Water Act (SDWA)	Not regulated.			
US	state regulations				
	US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)				
	Not listed. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))				
	Paraffinic Oil (CAS 64742 US. Massachusetts RTK - Su				
	Aqua Ammonia (10-30%)	(CAS 1336-21-6)			
	Paraffinic Oil (CAS 64742	,			
	US. New Jersey Worker and		Act		
	Aqua Ammonia (10-30%) US. Pennsylvania Worker ar		ow Law		
	Aqua Ammonia (10-30%) US. Rhode Island RTK	(CAS 1336-21-6)			
	Aqua Ammonia (10-30%)	(CAS 1336-21-6)			
		5 Vater and Toxic Enforcement sted as carcinogens or reproc		tion 65): This material is	not known to contain
Int	ernational Inventories				
	Country(s) or region	Inventory name			On inventory (yes/no)*
	Australia	Australian Inventory of Che	mical Substances (Al	CS)	Yes
	Canada	Domestic Substances List (	DSL)		Yes
	Canada	Non-Domestic Substances	List (NDSL)		No
	China	Inventory of Existing Chemi	cal Substances in Ch	iina (IECSC)	Yes
	Europe	European Inventory of Exist Substances (EINECS)	ting Commercial Che	mical	Yes
	Europe	European List of Notified Cl	hemical Substances (	ELINCS)	No
	Japan	Inventory of Existing and Ne	ew Chemical Substar	nces (ENCS)	Yes

Material name: HYDROSTOP BARRIERGUARD WATERPROOFING

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	10-14-2014
Revision date	10-30-2015
Version #	03
HMIS® ratings	Health: 0 Flammability: 0 Physical hazard: 0 Personal protection: B
NFPA ratings	Health: 0 Flammability: 0 Instability: 0
Disclaimer	This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, <b>no representation, warranty or guarantee</b> , expressed or implied, <b>is made</b> as to its accuracy, reliability, or completeness. GAF cannot anticipate all conditions under which this information and product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. <b>We do not accept liability</b> for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.