

Rev. 3, 23 November 2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: OlyBond500 Canisters, Part 2

Supplier: GAF

1 Campus Drive

Parsippany, NJ 07054

USA

Phone: 1-877-423-7663

24-hour Emergency Response Number:

Chemtrec: 800-424-9300

Product Use(s): One component of a two-component polyurethane system

2. HAZARDS IDENTIFICATION

Classifications: Acute Oral Toxicity: Hazard Category 4

Gases Under Pressure: Compressed Gas

Physical Hazards Not Otherwise Classified: None Health Hazards Not Otherwise Classified: None

Symbols: Exclamation Point

Gas Cylinder

Signal Word: Warning

Hazard Harmful if swallowed.

Statements: Contains gas under pressure; may explode if heated.

Precautionary Wash hands and forearms thoroughly after handling. Statements: Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a Poison Center or doctor if you feel unwell. Rinse

mouth.

Protect from sunlight. Store in a well-ventilated place.

Dispose of contents/container in accordance with applicable regulations.

EMERGENCY OVERVIEW

Harmful if swallowed. There are no known serious health effects from inhalation or skin contact. See Section #7 for recommendations on proper handling and work practices, and Section #8 for recommendations on personal protective equipment.

This product is formulated to be mixed with another component (OlyBond Canisters Part 1) that, if handled improperly, may cause potentially serious health effects such as respiratory irritation, asthma-like symptoms, and/or respiratory sensitization. Do not handle or mix the two components together until you have read and understood that information in the *Safety Data Sheets* for both components.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient</u>	CAS Number	<u>Percentage</u>	<u>Impurities</u>
Diethylene Glycol	111-46-6	1-10	None known
Polypropylene Glycol	25322-69-4	30-40	None known



Rev. 3, 23 November 2020

Trans-1,3,3,3-Tetrafluoroprop-1-ene 29118-24-9 10-15 None known

4. FIRST AID MEASURES

Eyes: Hold eyes open and flush with lukewarm water for at least 15 minutes. Seek

immediate medical assistance.

Skin: Remove contaminated clothing. Wash affected areas with soap and water for at

least five minutes. If irritation occurs or persists, seek medical attention.

Launder or dry-clean clothing before reuse.

Ingestion: DO NOT induce vomiting. If the subject is conscious, wash mouth and give 2 or

more cups of milk or water. Seek immediate medical assistance. Do not attempt to give anything by mouth to an unconscious or convulsive person.

Inhalation: If signs and symptoms of respiratory toxicity are observed, remove subject from

area and seek immediate medical attention. Keep the subject warm and at rest. If necessary, administer oxygen or perform artificial respiration if necessary and

qualified personnel are available to do so.

Guidance for Physician or

Physician of Poison Control

None of the components of this product are acutely toxic by inhalation. Harmful if swallowed. Eye contact can cause mild irritation. Skin contact can cause mild irritation. Ingestion is unlikely to occur in industrial use, but if ingestion occurs it may cause nausea, vomiting, and gastrointestinal irritation. Chronic ingestion

Center: can cause kidney injury.

5. FIREFIGHTING MEASURES

Extinguishing Media: Water spray, carbon dioxide, dry chemical or chemical foam. DO

NOT use water jet.

Fire and Explosion

Hazards:

The container may burst if exposed to elevated temperatures, spilling the contents. This product may ignite if exposed to sources of ignition at temperatures above its flash point. If present in a fire or explosion, potential thermal decomposition byproducts include carbon monoxide, hydrogen fluoride, carbonyl halides, smoke, and irritant decomposition byproducts.

Firefighting Instructions: If fighting a fire in which this product is present, wear a self-

contained breathing apparatus with full-facepiece operated in

pressure-demand or other positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Methods and Materials: Absorb spilled material with a sorbent such as sawdust, vermiculite,

or calcium silicate hydrate. When absorbed, transfer to an

impervious container.

Personal Precautions: Avoid contact with skin, eyes, and mucous membranes. Wear

appropriate personal protective equipment (see Section #8) during

cleanup and decontamination.



Rev. 3. 23 November 2020

Environmental Precautions: Prevent spills from entering sewers or contaminating soil.

7. HANDLING AND STORAGE

Handling Precautions: Containers should be kept tightly closed to prevent contact with

> moisture and other chemicals. Do not reuse empty containers for any purpose. When handling the product, avoid contact with eyes, skin, and clothing, using protective equipment as needed. Do not use this product around children and secure it away from children.

Work and Hygiene

Practices:

To prevent ingestion or contact following use of the product, wash hands and face before eating, drinking, applying cosmetics, or using tobacco. Remove contaminated clothing and protective equipment

before entering eating/drinking areas.

Storage Precautions: Store containers tightly sealed in a dry, well-ventilated, area away

from incompatible materials (see Section #10). Recommended

temperature range for storage is 55-85°F. (12.8-29.4°C.).

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits

Ingredient	OSHA PEL	ACGIH TLV	Other
Diethylene Glycol	None	None	10 mg/m3 AIHA WEEL
Polypropylene Glycol	None	None	
Trans-1,3,3,3- Tetrafluoroprop-1-ene	None	None	800 ppm (manufacturer recommended)

Ingredients Ingredient **Biological Limit(s)**

Biological Limits: Diethylene Glycol No ACGIH BEIs or other biological limits

> Polypropylene Glycol No ACGIH BEIs or other biological limits

> Trans-1,3,3,3-No ACGIH BEIs or other biological limits

Tetrafluoroprop-1-ene

Engineering Use appropriate ventilation (dilution or local exhaust) whenever this product Controls:

is used in conjunction with OlyBond Canisters, Part 1 in conditions where

natural ventilation is restricted.

Eye/Face Wear eye protection adequate to prevent eye contact with the product. Protection:

Plastic-frame spectacles with side shields, chemical goggles, or a face

shield are recommended.

Skin Protection: Wear protective gloves and clothing to prevent skin irritation or injury from

contact with the product. Glove materials known to be effective against

permeation by this product include butyl rubber, nitrile rubber, and polyvinyl



Rev. 3. 23 November 2020

alcohol.

Respiratory Protection:

If an exposure level to a component exceeds an applicable standard, use a NIOSH-approved respirator of a class and configuration effective for protection from the component(s) generated. Consult OSHA regulations (29CFR1910.134) and/or American National Standard Z88.2 (ANSI, New

York, NY 10036, USA) for guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: red viscous liquid Lower Explosive Limit: not determined

Upper Explosive Limit: not determined Odor: mildly sweet

Odor threshold: not determined Vapor pressure: >200 psi Vapor density: not determined pH: not determined Evaporation Rate: not determined Melting point: not determined Freezing point: not determined VOCs (per EPA Method 24): <5 g/L Relative density (H₂O): approx. 1.03 Boiling point: not determined

Solubility (H₂O): partial Boiling range: not applicable (aerosol)

Flash Point: not applicable (aerosol) Oil-water partition coefficient: not determined Decomposition temperature: not determined Autoignition Point: not determined

Viscosity: not determined Flammability Class: not applicable (aerosol)

10. STABILITY AND REACTIVITY

Stability: Stable

Reactivity: Polymerizes with isocyanate-containing substances

Hazardous Polymerization: Will not occur

Risk of Dangerous Reactions: None reasonably foreseeable

Incompatible Materials: Oxidizing agents

Potential Decomposition Carbon monoxide, carbon dioxide, hydrogen fluoride, carbonyl

halides, smoke, and irritant decomposition byproducts Byproducts:

11. TOXICOLOGICAL INFORMATION

LC₅₀ **Ingredients Toxicology Data** LD₅₀ Oral LD₅₀ Dermal

11,890 mg/kg No data available Diethylene Glycol 14,850 mg/kg (rat)

(hamster)

>10,000 mg/kg (rabbit) No data available Polypropylene Glycol 500-2000 mg/kg

(rat)

No data available No data available >207000 ppm/4h Trans-1,3,3,3-Tetrafluoroprop-

> 1-ene (rat)

Primary Route(s) of Entry: Inhalation; ingestion

Eve Hazards: This product may cause mild eye irritation.

Skin Hazards: This product may cause mild skin irritation. Irritation may be more

pronounced on abraded skin.



Rev. 3. 23 November 2020

Ingestion Hazards: Ingestion may cause nausea, vomiting, and/or gastrointestinal

irritation.

Inhalation Hazards: Inhalation of toxicologically-significant quantities of ingredients is

unlikely when the product is used in a well-ventilated area and in

accordance with instructions.

Symptoms Related to

Overexposure:

Inhalation overexposure may cause respiratory irritation.

Delayed Effects from Long Long-term ingestion may damage the kidneys and the

Term Overexposure: gastrointestinal system.

Carcinogenicity: No ingredients are classified as potential or confirmed human

carcinogens by OSHA, NTP, or IARC.

Germ Cell Mutagenicity: No ingredients have been determined to be germ cell mutagens.

Reproductive Toxicity: No ingredients have been determined to be damaging to fertility or

to the unborn child.

Acute Toxicity LD₅₀ (oral): 1124 mg/kg

Estimates: LD₅₀ (dermal): >10,000 mg/kg

LC₅₀: no data available

Interactive Effects of

Components:

No data available

12. ECOLOGICAL INFORMATION

Diethylene Glycol Aquatic Toxicity to Fish: $LC_{50} = >100 \text{ mg/l.}$ for 96 h. (fathead minnows)

Aquatic Toxicity to Invertebrates: $EC_{50} = >10,000 \text{ mg/l.}$ for 48 h.

(daphnia)

Readily biodegradable.

Polypropylene Glycol

Aquatic Toxicity to Fish: $LC_{50} = >100 \text{ mg/l.}$ for 96 h. (bluegill sunfish) Aquatic Toxicity to Invertebrates: $EC_{50} = >100 \text{ mg/l.}$ for 48 h. (daphnia)

Not readily biodegradable

Trans-1,3,3,3-

Tetrafluoroprop-1-

ene

Aquatic Toxicity to Fish: LC₅₀ >117 mg/l. for 96 h. (carp)

Aquatic Toxicity to Invertebrates: EC₅₀ > 160 mg/l. for 48 h. (daphnia)

Aquatic Toxicity to Plants: EC₅₀ >170 mg/l. for 72 h. (algae)

Not readily biodegradable. No bioaccumulation is expected. No data available for Aquatic Toxicity to Microorganisms, Toxicity to Terrestrial

Organisms, or Mobility in Soil.

Ozone Depletion

Potential:

This product neither contains nor is manufactured with any ingredients

known to deplete the ozone layer.

13. DISPOSAL CONSIDERATIONS

Do not discharge waste product into sanitary or storm sewers or allow it to contaminate soil. Empty containers should be decontaminated prior to disposal. Consult applicable Federal, State/Provincial, and local regulations.

Rev. 3. 23 November 2020

14. TRANSPORTATION INFORMATION

Proper Shipping Name: Chemical Under Pressure, n.o.s.

(trans-1,3,3,3-Tetrafluoroprop-1-ene, Nitrogen)

Identification Number: UN3500

Hazard Class: 2.2

Packing Group: not applicable

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA Information: All ingredients of this product are listed in the TSCA Registry.

SARA Hazard

Refer to Section 2 for the OSHA Hazard Classification

Classes:

EPCRA Section This product contains no ingredients in concentrations >1% (>0.1% for 313 Notification:

carcinogens) regulated under Section 313 of the Emergency Planning

and Community Right-To-Know Act of 1986 or 40 CFR 372.

Canadian Regulatory Information

All ingredients in this product are listed in the Domestic Substances List (DSL) or the Nondomestic Substances List (NDSL).

This product has been classified in accordance with Canada's Hazardous Products Regulations (SOR/DORS/2015-15).

16. OTHER INFORMATION

Physical Hazard Hazardous Materials Information Health Flammability PPE See System (HMIS III) Ratings (minimal hazard) (Legend): (slight hazard) (slight hazard) Note

Note regarding PPE: GAF recommends use of protective eyewear and skin protection

> (Personal Protection Index "B") as standard PPE for the anticipated conditions of use of this product. However, HMIS recommends that its ratings be used only in conjunction with a fully implemented HMIS program, and that specific PPE codes should be created by the user, who is familiar with the actual conditions under which the product is used. We cannot anticipate every condition of the product's use, and it is the user's responsibility to evaluate the hazards pertinent to its specific operations, and to determine the specific PPE required.

16. OTHER INFORMATION (continued)

National Fire Protection Health Flammability Reactivity Association (NFPA) 1 Ratings:



Rev. 3, 23 November 2020

Revision Information: Publication Date: 23 November 2020

Date of Prior SDS: 11 September 2020

Section(s) Revised: 3, 5, 8, 9, 10, 11, 12, 14

DISCLAIMER

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.