SAFETY DATA SHEET



1. Identification	
Product identifier	STREETBOND COLORANT BURNT SIENNA
Other means of identification	
Product Code	
Recommended use	Colorant.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Company name	GAF
	1 Campus Drive
	Parsippany, NJ 07054 USA
Telephone	1-800–766–3411
Emergency phone number	CHEMTREC [DAY OR NIGHT] 1-800-424-9300
0 11	Within USA and CANADA 1-800-424-9300
	Outside USA and Canada: 1703-741-5970

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning
Hazard statement	Suspected of causing cancer.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Titanium Dioxide		13463-67-7	5 to <10

Chemical name	Common name and synonyms	CAS number	%
Yellow iron oxide		1310-14-1	5 to <10
IRON OXIDE		1309-37-1	10 to <30
Ethylene Glycol		57-55-6	1 to <5
Talc		14807-96-6	1 to <5
Crystalline Silica - Quartz		14808-60-7	0.1 to <1
Other components below reportable level	S		70 to <80

4. First-aid measures

Inhalation	Not available.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
5. Fire-fighting measures Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
• •	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media Unsuitable extinguishing	
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from	Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment	Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed.
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire fighting	Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire fighting equipment/instructions	Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Move containers from fire area if you can do so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

m3 Fume. m3 Total dust. Form (m3 Total dust. (m3 Respirable. ocf Respirable. (m3 Total dust. (m3 Respirable. (m3 Respirable. ocf Respirable. Form ng/m3 Respirable fraction. (3 Respirable fraction.	
Form /m3 Total dust. /m3 Respirable. bcf Respirable. /m3 Total dust. /m3 Total dust. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable fraction. /m3 Respirable fraction.	
/m3 Total dust. /m3 Respirable. bcf Respirable. /m3 Total dust. /m3 Total dust. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable fraction. //m3 Respirable fraction. /m3 Respirable fraction.	
/m3 Total dust. /m3 Respirable. bcf Respirable. /m3 Total dust. /m3 Total dust. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable. /m3 Respirable fraction. //m3 Respirable fraction. /m3 Respirable fraction.	
Im3 Respirable. bcf Respirable. Im3 Total dust. Im3 Total dust. Im3 Respirable. Im3 Respirable. Im3 Respirable. Im3 Respirable. Im3 Respirable. Im4 Form Im5 Respirable fraction. Im3 Respirable fraction. Im3 Form Im3 Form Im3 Respirable dust.	
bocf Respirable. (m3 Total dust. (m3 Total dust. (m3 Respirable. bocf Respirable. Form ng/m3 Respirable fraction. (3 Respirable fraction. (3 Respirable fraction. (3 Respirable fraction. (3 Respirable dust.	
fm3 ocf fm3 Total dust. fm3 Respirable. ocf ocf Respirable. Form ng/m3 Respirable fraction. 13 Respirable fraction. 13 Respirable fraction. 13 Respirable fraction. 13 Respirable dust.	
ref (m3 Total dust. (m3 Respirable. ref bef Form ng/m3 Respirable fraction. 13 Respirable fraction. 13 Respirable fraction. 13 Respirable fraction. 13 Respirable dust.	
fm3 Total dust. fm3 Respirable. incf Respirable. bcf Respirable. form Respirable fraction. i3 Respirable fraction. i3 Respirable fraction. i3 Respirable fraction. m3 Form g/m3 Respirable dust.	
fm3 Total dust. fm3 Respirable. incf Respirable. bcf Respirable. form Respirable fraction. i3 Respirable fraction. i3 Respirable fraction. i3 Respirable fraction. m3 Form g/m3 Respirable dust.	
fm3 Respirable. bcf Respirable. form Form ng/m3 Respirable fraction. i3 Respirable fraction. i3 Respirable fraction. i3 Respirable fraction. m3 Form g/m3 Respirable dust.	
ref perf Respirable. Form ng/m3 Respirable fraction. 3 Respirable fraction. 3 Respirable fraction. m3 Form g/m3 Respirable dust.	
boof Respirable. Form mg/m3 Respirable fraction. 3 Respirable fraction. 3 Respirable fraction. 3 Respirable fraction. m3 Form g/m3 Respirable dust.	
Form ng/m3 Respirable fraction. 3 Respirable fraction. 3 Respirable fraction. 3 Respirable fraction. m3 Form g/m3 Respirable dust.	
ng/m3 Respirable fraction. 3 Respirable fraction. 3 Respirable fraction. 3 Respirable fraction. m3 Form g/m3 Respirable dust.	
3 Respirable fraction. 3 Respirable fraction. m3 Form g/m3 Respirable dust.	
3 Respirable fraction. 3 Respirable fraction. m3 Form g/m3 Respirable dust.	
3 Respirable fraction. m3 Form g/m3 Respirable dust.	
m3 Form g/m3 Respirable dust.	
m3 Form g/m3 Respirable dust.	
Form g/m3 Respirable dust.	
g/m3 Respirable dust.	
g/m3 Respirable dust.	
3	
3 Dust and fume.	
3 Respirable.	
Form	
TWA 10 mg/m3 Aerosol.	
No biological exposure limits noted for the ingredient(s).	
Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation	
enclosures, local exhaust ventila low recommended exposure limite e levels to an acceptable level.	
, such as personal protective equipment If contact is likely, safety glasses with side shields are recommended.	
For prolonged or repeated skin contact use suitable protective gloves.	
quipment.	
In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.	
n iv	

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

	-
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Red-brown.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
	N
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient	Not available.
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	16.30 lbs/gal
Flammability class	Not available.
Percent volatile	55.82 %
Specific gravity	1.96
VOC	1.093997 lbs/gal Material estimated 131.093661 g/l Material estimated 1.933982 lbs/gal Regulatory estimated 231.749063 g/l Regulatory estimated

10. Stability and reactivity

, <u>,</u>	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
Hydroxylated Silicon Dioxide (CAS	•		
Acute			
Oral			
LD50	Mouse	> 15000 mg/kg	
	Rat	> 22500 mg/kg	
Propylene Glycol (CAS 57-55-6)			
Acute			
Oral			
LD50	Guinea pig	18.4 g/kg	
	Mouse	23.9 g/kg	
	Rabbit	18 g/kg	
	Rat	30 g/kg	
* Estimates for product may t	be based on additional compor	ent data not shown.	
Skin corrosion/irritation	Prolonged skin contact may	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Suspected of causing cancer.		
IARC Monographs. Overall	Evaluation of Carcinogenicit	у	
Crystalline Silica - Quartz (CAS 14808-60-7) Hydroxylated Silicon Dioxide (CAS 63231-67-4) IRON OXIDE (CAS 1309-37-1) Titanium Dioxide (CAS 13463-67-7) OSHA Specifically Regulated Substances (29 CFR 1910.1		 Carcinogenic to humans. Not classifiable as to carcinogenicity to humans. Not classifiable as to carcinogenicity to humans. Possibly carcinogenic to humans. 1001-1050) 	
Not listed.			
•••	ogram (NTP) Report on Carc	nogens	
Crystalline Silica - Quartz	. ,	Known To Be Human Carcinogen.	
Reproductive toxicity		to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
	Not an aspiration hazard.		
Aspiration hazard	Not an aspiration hazard.		

12. Ecological information

Ecotox	cicity
--------	--------

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

	Species	Test Results
57-55-6)		
EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
LC50	Fathead minnow (Pimephales promelas)	710 mg/l, 96 hours
13463-67-7)		
EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
	LC50 13463-67-7) EC50	EC50 Water flea (Daphnia magna) LC50 Fathead minnow (Pimephales promelas) 13463-67-7) EC50 Water flea (Daphnia magna)

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-o	ctanol / water (log Kow)	
Propylene Glycol	-0.92	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

- US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.
- (a))

Crystalline Silica - Quartz (CAS 14808-60-7) Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

US. Massachusetts RTK - Substance List

Crystalline Silica - Quartz (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

US. New Jersey Worker and Community Right-to-KnowAct

Crystalline Silica - Quartz (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Propylene Glycol (CAS 57-55-6) Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Crystalline Silica - Quartz (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Propylene Glycol (CAS 57-55-6) Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Crystalline Silica - Quartz (CAS 14808-60-7)	Listed: October 1, 1988
Titanium Dioxide (CAS 13463-67-7)	Listed: September 2, 2011

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-22-2015
Revision date	12-03-2015
Version #	02
HMIS® ratings	Health: 1* Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 0 Flammability: 0 Instability: 0
Disclaimer	This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. GAF cannot anticipate all conditions under which this information and product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.
Revision Information	Product and Company Identification: Converted to GAF SDS