SAFETY DATA SHEET



1. Identification

Product identifier STREETBOND COLORANT CELTIC GREEN

Other means of identification

Product Code

Recommended use Colorant.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name GAF

1 Campus Drive

Parsippany, NJ 07054 USA

Telephone 1-800–766–3411

Emergency phone number CHEMTREC [DAY OR NIGHT] 1-800-424-9300

Within USA and CANADA 1-800-424-9300 Outside USA and Canada: 1 703-741-5970

1. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 2

Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements

Signal word Danger

Hazard statement Suspected of causing cancer. Causes damage to organs through prolonged or repeated

exposure. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink

SDS US

or smoke when using this product. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

Response If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: STREETBOND COLORANT CELTIC GREEN Version #: 01 | Issue date: 12-17-2015

Version #: 01 Issue date: 12-17-2015 SDS 3247

2. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethylene Glycol		107-21-1	5 to <10
Titanium Dioxide		13463-67-7	5 to <10
BARIUM SULFATE		7727-43-7	1 to <5
Diethylene Glycol		111-46-6	1 to <5
Propylene Glycol		57-55-6	1 to <5
TRIBUTYL PHOSPHATE		126-73-8	1 to <5
Other components below reportable leve	ls		70 to <80

3. First-aid measures

Inhalation Not available.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Prolonged exposure may cause chronic effects.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed
General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s)

involved, and take precautions to protect themselves.

4. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

5. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: STREETBOND COLORANT CELTIC GREEN Version #: 01 | Issue date: 12-17-2015

SDS 3247

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

6. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits f Components	or Air Contaminants (29 CFR 1910.10 Type	00) Value	Form
BARIUM SULFATE (CAS 7727-43-7)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
Titanium Dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
TRIBUTYL PHOSPHATE (CAS 126-73-8)	PEL	5 mg/m3	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
BARIUM SULFATE (CAS 7727-43-7)	TWA	5 mg/m3	Inhalable fraction.
Ethylene Glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
TRIBUTYL PHOSPHATE (CAS 126-73-8)	TWA	5 mg/m3	Inhalable fraction and vapor.
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
BARIUM SULFATE (CAS 7727-43-7)	TWA	5 mg/m3	Respirable.
,		10 mg/m3	Total
TRIBUTYL PHOSPHATE (CAS 126-73-8)	TWA	2.5 mg/m3	
		0.2 ppm	
	al Exposure Level (WEEL) Guides		F
Components	Туре	Value	Form
Diethylene Glycol (CAS 111-46-6)	TWA	10 mg/m3	
Propylene Glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.
Biological limit values	No biological exposure limits noted for	the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures, such as personal protective equipment Eye/face protection			
Skin protection			
Hand protection	For prolonged or repeated skin contact	ct use suitable protective gloves	
Other	Wear suitable protective clothing.		

Material name: STREETBOND COLORANT CELTIC GREEN

Respiratory protection

SDS US Version #: 01 Issue date: 12-17-2015 3/9

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

8. Physical and chemical properties

Appearance

Physical stateLiquid.FormLiquid.ColorGreen.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 10.71 lbs/gal
Flammability class Not available.
Percent volatile 49.34 %
Specific gravity 1.29

VOC 518.662825 g/l Regulatory estimated

502.748083 g/l Material estimated 4.328322 lbs/gal Regulatory estimated 4.195511 lbs/gal Material estimated

9. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidAvoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Material name: STREETBOND COLORANT CELTIC GREEN Version #: 01 | Issue date: 12-17-2015

SDS 3247

No hazardous decomposition products are known.

10. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. Prolonged

Test Results

inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Species

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Components

Diethylene Glycol (CAS 111-46 Acute Dermal	i-6)	
	Dahkit	44000
LD50	Rabbit	11890 mg/kg
Oral		
LD50	Guinea pig	8700 mg/kg
	Mouse	13.3 g/kg
	Rabbit	26.9 g/kg
	Rat	12565 mg/kg
Ethaniana Oharal (OAO 407 04 4	1	

Ethylene Glycol (CAS 107-21-1)

<u>Acute</u>	
Dermal	

LD50	Rabbit	9530 mg/	/kg
------	--------	----------	-----

Oral

LD50	Guinea pig	8.2 g/kg
	Mouse	14.6 g/kg
	Rat	5.89 g/kg

Propylene Glycol (CAS 57-55-6)

Acute Oral

LD50	Guinea pig	18.4 g/kg
	Mouse	23.9 g/kg
	Rabbit	18 g/kg
	Rat	30 g/kg

TRIBUTYL PHOSPHATE (CAS 126-73-8)

<u>Acute</u>

Dermal

LD50 Rabbit	> 3100 mg/kg
-------------	--------------

Inhalation

LC50 Rat 123 mg/l, 6 Hours

Oral

LD50 Hen 1863 mg/kg

Mouse 1189 mg/kg

Material name: STREETBOND COLORANT CELTIC GREEN

Version #: 01 Issue date: 12-17-2015

SDS 3247

SDS US

Test Results Components **Species**

Rat

3 g/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Suspected of causing cancer. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Prolonged exposure may cause chronic effects.

11. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Components	Species	Test Results
BARIUM SULFATE (CAS 7727-43-7)		

Aquatic

Crustacea EC50 Tubificid worm (Tubifex tubifex) 28.61 - 38.03 mg/l, 48 hours

Diethylene Glycol (CAS 111-46-6)

Aquatic

LC50 Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours Fish

Ethylene Glycol (CAS 107-21-1)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Propylene Glycol (CAS 57-55-6)

Aquatic

EC50 Crustacea Water flea (Daphnia magna) > 10000 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/l, 96 hours

Titanium Dioxide (CAS 13463-67-7)

Aquatic

EC50 Crustacea Water flea (Daphnia magna) > 1000 mg/l, 48 hours Fish LC50 Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours

TRIBUTYL PHOSPHATE (CAS 126-73-8)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 1 - 10 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

^{*} Estimates for product may be based on additional component data not shown.

Partition coefficient n-octanol / water (log Kow)

Ethylene Glycol -1.36 Propylene Glycol -0.92

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

12. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

13. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

14. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

BARIUM SULFATE (CAS 7727-43-7) Listed. Ethylene Glycol (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.Ethylene Glycol107-21-15 to <10</td>

Material name: STREETBOND COLORANT CELTIC GREEN

Version #: 01 Issue date: 12-17-2015

SDS 3247

SDS US

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethylene Glycol (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Ethylene Glycol (CAS 107-21-1)

Titanium Dioxide (CAS 13463-67-7)

US. Massachusetts RTK - Substance List

BARIUM SULFATE (CAS 7727-43-7) Ethylene Glycol (CAS 107-21-1)

Titanium Dioxide (CAS 13463-67-7)

TRIBUTYL PHOSPHATE (CAS 126-73-8)

US. New Jersey Worker and Community Right-to-Know Act

BARIUM SULFATE (CAS 7727-43-7)

Ethylene Glycol (CAS 107-21-1)

Propylene Glycol (CAS 57-55-6)

Titanium Dioxide (CAS 13463-67-7)

TRIBUTYL PHOSPHATE (CAS 126-73-8)

US. Pennsylvania Worker and Community Right-to-Know Law

BARIUM SULFATE (CAS 7727-43-7)

Diethylene Glycol (CAS 111-46-6)

Ethylene Glycol (CAS 107-21-1)

Propylene Glycol (CAS 57-55-6)

Titanium Dioxide (CAS 13463-67-7)

TRIBUTYL PHOSPHATE (CAS 126-73-8)

US. Rhode Island RTK

Ethylene Glycol (CAS 107-21-1)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Titanium Dioxide (CAS 13463-67-7) Listed: September 2, 2011

International Inventories

SDS 3247

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Material name: STREETBOND COLORANT CELTIC GREEN

Version #: 01 Issue date: 12-17-2015

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

15. Other information, including date of preparation or last revision

Issue date 12-17-2015

Version #

Health: 1* **HMIS®** ratings

> Flammability: 0 Physical hazard: 0

Health: 0 NFPA ratings

Flammability: 0 Instability: 0

Disclaimer This information relates to the specific material designated and may not be valid for such material

used on combination with any other materials or in any process. Such information is to the best of

our knowledge and belief accurate and reliable as of the date compiled. However, no

representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. GAF cannot anticipate all conditions under which this information and product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.

Revision Information Product and Company Identification: Converted to GAF SDS

Material name: STREETBOND COLORANT CELTIC GREEN

Version #: 01 Issue date: 12-17-2015

SDS 3247

SDS US