SAFETY DATA SHEET



1. Identification	
Product identifier	STREETBOND COLORANT CHESTNUT BROWN
Other means of identification	
Product Code	
Recommended use	Colorant.
Manufacturer/Importer/Supplier/I	Distributor information
Manufacturer	
Company name	GAF 1 Campus Drive Parsippany, NJ 07054 USA
Telephone Emergency phone number	1-800–766–3411 CHEMTREC [DAY OR NIGHT] 1-800-424-9300 Within USA and CANADA 1-800-424-9300 Outside USA and Canada: 1 703-741-5970
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Carcinogenicity Category 2
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Signal word	None.
Hazard statement	Not available.
Precautionary statement	

Precautionary statement	
Prevention	Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Titanium Dioxide		13463-67-7	10 to <20
Propylene Glycol		57-55-6	1 to <5

Chemical name	Common name and synonyms	CAS number	%
Silicate		14807-96-6	1 to <5
Other components below report	able levels		80 to <90
Designates that a specific chemica	al identity and/or percentage of composition has be	een withheld as a trade se	ecret.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms d	levelop or persist.	
Skin contact	Wash off with soap and water. Get medical atten	tion if irritation develops a	ind persists.
Eye contact	Rinse with water. Get medical attention if irritation	n develops and persists.	
ngestion	Rinse mouth. Get medical attention if symptoms	occur.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary in	ritation.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat s Symptoms may be delayed.	symptomatically. Keep vic	tim under observat
General information	IF exposed or concerned: Get medical advice/att of the material(s) involved, and take precautions		al personnel are a
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon	dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this v	vill spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be fo	ormed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full prote	ective clothing must be wo	orn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so w	without risk.	
Specific methods	Use standard firefighting procedures and conside	er the hazards of other inv	volved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions,	Keep unnecessary personnel away. Keep people	e away from and upwind o	of spill/leak. Keep o

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	for Air Contaminants (29 CFR 1910.1 Type	Value	Form	
Titanium Dioxide (CAS 13463-67-7) US. OSHA Table Z-3 (29 CF	PEL R 1910.1000)	15 mg/m3	Total dust.	
Components	Туре	Value	Form	
Silicate (CAS 14807-96-6)	TWA	0.3 mg/m3 0.1 mg/m3 20 mppcf 2.4 mppcf	Total dust. Respirable.	
US. ACGIH Threshold Limit	Values	2.4 Шррсі	Respirable.	
Components	Туре	Value	Form	
Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)	TWA TWA	2 mg/m3 10 mg/m3	Respirable fraction.	
US. NIOSH: Pocket Guide to			_	
Components	Туре	Value	Form	
Silicate (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.	
US. Workplace Environmer Components	tal Exposure Level (WEEL) Guides Type	Value	Form	
Propylene Glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.	
ological limit values	No biological exposure limits noted for	or the ingredient(s).		
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
dividual protection measures Eye/face protection	, such as personal protective equipm If contact is likely, safety glasses with		d.	
Skin protection Hand protection	For prolonged or repeated skin conta	oct use suitable protective dove		
Other Beenirgtery protection	· · ·	Wear suitable protective clothing.		
Respiratory protection Thermal hazards	In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.			
eneral hygiene nsiderations	Always observe good personal hygie and before eating, drinking, and/or se equipment to remove contaminants.	ne measures, such as washing		
Physical and chemical	properties			
opearance				
Physical state	Liquid.			
Form	Liquid.			
Color	Brown.			
lor	Not available.			
lor threshold	Not available.			
1	Not available.			

Not available.

Not available.

Not available.

Not available.

Melting point/freezing point

range

Flash point Evaporation rate

Initial boiling point and boiling

-	N
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	16.51 lbs/gal
Flammability class	Not available.
Percent volatile	58.49 %
Specific gravity	1.98
VOC	1.238176 lbs/gal Material estimated 148.37063 g/l Material estimated 2.232561 lbs/gal Regulatory estimated 267.527785 g/l Regulatory estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species		Test Results
Propylene Glycol (CAS 57-55-6)			
Acute			
Oral			
LD50	Guinea pi	-	18.4 g/kg
	Mouse		23.9 g/kg
	Rabbit		I8 g/kg
	Rat		30 g/kg
* Estimates for product may b	e based on ac	dditional component data not shown.	
Skin corrosion/irritation	Prolonged s	kin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct conta	ct with eyes may cause temporary irritation.	
Respiratory or skin sensitization	า		
Respiratory sensitization	Not available	е.	
Skin sensitization	-	t is not expected to cause skin sensitization	
Germ cell mutagenicity	No data ava mutagenic o	ilable to indicate product or any components or genotoxic.	s present at greater than 0.1% are
Carcinogenicity	Suspected of causing cancer.		
IARC Monographs. Overall	Evaluation of	Carcinogenicity	
Titanium Dioxide (CAS 13 OSHA Specifically Regulate Not listed.		2B Possibly carcinogen s (29 CFR 1910.1001-1050)	ic to humans.
Reproductive toxicity	This product	t is not expected to cause reproductive or de	evelopmental effects.
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classifie	d.	
Aspiration hazard	Not available.		
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.		
12. Ecological information	ı		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Components		Species	Test Results
Propylene Glycol (CAS 57-55	-6)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 710 mg/l, 96 hours
Titanium Dioxide (CAS 13463	67-7)		
Aquatic	5050		4000 // 401
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)		
Propylene Glycol	-0.92	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No		
Delayed Hazard - Yes		
Fire Hazard - No		
Pressure Hazard - No		
Reactivity Hazard - No		

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.
- US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

US. Massachusetts RTK - Substance List Silicate (CAS 14807-96-6)

Titanium Dioxide (CAS 13463-67-7)

US. New Jersey Worker and Community Right-to-Know Act

Propylene Glycol (CAS 57-55-6) Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Propylene Glycol (CAS 57-55-6) Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Titanium Dioxide (CAS 13463-67-7) Listed: September 2, 2011

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-04-2014
Revision date	12-09-2015
Version #	05
HMIS® ratings	Health: 1* Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 0 Flammability: 0 Instability: 0

Disclaimer

This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. GAF cannot anticipate all conditions under which this information and product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.

Revision Information

Product and Company Identification: Converted to GAF SDS