# SAFETY DATA SHEET



Product identifier	STREETBOND COLORANT COBALT BLUE		
Other means of identification			
Product Code			
Recommended use	Colorant.		
Manufacturer/Importer/Supplie	r/Distributor information		
Manufacturer			
Company name	GAF		
	1 Campus Drive Parsippany, NJ 07054 USA		
Telephone	1-800–766–3411		
Emergency phone number	CHEMTREC [DAY OR NIGHT]		
	Within USA and CANADA Outside USA and Canada:	1-800-424-9300 1 703-741-5970	
2. Hazard(s) identificatior		1700 141 0010	
( )			
Physical hazards	Not classified.	0-1	
Health hazards	Carcinogenicity	Category 2	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Warning		
Hazard statement	Suspected of causing cancer.		
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If exposed or concerned: Get medical advice/attention.		
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise	None known.		
classified (HNOC)			

# Mixtures

Chemical name	Common name and synonyms	CAS number	%
Titanium Dioxide		13463-67-7	30 to <40

Chemical name	Common name and synonyms	CAS number	%
Propylene Glycol		57-55-6	5 to <10
Copper Phthalocyanine		147-14-8	1 to <5
Silicate		14807-96-6	1 to <5
PARAFFINIC PETROLEUM OIL		64742-54-7	0.1 to <1
Other components below reportable le	vels		50 to <60

# 4. First-aid measures

Inhalation	Not available.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6 Appidental relaces mag	

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

# **Occupational exposure limits**

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	for Air Contaminants (29 CFR 1910.10 Type	Value	Form	
Titanium Dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.	
US. OSHA Table Z-3 (29 CF) Components	Туре	Value	Form	
Silicate (CAS 14807-96-6)	TWA	0.3 mg/m3 0.1 mg/m3 20 mppcf 2.4 mppcf	Total dust. Respirable. Respirable.	
US. ACGIH Threshold Limit	Values	2.4 Мрро	Respirable.	
Components	Туре	Value	Form	
PARAFFINIC PETROLEUM OIL (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.	
Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)	TWA TWA	2 mg/m3 10 mg/m3	Respirable fraction.	
US. NIOSH: Pocket Guide to Components	o Chemical Hazards Type	Value	Form	
Copper Phthalocyanine (CAS 147-14-8)	TWA	1 mg/m3	Dust and mist.	
Silicate (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.	
US. Workplace Environmen Components	tal Exposure Level (WEEL) Guides Type	Value	Form	
Propylene Glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.	
logical limit values	No biological exposure limits noted for	the ingredient(s).		
propriate engineering htrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
ividual protection measures, Eye/face protection	such as personal protective equipme If contact is likely, safety glasses with		d.	
Skin protection Hand protection	For prolonged or repeated skin contac	t use suitable protective glove	s.	
Other	Wear suitable protective clothing.			
Respiratory protection	In case of insufficient ventilation, wear	suitable respiratory equipmer	nt.	
Thermal hazards	Wear appropriate thermal protective c	lothing, when necessary.		
neral hygiene nsiderations	Always observe good personal hygier and before eating, drinking, and/or sm equipment to remove contaminants.			

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Blue.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.

Initial boiling point and boiling range	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	osive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Density	14.71 lbs/gal	
Flammability class	Not available.	
Percent volatile	58.59 %	
Specific gravity	1.77	
voc	263.997473 g/l Regulatory estimated 2.2031 lbs/gal Regulatory estimated 1.226884 lbs/gal Material estimated 147.01751 g/l Material estimated	

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

# Acute toxicity

Components	Species	Test Results	
Propylene Glycol (CAS 57-55-6)			
Acute			
Oral			
LD50	Guinea pig	18.4 g/kg	
	Mouse	23.9 g/kg	
	Rabbit	18 g/kg	
	Rat	30 g/kg	
* Estimates for product may I	be based on additional compone	nt data not shown.	
Skin corrosion/irritation	Prolonged skin contact may	ause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may	cause temporary irritation.	
Respiratory or skin sensitization	n		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected	o cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Suspected of causing cancer.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
	3463-67-7) ed Substances (29 CFR 1910.1	2B Possibly carcinogenic to humans. 001-1050)	
Not listed.	agreen (NTD) Depart on Coroir	-	
	ogram (NTP) Report on Carcir UM OIL (CAS 64742-54-7)	-	
Reproductive toxicity		Known To Be Human Carcinogen. o cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be	narmful. Prolonged exposure may cause chronic effects.	
12. Ecological information	n		
Ecotoxicity		s environmentally hazardous. However, this does not exclude the nt spills can have a harmful or damaging effect on the environment.	
Components	Species	Test Results	

Components		Species	lest Results	
Propylene Glycol (CAS	S 57-55-6)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/l, 96 hours	
Titanium Dioxide (CAS	S 13463-67-7)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours	
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours	

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

# **Bioaccumulative potential**

Partition coefficient n-octanol / water (log Kow)		
Propylene Glycol		-0.92
Mobility in soil	No data available.	

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

Listed.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

# CERCLA Hazardous Substance List (40 CFR 302.4)

Copper Phthalocyanine (CAS 147-14-8)

SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

# SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

### **US** state regulations

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.
- US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

PARAFFINIC PETROLEUM OIL (CAS 64742-54-7) Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

**US. Massachusetts RTK - Substance List** 

Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

## US. New Jersey Worker and Community Right-to-Know Act

Copper Phthalocyanine (CAS 147-14-8) Propylene Glycol (CAS 57-55-6) Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

### US. Pennsylvania Worker and Community Right-to-Know Law

Propylene Glycol (CAS 57-55-6) Silicate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

US. Rhode Island RTK Not regulated.

## US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

## US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	05-22-2015
Revision date	12-09-2015
Version #	02
HMIS® ratings	Health: 1* Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 0 Flammability: 0 Instability: 0

Disclaimer

This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. GAF cannot anticipate all conditions under which this information and product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.

**Revision Information** 

Product and Company Identification: Converted to GAF SDS