







FASTENERS AND PLATES



22 GA. STEEL, WOOD PLANK, OSB, AND LWIC*

Roofing Fasteners

ITEM NAME	SIZE
 Drill-Tec™ #12 Fastener	Lengths: 1½" (41.3 mm) to 8" (201 mm), #3 Phillips Head
ITEM NAME	SIZE
 Drill-Tec™ #12 Fastener Hex Head	Lengths: 1½" (41.3 mm) to 8" (201 mm), ¼" Hex Head
ITEM NAME	SIZE
 Drill-Tec™ #14 Fastener	Lengths: 1¼" (31.8 mm) to 24" (610 mm), #3 Phillips Head
 Drill-Tec™ #15 XHD Fastener	Lengths: 2" (51 mm) to 22" (558.8 mm), #3 Phillips Head
STRUCTURAL CONCRETE	
ITEM NAME	SIZE
 Drill-Tec™ CD-10 Fastener	Lengths: 2" (51 mm) to 12" (305 mm), Flat Top Pan Head
ITEM NAME	SIZE
 Drill-Tec™ #14 Fastener	Lengths: 1¼" (31.8 mm) to 24" (610 mm), #3 Phillips Head

*In lightweight insulating concrete applications the fastener must penetrate the steel pan.
Note: For item #s by length, refer to page 94 and 95

POLYISO, HD POLYISO, OR WOOD FIBER

Insulation Plates



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 3" Steel Plate	4580	Galvalume	1,000/Bucket 37 lb. (16.78 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 3" Plastic Locking Plate	45JK	Plastic	1,000/Box 25 lb. (11.34 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 3" AccuTrac® Recessed Plate	86S9	Galvalume	1,000/Bucket 43 lb. (19.50 kg)

POLYISO, HD POLYISO, WOOD FIBER, OR GYPSUM



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 3" Ribbed Galvalume Plate (Flat)	459Z	Galvalume	1,000/Bucket 37 lb. (16.78 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 3" Standard Steel Plate	4181	Galvalume	1,000/Box 37 lb. (16.78 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 3" AccuTrac® Flat Plate	86S8	Galvalume	1,000/Bucket 43 lb. (19.50 kg)

Pre-Assembled



ITEM NAME	DESCRIPTION	SIZE
Drill-Tec™ ASAP 3S	#12 Fastener/3" (76 mm) Standard Steel Plate	Lengths: 1 5/8" (41.3 mm) to 8" (203 mm)



ITEM NAME	DESCRIPTION	SIZE
Drill-Tec™ ASAP 3P	#12 Fastener/3" (76 mm) Plastic Locking Plate	Lengths: 2 1/4" (57.1 mm) to 8" (203 mm)



ITEM NAME	DESCRIPTION	SIZE
Drill-Tec™ Heavy Duty 3P ASAP Roofing Fastener Assembled with 3" (76 mm) Metal Plate	#14 Fastener/3" (76 mm) Standard Steel Plate	Lengths: 2" (51 mm) to 20" (508 mm)



ITEM NAME	DESCRIPTION	SIZE
Drill-Tec™ Heavy Duty 3P ASAP Roofing Fastener Assembled with 3" (76 mm) Plastic Plate	#14 Fastener/3" (76 mm) Plastic Locking Plate	Lengths: 2" (51 mm) to 20" (508 mm)

Note: For item #s by length, refer to page 94 and 95

RHINOBOND® TPO & PVC MEMBRANE FASTENERS

Drill-Tec™ RhinoBond®

> 22 GA. STEEL AND LIGHTWEIGHT INSULATING CONCRETE*



ITEM NAME	SIZE
Drill-Tec™ SXHD (#21)	Lengths: 2" (51 mm) to 12" (305 mm), #3 Phillips Head

*In lightweight insulating concrete applications, the fastener must penetrate the steel pan.

Note: RhinoBond® is a registered trademark of OMG, INC.

> 22 GA. STEEL, PLYWOOD†, WOOD PLANK, OSB††, AND LWIC*



ITEM NAME	SIZE
Drill-Tec™ XHD® Fastener (#15)	Lengths: 2" (51 mm) to 22" (558.8 mm), #3 Phillips Head

> 22 GA. STEEL, PLYWOOD†, WOOD PLANK, OSB††, WOOD JOIST, AND STRUCTURAL CONCRETE



ITEM NAME	SIZE
Drill-Tec™ #14 Fastener	Lengths: 1 1/4" (31.8 mm) to 24" (610 mm), #3 Phillips Head

PURLINS (MAX. 3/16")



ITEM NAME	SIZE
Drill-Tec™ Purlin Fastener	Lengths: 4" (102 mm) to 12" (305 mm), #3 Square Drive

Note: For item #s by length, refer to page 94 and 95

*In lightweight insulating concrete applications, the fastener must penetrate the steel pan.

Refer to accompanying SKU table for specific SKU for individual fastener lengths. RhinoBond® can only be used with smooth membranes.

†Min. 15/32 in. thick plywood

††Min. 19/32 in. thick plywood

RHINOBOND® PLATE



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ RhinoBond® TPO SXHD® Plate	4537	Specially Coated Galvalume	500/Bucket 43 lb. (19.50 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 3" RhinoBond® TPO XHD® Plate	4574	Specially Coated Galvalume	500/Bucket 43 lb. (19.50 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 3" RhinoBond® PVC XHD® Plate	457C	Specially Coated Galvalume	500/Bucket 43 lb. (19.50 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ RhinoBond® PVC SXHD® Plate	4538	Specially Coated Galvalume	500/Bucket 43 lb. (19.50 kg)

Note: RhinoBond® is a registered trademark of OMG, INC.

TPO & PVC MEMBRANE FASTENERS (IN-LAP ATTACHMENT)

22 GA. STEEL, PLYWOOD, WOOD PLANK, OSB, AND LWIC*


Roofing Fasteners

ITEM NAME	SIZE
Drill-Tec™ XHD® Fastener* (#15)	Lengths: 2" (51 mm) to 22" (558.8 mm), #3 Phillips Head

Note: For item #s by length, refer to page 94 and 95



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2" Double Barbed XHD® Plate*	46DB	Galvalume	1,000/Box 33 lb. (14.97 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2 3/8" Barbed XHD® Plate	8678	Galvalume	1,000/Box 45 lb. (20.41 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2 3/8" Eye Hook® AccuSeam® Plate	8680	Galvalume	1,000/Bucket 48 lb. (21.77 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2 3/4" Barbed SXHD Plate	8679	Galvalume	500/Box 37 lb. (16.78 kg)



*In lightweight insulating concrete applications, the fastener must penetrate the steel pan.




ITEM NAME	SIZE
Drill-Tec™ #14 Fastener	Lengths: 1 1/4" (31.8 mm) to 24" (610 mm), #3 Phillips Head

Note: For item #s by length, refer to page 94 and 95



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2" Double Barbed XHD® Plate	46DB	Galvalume	1,000/Box 33 lb. (14.97 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2 3/8" Barbed XHD® Plate	8678	Galvalume	1,000/Box 45 lb. (20.41 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ Eye Hook® AccuSeam® Plate	8680	Galvalume	1,000/Box 48 lb. (21.77 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2 3/4" Barbed SXHD Plate	8679	Galvalume	1,000/Box 37 lb. (16.78 kg)

*In lightweight insulating concrete applications, the fastener must penetrate the steel pan.

STRUCTURAL CONCRETE




ITEM NAME	SIZE
Drill-Tec™ CD-10 Fastener	Lengths: 2" (51 mm) to 12" (305 mm), Flat Top Pan Head
Drill-Tec™ #14 Fastener	Lengths: 1 1/4" (31.8 mm) to 24" (610 mm), #3 Phillips Head

Note: For item #s by length, refer to page 94 and 95



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2" Double Barbed XHD® Plate	46DB	Galvalume	1,000/Box 33 lb. (14.97 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2 3/8" Barbed XHD® Plate	8678	Galvalume	1,000/Box 45 lb. (20.41 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2 3/4" Barbed SXHD Plate	8679	Galvalume	500/Box 37 lb. (16.78 kg)

PURLINS (MAX. 3/16")




ITEM NAME	SIZE
Drill-Tec™ Purlin Fastener	Lengths: 4" (102 mm) to 12" (305 mm), #3 Square Drive

Note: For item #s by length, refer to page 94 and 95



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2" Double Barbed XHD® Plate	46DB	Galvalume	1,000/Box 33 lb. (14.97 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2 3/8" Barbed XHD® Plate	8678	Galvalume	1,000/Box 45 lb. (20.41 kg)



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2 3/4" Barbed SXHD Plate	8679	Galvalume	500/Box 37 lb. (16.78 kg)

>22 GA. STEEL AND LWIC*



ITEM NAME	SIZE
Drill-Tec™ SXHD (#21)	Lengths: 2" (51 mm) to 21" (533.4 mm), #3 Phillips Head

Note: For item #s by length, refer to page 94 and 95



ITEM NAME	ITEM #	COATING	SIZE
Drill-Tec™ 2 3/4" Barbed SXHD Plate	8679	Galvalume	1,000/Box 37 lb. (16.78 kg)



ITEM NAME	SIZE
Drill-Tec™ Extra Heavy Duty ASAP Assembled Screw and 2 3/8" Steel Plate XHD® Fastener/2 3/8" Barbed XHD® Plate	Lengths: 2" (51 mm) to 18" (457 mm)

*In lightweight insulating concrete applications, the fastener must penetrate the steel pan.
Note: For item #s by length, refer to page 94 and 95

Pre-Assembled Fastener Lengths

Refer to published application instructions for complete installation requirements. For applications not listed or for questions, please contact Technical Services at 1-800-ROOF-411 or technicalquestions@gaf.com.

Fastener Lengths



LENGTH	GAF CODE #	PACKAGE QUANTITY	PKG WT (LB)
Drill-Tec™ ASAP® 3S			
Drill-Tec™ #12 Fastener with Drill-Tec™ 3" Standard Steel Plate			
1½"	458C	250 (Box)	14
2¼"	458D	250 (Box)	15
3"	458E	250 (Box)	16
4"	458G	250 (Box)	19
5"	458I	250 (Box)	21
6"	458J	250 (Box)	23
7"	458K	250 (Box)	25
8"	458L	250 (Box)	26
Drill-Tec™ ASAP® 3P			
Drill-Tec™ #12 Fastener with Drill-Tec™ 3" Plastic Plate			
2¼"	459D	250 (Box)	11
3"	459E	250 (Box)	13
4"	459G	250 (Box)	16
5"	459I	250 (Box)	17
6"	459J	250 (Box)	19
7"	459K	250 (Box)	21
8"	459L	250 (Box)	22
Drill-Tec™ Heavy Duty ASAP® Roofing Fastener Assembled with a 3" Metal Plate			
Drill-Tec™ #14 Fastener with Drill-Tec™ 3" Standard Steel Plate			
2"	864A	250 (Box)	15
3"	864B	250 (Box)	17
4"	864C	250 (Box)	20
5"	864D	250 (Box)	23
6"	864E	250 (Box)	25
7"	864F	250 (Box)	27
8"	864G	250 (Box)	29
9"	864H	250 (Box)	30
10"	864I	200 (Box)	26
11"	864J	200 (Box)	28
12"	864K	200 (Box)	30
14"	864L	150 (Box)	28
16"	864M	150 (Box)	34
18"	864N	125 (Box)	26
20"	864O	125 (Box)	30
Drill-Tec™ Heavy Duty ASAP® Roofing Fastener Assembled with a 3" Plastic Plate			
Drill-Tec™ #14 Fastener with Drill-Tec™ 3" Plastic Locking Plate			
2"	866A	250 (Box)	13
3"	863H	250 (Box)	14
4"	866B	250 (Box)	16
5"	866C	250 (Box)	18
6"	866D	250 (Box)	20
7"	866E	250 (Box)	22
8"	866F	250 (Box)	24

LENGTH	GAF CODE #	PACKAGE QUANTITY	PKG WT (LB)
9"	866G	250 (Box)	26
10"	866H	200 (Box)	23
11"	866I	200 (Box)	25
12"	866J	200 (Box)	27
14"	866K	150 (Box)	28
16"	866L	150 (Box)	31
18"	866M	125 (Box)	26
20"	866N	125 (Box)	29
Drill-Tec™ Heavy Duty ASAP® 2S Assembled Screw and 2" Steel Plate			
Drill-Tec™ #14 Fastener with 2" Drill-Tec™ Barbed Steel Plate			
<i>NOTE: Do not confuse with 2" Double Barbed XHD</i>			
2"	862A	250 (Box)	13
3"	862B	250 (Box)	15
4"	862C	250 (Box)	17
5"	862D	250 (Box)	19
6"	862E	250 (Box)	21
7"	862F	250 (Box)	23
8"	862G	250 (Box)	24
9"	862H	250 (Box)	26
10"	862I	200 (Box)	23
11"	862J	200 (Box)	24
12"	862K	200 (Box)	26
Drill-Tec™ Extra Heavy Duty ASAP® Assembled Screw and 2½" Steel Plate			
Drill-Tec™ XHD® Fastener with Drill-Tec™ 2½" Barbed XHD Plate			
3"	86PN	250 (Box)	21
4"	86PO	250 (Box)	23
5"	86PP	250 (Box)	25
6"	86PQ	250 (Box)	27
7"	86PR	250 (Box)	29
8"	86PS	250 (Box)	31
10"	86PU	200 (Box)	29
12"	86PW	200 (Box)	31
14"	86TA	150 (Box)	33
16"	86TB	150 (Box)	35
18"	86TC	150 (Box)	37
Drill-Tec™ Extra Heavy Duty ASAP® Roofing Fastener – Insulation			
Drill-Tec™ XHD with Drill-Tec™ 3" Standard Steel Plate			
3"	865A	250 (Box)	20
4"	865B	250 (Box)	23
5"	865C	250 (Box)	25
6"	865D	250 (Box)	27
7"	865E	250 (Box)	29
8"	865F	250 (Box)	31
10"	865G	200 (Box)	25
12"	865H	200 (Box)	27

LENGTH	GAF CODE #	PACKAGE QUANTITY	PKG WT (LBS)
Drill-Tec™ #12 Fastener			
1½"	4500	1000 (Bucket)	13
2¼"	4501	1000 (Bucket)	17
3"	4502	1000 (Bucket)	22
4"	4504	1000 (Bucket)	30
5"	4506	1000 (Bucket)	36
6"	4507	1000 (Bucket)	43
7"	4508	1000 (Bucket)	49
8"	4509	1000 (Bucket)	56
Drill-Tec™ #12 Fastener Hex Head			
1½"	45LB	1000 (Bucket)	13
2¼"	45LE	1000 (Bucket)	16
3"	45LU	1000 (Bucket)	20
4"	45LV	1000 (Bucket)	22
5"	45LI	1000 (Bucket)	37
6"	45LK	1000 (Bucket)	43
7"	45LJ	1000 (Bucket)	49
8"	45LM	1000 (Bucket)	57
Drill-Tec™ Locking Impact Nail			
1.4"	45D1	500 (Bucket)	26
1.8"	45D2	500 (Bucket)	28
2.8"	45D3	500 (Bucket)	34
3.8"	45D4	500 (Bucket)	42
4.8"	45D5	250 (Bucket)	27
Drill-Tec™ CD-10 Fastener			
2"	4560	500 (Box)	13
2½"	4569	500 (Box)	15
3"	4561	500 (Box)	18
3½"	4570	500 (Box)	21
4"	4562	500 (Box)	22
4½"	4563	500 (Box)	25
5"	4564	500 (Box)	28
5½"	4571	500 (Box)	30
6"	4565	500 (Box)	33
7"	4566	500 (Box)	39
8"	4556	500 (Box)	44
9"	4557	250 (Box)	25
10"	456D	250 (Box)	28
11"	456E	250 (Box)	31
12"	456F	250 (Box)	33
Drill-Tec™ Polymer GypTec® Fastener			
2½"	546G	500 (Box)	13
3"	546H	500 (Box)	16
3½"	456J	500 (Box)	18
4"	456K	500 (Box)	20
4½"	456L	500 (Box)	22
5"	456M	500 (Box)	23

LENGTH	GAF CODE #	PACKAGE QUANTITY	PKG WT (LBS)
Drill-Tec™ Polymer GypTec® Fastener			
5½"	4582	500 (Box)	24
6"	4583	500 (Box)	26
6½"	4584	500 (Box)	28
7"	4585	500 (Box)	30
7½"	4586	500 (Box)	32
8"	4587	250 (Box)	17
8½"	4588	250 (Box)	19
9"	4589	250 (Box)	20
9½"	4590	250 (Box)	21
10"	4591	250 (Box)	22
10½"	4592	250 (Box)	23
11"	4593	250 (Box)	24
11½"	4594	250 (Box)	25
12"	4595	250 (Box)	26
Drill-Tec™ LD Fastener Lite Deck			
2½"	457N	500 (Box)	32
3"	457O	500 (Box)	36
4"	457P	500 (Box)	47
5"	457Q	250 (Box)	30
6"	457R	250 (Box)	36
7"	457S	250 (Box)	41
8"	457T	250 (Box)	46
9"	457U	125 (Box)	26
10"	457V	125 (Box)	29
12"	457W	125 (Box)	34
Drill-Tec™ Purlin Fastener			
4"	45PF	500 (Box)	35
5"	45PG	500 (Box)	42
6"	45PH	500 (Box)	50
7"	45PK	500 (Box)	61
8"	45PI	500 (Box)	64
10"	45PJ	500 (Box)	81
12"	45PL	250 (Box)	106
Drill-Tec™ #14 Fastener			
1¼"	4510	1000 (Bucket)	13
1¾"	4512	1000 (Bucket)	17
2"	4513	1000 (Bucket)	19
3"	4514	1000 (Bucket)	27
4"	4515	1000 (Bucket)	35
5"	4516	500 (Bucket)	23
6"	4517	500 (Bucket)	26
7"	4518	500 (Bucket)	30
8"	4519	500 (Bucket)	34
9"	4520	500 (Bucket)	37
10"	4521	500 (Bucket)	40
11"	4522	500 (Bucket)	44

LENGTH	GAF CODE #	PACKAGE QUANTITY	PKG WT (LBS)
Drill-Tec™ #14 Fastener			
12"	4523	250 (Bucket)	25
14"	4524	250 (Bucket)	29
16"	4525	250 (Bucket)	38
18"	8662	250 (Bucket)	41
20"	8663	250 (Bucket)	47
22"	8664	500 (Bucket)	51
24"	8665	250 (Bucket)	56
Drill-Tec™ XHD® Fastener (#15)			
2"	86PA	1000 (Bucket)	21
3"	86PB	1000 (Bucket)	30
4"	86PC	1000 (Bucket)	39
5"	86PD	500 (Bucket)	25
6"	86PE	500 (Bucket)	29
7"	86PF	500 (Bucket)	33
8"	86PG	500 (Bucket)	38
9"	86PH	500 (Bucket)	41
10"	86PI	500 (Bucket)	46
11"	86PJ	500 (Bucket)	52
12"	86PK	500 (Bucket)	55
14"	86PT	250 (Box)	33
16"	86PL	250 (Box)	38
18"	86PV	250 (Box)	42
20"	8659	250 (Box)	45
22"	8660	125 (Box)	50
24"	8666	125 (Box)	53
Drill-Tec™ SXHD (#21)			
2"	86M2	500 (Bucket)	16
3"	86M3	500 (Bucket)	22
4"	86M4	500 (Bucket)	29
5"	86M5	500 (Bucket)	36
6"	86M6	500 (Bucket)	44
7"	86M7	250 (Bucket)	26
8"	86M8	250 (Bucket)	29
9"	8656	250 (Bucket)	32
10"	8657	250 (Bucket)	35
12"	8658	250 (Bucket)	42
Drill-Tec™ Masonry Anchors (Zinc)			
¾" x 7/8"	457D	1000 (Box)	9
¼" x 1"	457F	1000 (Box)	18
¼" x 1¼"	457H	1000 (Box)	21
¼" x 1½"	457J	1000 (Box)	24
¼" x 2"	457L	1000 (Box)	29
Drill-Tec™ Base Sheet Fastener E			
1.75"	459C	500 (Box)	20
1.2"	459U	1000 (Box)	35



We
protect
what
matters
most™