

Safety Data Sheet

Printing date 09/19/2023

Version Number 1.2

Reviewed on 09/19/2023

1 Identification**Product identifier**Trade name: *Bituthene System 4000 Surface Conditioner or Perm-A-Barrier Surface Conditioner*

SDS ID Number: 60176

Relevant identified uses of the substance or mixture, and uses advised against:
Specialty construction product. Not intended for other uses.**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**GCP Applied Technologies
2325 Lakeview Pkwy
Alpharetta GA 30009 USAGCP Canada, Inc.
294 Clements Road W.
Ajax, Ontario L1S 3C6 Canada**Information department:**Environmental Health & Safety:
USA: +1-617-876-1400 (24 hours)
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts
CAN: 1-905-683-8561 (24 hours)
Email address: msds.gcp@gcpat.com
email: msds.gcp@gcpat.com**Transport Emergency:** Chemtrec: +1-800-424-9300 (24 hours)**2 Hazard(s) identification****Classification of the substance or mixture**Combustible liquid.
May cause damage to organs.**Label elements:** The product is classified and labeled according to the Globally Harmonized System (GHS)**Hazard pictograms**

Warning

Hazard statementsCombustible liquid.
May cause damage to organs.**Precautionary statements**Keep away from flames and hot surfaces. No smoking.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
IF exposed or concerned: Call a poison center/doctor.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.

(Cont. on page 2)

USGHS

Safety Data Sheet

Printing date 09/19/2023

Version Number 1.2

Reviewed on 09/19/2023

Trade name: *Bituthene System 4000 Surface Conditioner or Perm-A-Barrier Surface Conditioner*

(Cont. from page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description:

NFPA ratings (scale 0 - 4)



Health = 2
Fire = 3
Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *2
Flammability = 3
Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients**Chemical characterization: Mixture**

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:

| | | |
|---------|----------|----------|
| 67-56-1 | Methanol | 2.0-5.0% |
|---------|----------|----------|

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures**Description of first aid measures****General information:** Get medical advice/attention if you feel unwell.**After inhalation:**

If symptoms develop, supply fresh air. If required, provide artificial respiration and seek immediate medical treatment.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact:

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Information for doctor:**Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Cont. on page 3)

USGHS

Safety Data Sheet

Printing date 09/19/2023

Version Number 1.2

Reviewed on 09/19/2023

Trade name: *Bituthene System 4000 Surface Conditioner or Perm-A-Barrier Surface Conditioner*

(Cont. from page 2)

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2. Do not use water.

For safety reasons unsuitable extinguishing agents: Water

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Prevent formation of aerosols.

Information about protection against explosions and fires:

Empty containers may retain hazardous residue, both liquid and vapor.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Cont. on page 4)

USGHS

Safety Data Sheet

Printing date 09/19/2023

Version Number 1.2

Reviewed on 09/19/2023

Trade name: *Bituthene System 4000 Surface Conditioner or Perm-A-Barrier Surface Conditioner*

(Cont. from page 3)

Control parameters**Components with limit values that require monitoring at the workplace:****67-56-1 Methanol**

| | |
|-----------|--|
| PEL (USA) | Long-term value: 260 mg/m ³ , 200 ppm |
| REL (USA) | Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin |
| TLV (USA) | Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI |

Ingredients with biological limit values:**67-56-1 Methanol**

| | |
|-----------|---|
| BEI (USA) | 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) |
|-----------|---|

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands:

PVA gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:

Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Protective work clothing

Use personal protective equipment as required.

Take off contaminated clothing.

USGHS

(Cont. on page 5)

Safety Data Sheet

Printing date 09/19/2023

Version Number 1.2

Reviewed on 09/19/2023

Trade name: *Bituthene System 4000 Surface Conditioner or Perm-A-Barrier Surface Conditioner*

(Cont. from page 4)

* **9 Physical and chemical properties****Information on basic physical and chemical properties****General Information****Appearance:**

| | |
|------------------------|------------------------------------|
| Form: | Liquid |
| Color: | According to product specification |
| Odor: | Characteristic |
| Odor threshold: | Not determined. |

pH-value (~) at 20 °C (68 °F): 8**Change in condition**

| | |
|-------------------------------------|----------------------|
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | > 100 °C (> 212 °F) |
| Flash point: | > 61 °C (> 141.8 °F) |

Flammability (solid, gaseous): Not applicable.**Ignition temperature:** Undetermined.**Decomposition temperature:** Not determined.**Auto igniting:** Product is not self-igniting.**Danger of explosion:** In use, may form flammable/explosive vapor-air mixture.**Explosion limits:**

| | |
|---------------|-----------------|
| Lower: | Not determined. |
| Upper: | Not determined. |

| | |
|--------------------------------------|-------------------------------------|
| Vapor pressure: | Not determined. |
| Density: (~) at 20 °C (68 °F) | 1.1 g/cm ³ (9.2 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |

Solubility in / Miscibility with Water: Fully miscible.**Partition coefficient (n-octanol/water):** Not determined.**Viscosity:**

| | |
|-------------------------|-----------------|
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Molecular weight | Not determined. |

Other information No further relevant information available.* **10 Stability and reactivity****Reactivity** Stable under normal conditions.**Chemical stability****Thermal decomposition:** No decomposition if used according to specifications.**Possibility of hazardous reactions**No dangerous reactions known.
No further relevant information available.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** Carbon monoxide and carbon dioxide

(Cont. on page 6)

USGHS

Safety Data Sheet

Printing date 09/19/2023

Version Number 1.2

Reviewed on 09/19/2023

Trade name: *Bituthene System 4000 Surface Conditioner or Perm-A-Barrier Surface Conditioner*

(Cont. from page 5)

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Delayed and immediate effects and chronic effects from short or long term exposure

May cause damage to organs.

Information on toxicological effects

Acute toxicity:

May be fatal by ingestion, inhalation or skin absorption. Irritant. Onset of symptoms may be delayed 1-30 hours. Target organs: heart, blood, central nervous system, liver, kidneys, spleen, eyes, skin, cardiovascular system, gastrointestinal system, respiratory system, lungs. 6000 ppm (METHANOL) is immediately dangerous to life or health.

Primary irritant effect:

on the skin: No irritating effect expected

on the eye: No irritating effect expected

inhalation: No irritating effect expected

Ingestion: Harmful if swallowed.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients are listed.

NTP (National Toxicology Program)

K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

USGHS
(Cont. on page 7)

Safety Data Sheet

Printing date 09/19/2023

Version Number 1.2

Reviewed on 09/19/2023

Trade name: *Bituthene System 4000 Surface Conditioner or Perm-A-Barrier Surface Conditioner*

(Cont. from page 6)

13 Disposal considerations**Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information**UN-Number**

DOT, IMDG, IATA

Not applicable.

UN proper shipping name

DOT, IMDG, IATA

Not applicable.

Transport hazard class(es)

DOT, IMDG, IATA

Class

Not applicable.

Packing group

DOT, IMDG, IATA

Not applicable.

Environmental hazards:**Marine pollutant:**

No

Special precautions for user

Not applicable.

Transport/Additional information: Not classified as a dangerous good for transport by road, rail or air.

DOT

Remarks:

Non-bulk shipments are not regulated.

UN "Model Regulation":

Not applicable.

15 Regulatory information**Other regulations in domestic and foreign countries**

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

67-56-1 | Methanol

3.6%

SARA Section 312/Tier I & II Hazard Categories:

Physical Hazard - Flammable (gases, aerosols, liquids, or solids)

Health Hazard - Specific target organ toxicity (single or repeated exposure)

North America Chemical Inventory Status**TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

(Cont. on page 8)

USGHS

Safety Data Sheet

Printing date 09/19/2023

Version Number 1.2

Reviewed on 09/19/2023

Trade name: *Bituthene System 4000 Surface Conditioner or Perm-A-Barrier Surface Conditioner*

(Cont. from page 7)

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

25951-38-6 | 2-Propenoic acid, 2-methyl-, methyl ester, polymer with butyl 2-propenoate and 2-hydroxyethyl 2-propenoate

7732-18-5 | Water

California Proposition 65: (Substances <0.1% unless noted in Section 3)**Chemicals known to cause cancer:**

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

67-56-1 | Methanol

Carcinogenicity Categories

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients are listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards. 91 g/l**16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies

2325 Lakeview Pkwy

Alpharetta GA, 30009 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Contact:

The first date of preparation 03/29/2012

Number of revision times and the latest revision date 1.2 / 09/19/2023

USGHS