

**Safety Data Sheet** 

Printing date 05/20/2019

Version Number 1.0

Reviewed on 05/20/2019

Page 1/8

## **1 Identification**

### **Product identifier**

Trade name: Sealfoam PURe

SDS ID Number: 2454

**Relevant identified uses of the substance or mixture, and uses advised against:** Specialty construction product. Not intended for other uses.

### Details of the supplier of the safety data sheet

## Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

### Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

## 2 Hazard(s) identification

## Classification of the substance or mixture

Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.

### Label elements:

#### Hazard pictograms



Danger

Hazard statements Harmful if inhaled. Causes skin irritation.

(Cont. on page 2)

Trade name: Sealfoam PURe

Causes serious eye irritation.

**Precautionary statements** 

May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation.

(Cont. from page 1)

Page 2/8

Reviewed on 05/20/2019

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause damage to organs through prolonged or repeated exposure. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

NFPA ratings (scale 0 - 4)



### HMIS-ratings (scale 0 - 4)

HEALTH \*2 Health = \*2FIRE 1 Flammability = 1Reactivity = 0REACTIVITY 0

## Other hazards

**Results of PBT and vPvB assessment** 

**PBT:** Not applicable. vPvB: Not applicable.

## **3** Composition/information on ingredients

## **Chemical characterization: Mixture**

**Description:** Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:				
39420-98-9	Modified MDI	40-<50%		
101-68-8	Diphenylmethane-4,4'-di-isocyanate	30-<40%		
112-15-2	2-(2-ethoxyethoxy)ethyl acetate	22-<30%		

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

## **4 First-aid measures**

### **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

#### After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

(Cont. on page 3) USGHS

Reviewed on 05/20/2019

Page 3/8

(Cont. from page 2)

## Trade name: Sealfoam PURe

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

## **Information for doctor:**

Most important symptoms and effects, both acute and delayed Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5** Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### Handling:

Precautions for safe handling

Avoid contact with skin.

Prevent formation of aerosols.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

### Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

(Cont. on page 4)

USGHS

Trade name: Sealfoam PURe

(Cont. from page 3)

Page 4/8

## 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Components with limit values that require monitoring at the workplace:				
39420-98-9 Modified MDI				
PEL (USA)	Ceiling limit value: 0.2 mg/m <sup>3</sup> , 0.02 ppm			
REL (USA)	Long-term value: 0.05 mg/m <sup>3</sup> , 0.005 ppm Ceiling limit value: 0.2* mg/m <sup>3</sup> , 0.02* ppm *10-min			
TLV (USA)	Long-term value: 0.051 mg/m <sup>3</sup> , 0.005 ppm			
101-68-8 Diphenylmethane-4,4'-di-isocyanate				
PEL (USA)	Ceiling limit value: 0.2 mg/m <sup>3</sup> , 0.02 ppm			
	Long-term value: 0.05 mg/m <sup>3</sup> , 0.005 ppm Ceiling limit value: 0.2* mg/m <sup>3</sup> , 0.02* ppm *10-min			
TLV (USA)	Long-term value: 0.051 mg/m <sup>3</sup> , 0.005 ppm			

Additional information: The lists that were valid during the creation were used as basis.

## **Exposure controls**

#### **Personal protective equipment:**

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

#### **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Rubber or other impervious gloves should be worn to prevent skin contact.

#### Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

### **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

USGHS (Cont. on page 5)

Trade name: Sealfoam PURe

Page 5/8

Reviewed on 05/20/2019

(Cont. from page 4)

9 Physical and chemical proper	9 Physical and chemical properties					
Information on basic physical and chemical properties						
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification Characteristic Not determined.					
pH-value (~) at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	8 Undetermined. 100 °C (212 °F)					
Flammability (solid, gaseous):	Not applicable.					
Ignition temperature:	Undetermined.					
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. Product does not present an explosion hazard.					
Explosion limits: Lower: Upper: VOC Content (max):	Not determined. Not determined. Not determined.					
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	Not determined. 1.0 g/cm <sup>3</sup> (8.3 lbs/gal) Not determined. Not determined. Not determined.					
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.					
Partition coefficient (n-octanol/wate	er): Not determined.					
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not applicable.					
Other information	No further relevant information available.					

## **10 Stability and reactivity**

**Reactivity** Stable under normal conditions.

**Chemical stability** 

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known. No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Reviewed on 05/20/2019

Trade name: Sealfoam PURe

(Cont. from page 5)

Page 6/8

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

### **11** Toxicological information

**Delayed and immediate effects and chronic effects from short or long term exposure** May cause damage to organs through prolonged or repeated exposure.

Information on toxicological effects

#### Acute toxicity:

## LD/LC50 values relevant for classification:

101-68-8 Diphenylmethane-4,4'-di-isocyanate				
Oral	LD50 LD50	>10,000 mg/kg (rat)		
Dermal	LD50	>10,000 mg/kg (rat) >9,400 mg/kg (rabbit)		
Inhalation	LC50, 4h	0.49 mg/l (rat)		
	LC50	0.00224 mg/m <sup>3</sup> (rat)		

#### **Primary irritant effect:**

on the skin: Causes skin irritation.

on the eye: Causes serious eye irritation.

#### inhalation:

Harmful if inhaled. May cause respiratory irritation.

Ingestion: May cause damage to organs through prolonged or repeated exposure.

#### Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Additional toxicological information: Suspected of causing cancer.

#### **Carcinogenic categories**

IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

101-68-8 Diphenylmethane-4,4'-di-isocyanate

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## **12 Ecological information**

### Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

#### **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

### Additional ecological information:

General notes: Not known to be hazardous to water.

(Cont. on page 7)

3

Trade name: Sealfoam PURe

## **Results of PBT and vPvB assessment**

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

## **13 Disposal considerations**

### **Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

#### **Recommendation:**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

## **Uncleaned packagings:**

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information				
UN-Number DOT, IMDG, IATA	Not applicable.			
UN proper shipping name DOT, IMDG, IATA	Not applicable.			
Transport hazard class(es)				
DOT, IMDG, IATA Class	Not applicable.			
Packing group DOT, IMDG, IATA	Not applicable.			
Environmental hazards: Marine pollutant:	No			
Special precautions for user Not applicable.				
Transport/Additional information:				
DOT Remarks:	Not Regulated.			
UN "Model Regulation":	Not applicable.			

## **15 Regulatory information**

### SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

101-68-8 Diphenylmethane-4,4'-di-isocyanate

112-15-2 2-(2-ethoxyethoxy)ethyl acetate

Reviewed on 05/20/2019

(Cont. from page 6)

33.3%

23.3%

# Safety Data Sheet

Version Number 1.0

Trade name: Sealfoam PURe

SARA Section 312/Tier I & II Hazard Categories:	(Cont. from page 7)
Health Hazard - Carcinogenicity	
Health Hazard - Acute toxicity (any route of exposure)	
Health Hazard - Skin Corrosion or Irritation Health Hazard - Respiratory or Skin Sensitization	
Health Hazard - Serious eye damage or eye irritation	
Health Hazard - Specific target organ toxicity (single or repeated exposure)	
North America Chemical Inventory Status	
TSCA (Toxic Substances Control Act - United States):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
CEPA (Canadian DSL):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
Right to Know Ingredient Disclosure:	
Proprietary Siloxane Polyalkyleneoxide - NJTSRN 801416083	
Proprietary Polyalkylene Oxide NJTSRN 801416084	
California Proposition 65: (Substances <0.1% unless noted in Section 3)	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenicity Categories	
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)	
Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	
None of the ingredients are listed.	
NIOSH-Cancer (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
Volatile Organic Compounds (VOC) reported per the Emission Standards.	
If no g/L value is provided this product is not subject to above standard.	

### **16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

## **Department issuing SDS:**

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

The first date of preparation 04/30/2015

Number of revision times and the latest revision date 1.0 / 05/20/2019

Reviewed on 05/20/2019