

Page 1/9

Printing date 02/17/2016

Version Number 1.0

Reviewed on 02/08/2016

1 Identification

Product identifier

Trade name: <u>DARACEM 55</u>

SDS ID Number: 60036

Relevant identified uses of the substance or mixture, and uses advised against Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours)

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Harmful if swallowed. Causes serious eye damage.

Label elements:

Hazard pictograms



Danger

Hazard statements Harmful if swallowed. Causes serious eye damage. Precautionary statements Wash thoroughly after handling. Wear eye protection / face protection. Do not eat, drink or smoke when using this product.

(Cont. on page 2)

Trade name: DARACEM 55

(Cont. fro If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Con rinsing.	om page 1) tinue
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON CENTER/doctor.	
NFPA ratings (scale 0 - 4)	
Health = 1 Fire = 1 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} \text{HEALTH} & 2 \\ \text{Health} = 2 \\ \text{FIRE} & 4 \\ \text{FIRE} & 4 \\ \text{Health} = 1 \\ \text{Health} = 2 \\ \text{Health}$	
FIRE1Flammability = 1REACTIVITY \bigcirc Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with additional nonhazardous ingredients.

Hazardous components:

10124-37-5 Calcium nitrate

102-71-6 Triethanolamine

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

Description of first aid measures

General information:

Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact:

Rinse opened eye for several minutes under running water.

Rinse cautiously with water for several minutes.

After swallowing:

Wash out mouth with water

Rinse mouth.

Reviewed on 02/08/2016

10-20%

1.0-2.0%

Trade name: DARACEM 55

Do not induce vomiting; immediately call for medical help.

Never give anything by mouth to an unconscious person.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

This material, if dried to a solid powder-like form, will become an oxidizer, which may provide oxygen to combustible materials.

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Risk of serious damage to eyes.

Open and handle receptacle with care.

Prevent formation of aerosols.

(Cont. on page 4)

Reviewed on 02/08/2016

Version Number 1.0

Reviewed on 02/08/2016

Trade name: DARACEM 55

(Cont. from page 3)

Avoid contact with eyes, skin and clothing. Do not take internally. Practice good personal hygiene to avoid ingestion. Use only with adequate ventilation. Wash clothing before reuse. FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Information about protection against explosions and fires: Protect from heat.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Protect from heat.

Further information about storage conditions:

Protect from heat and direct sunlight.

Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

102-71-6 Triethanolamine

TLV (USA) Long-term value: 5 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Respiratory protection is not normally required. However, a chemical cartridge respirator with organic vapor cartridge and a prefilter for dusts/mists is required at or above the applicable exposure limits (consult exposure guidelines). If no limits exist, use an approved respirator whenever a vapor or mist is generated or if respiratory irritation occurs. Supplied air respirator (SCBA) is required at exposure levels above the capabilities of a chemical cartridge respirator.

Protection of hands:

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product. Rubber or other impervious gloves should be worn to prevent skin contact.

Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

(Cont. on page 5)

Version Number 1.0

Reviewed on 02/08/2016

Trade name: DARACEM 55

(Cont. from page 4) Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Protective work clothing

Use personal protective equipment as required.

Take off contaminated clothing.

Information on basic physical	and chemical properties				
General Information					
Appearance:					
Form:	Liquid				
Color:	According to product specification				
Odor:	Characteristic				
Odor threshold:	Not determined.				
pH-value (~) at 20 °C (68 °F):	8				
Change in condition					
Melting point/Melting range:	Undetermined.				
Boiling point/Boiling range:	Undetermined.				
Flash point:	Not applicable.				
Flammability (solid, gaseous):	Not applicable.				
Decomposition temperature:	Not determined.				
Auto igniting:	Product is not selfigniting.				
Danger of explosion:	Product does not present an explosion hazard.				
Explosion limits:					
Lower:	Not determined.				
Upper:	Not determined.				
VOC Content (max):	Not determined.				
Vapor pressure:	Not determined.				
Density: (~)	Not determined.				
Relative density	Not determined.				
Vapor density	Not determined.				
Evaporation rate	Not determined.				
Solubility in / Miscibility with					
Water:	Not miscible or difficult to mix.				
Partition coefficient (n-octanol/wat	er): Not determined.				
Viscosity:					
Dynamic:	Not determined.				
Kinematic:	Not determined.				
Molecular weight	Not applicable.				

(Cont. from page 5)

Safety Data Sheet

Printing date 02/17/2016

Version Number 1.0

Reviewed on 02/08/2016

Trade name: DARACEM 55

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

While not classified as oxidising, if allowed to dry out and come into contact with combustible material, this product may cause fire.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

10124-37-5 Calcium nitrate

Oral LD50 302 mg/kg (rat)

102-71-6 Triethanolamine				
Oral	LD50	5300 mg/kg (guinea pig)		
		6400 mg/kg (rat - male)		
Dermal	LD50	5300 mg/kg (guinea pig) 6400 mg/kg (rat - male) >10000 mg/kg (rabbit)		
	LC50, 96h	11800 mg/l (fish)		

Primary irritant effect:

on the skin: No irritating effect expected

on the eye: Causes serious eye damage.

inhalation: No irritating effect expected

Ingestion: Harmful if swallowed.

Additional toxicological information:

102-71-6 Triethanolamine

NOEC/NOEL 16 mg/l (crustaceans) (Chronic NOEC)

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

102-71-6 Triethanolamine

(Cont. on page 7)

(Cont. from page 6)

Reviewed on 02/08/2016

Printing date 02/17/2016

Trade name: DARACEM 55

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity:

102-71-6 Triethanolamine

EC50, 48h 609.88 mg/l (daphnia magna)

EC50, 72h 512 mg/l (algae)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Comply with Federal, State and local regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, ADR, ADN, IMDG, IATA

Not applicable.

UN proper shipping name DOT, ADR, ADN, IMDG, IATA

Not applicable.

(Cont. on page 8)

USGHS

Version Number 1.0

Trade name: DARACEM 55

	(Cont. from page 7)
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable.
Packing group DOT, ADR, IMDG, IATA	Not applicable.
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport/Additional informati	on: Not classified as a dangerous good for transport by road, rail or air.
DOT	
Remarks:	Not Regulated.
UN "Model Regulation":	Not applicable.

15 Regulatory information

*

Section 302/304 (extremely hazardo	s substances):	
None of the ingredients is listed.		
	Chemicals present below reporting thr	reshold are exempt):
10124-37-5 Calcium nitrate		19.49
SARA Section 312/Tier I & II Haza	d Categories:	
Health Delayed (chronic)	Yes	
Health Immediate (acute)	Yes	
Flammable	No	
Reactive	No	
Pressure	No	
North America Chemical Inventory	Status	
TSCA (Toxic Substances Control Ac	t - United States):	
All ingredients are listed or exempt from	m listing unless otherwise noted below.	
CEPA (Canadian DSL):		
All ingredients are listed or exempt free	m listing unless otherwise noted below.	
Right to Know Ingredient Disclosur	:	
8061-52-7 Calcium lignin sulfonate		
7732-18-5 Water		
California Proposition 65		
Chemicals known to cause cancer:		
Diethanolamine		
1,4-dioxane		
Chemicals known to cause reproduc	ive toxicity for females:	
None of the ingredients is listed.		
Chemicals known to cause reproduc	ive toxicity for males:	
None of the ingredients is listed.		
Chemicals known to cause developm	ental toxicity:	
None of the ingredients is listed.		

Printing date 02/17/2016

Version Number 1.0

Trade name: DARACEM 55

(Cont. from page 8)

A3

USGHS

Reviewed on 02/08/2016

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Triethanolamine

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414 Data of preparation (Ject ravision 02/17/2016 /

Date of preparation / last revision 02/17/2016 / -

The first date of preparation 09/16/2011

Number of revision times and the latest revision date 1.0 / 02/08/2016