

GRACE

Roofing Underlayments and Flexible Flashing Products

LONG LASTING PROTECTION



Grace underlayments extend the life of a roof by protecting against roof leaks caused by ice dams and wind-driven rain. Our underlayment products provide superior in-place performance under all types of roof coverings including...

- Shingles
- Slate or Tile
- Metal Roofing Systems
- Copper, Zinc or Cor-Ten[®]

Grace
Ice & Water Shield® with
RIPCORD® — Premium Roof
Leak Protection


Grace Ice & Water Shield® with Ripcord®, is a self-adhered roofing underlayment offering superior leak protection for sloped roofs subject to the effects of ice dams or wind-driven rain. The unique patented Ripcord, a thin cord between the rubberized asphalt adhesive and the release paper, provides the applicator with "split release" on demand.



This product meets the performance requirements of BOCA ES, Miami-Dade County, ICBO ES, SBCCI PST and ESI, City of Los Angeles, Palm Beach County, CCMC and HUD, and is fire rated by Underwriters Laboratories Inc.


Grace Ice & Water Shield's unique rubberized asphalt chemistry provides superior bonding, sealing and durability. The membrane seals around nails, which felt can't do.

Grace Ultra —
For Use Under Metal Roofs
and in High Temperature
Applications



Grace Ultra is designed to protect sloped roofs from the effects of wind-driven rain and ice dams in applications where the membrane must withstand high in-service temperatures for extended periods of time. This membrane offers excellent performance at elevated temperatures, in hot desert southwest climates, or any application where superior heat resistance is a requirement. It is ICBO approved.

Protect Residential Buildings from Damage Caused by Water Infiltration



Grace Select — Economical, Easy-To-Apply Roof Protection

Grace Vycor Deck Protector®

Grace Select is a self-adhered, easy to apply, economical underlayment designed for use in wind-driven rain applications and ice dams where code based standards of protection are sufficient.

Grace Basik[®] — A Quality Granular Surfaced Underlayment

Grace Basik® is a granular surfaced, self-adhered, roofing underlayment which provides economical, easy to apply protection from damage caused by wind-driven rain and ice dams. It provides code based standards of protection from ice dams in moderate climates under traditional roof coverings.

Grace Tri-Flex® Xtreme™ Synthetic Underlayment — Advanced Skid-Resistant Technology

Grace Tri-Flex® Xtreme™ is an innovative synthetic roofing underlayment featuring an advanced skid-resistant technology. It provides a superior walking surface in both dry and wet conditions on steep-slope applications. The product is extremely strong, durable, lays flat and is easy to install. It provides outstanding water-shedding protection to the roof and is appropriate for application in all areas where a self-adhered membrane is not required. It is mechanically attached to the roof deck.

Grace TRI-FLEX 30[®] — High Performance Water Shedding Synthetic Roofing Underlayment

Grace Tri-Flex 30® is a high performance water-shedding underlayment, designed to overcome the shortcomings of traditional roofing felt. It is stronger than felt and withstands high wind conditions; it is lighter than #30 felt and covers more area. The product is mechanically attached to the roof and it

is suitable for application as part of all major roof systems. Approved by ICC, Miami-Dade, Florida Building Code, UL and other local code authorities.

Grace Roof Detail Membrane — A Premium Protection for Roof Detail Areas

Grace Roof Detail Membrane is a premier product, based on the Grace Ice & Water Shield technology. It is designed specifically for waterproofing critical roof detail areas. It is flexible and conforms tightly to transition areas, reducing the risk of water infiltration. It features Ripcord for easy detailing.

Grace Vycor® Self-Adhered Flashings — For Windows, Doors, and Other Non-roof Detail Areas

Grace Vycor® Self-Adhered Flashings provide superior protection against water, air and moisture infiltration in critical detail areas such as window and door openings, corner boards, under stucco finishes, masonry walls and other flashing areas. They should NOT be used on roofs.

Grace Vycor Plus is 25 mil. thick. It fully adheres to the substrate to prevent water from passing through and into the structure.

Grace Vycor V40 is 40 mil thick product, designed to meet the toughest flashing requirements.

Grace Vycor Butyl is a self-adhered flashing, composed of butyl adhesive. It provides superior water protection for areas and applications, where superior heat resistance is required. Grace Vycor Butyl is compatible with a wide range of building materials and features splittable release liner.

Grace Vycor Deck Protector® — Corrosion and Rot Protection for Decks

Grace Vycor Deck Protector® is a uniquely formulated barrier membrane offering excellent protection against two of the biggest deck problems:

- Corrosion of galvanized metal connectors in contact with new wood preservatives (ACQ, CA, ACZA)
- Joist rot and wood decay

Grace Vycor Deck Protector is easy to install, seals around fasteners and prevents penetration of water and moisture into deck structures. A slip resistant coating facilitates foot traffic during installation.

Trace offers a complete line of building products to help protect your most important structures. Remember to cross reference our other catalogs.



Waterproofing Products Section Number 07 10 00



Fireproofing Products Section Number 07 81 00



Masonry Products Section Number 04 22 00



Firestop Products & Systems Section Number 07 84 00

WORLDWIDE HEADQUARTERS NORTH AMERICA

W. R. Grace & Co.-Conn. 62 Whittemore Avenue Cambridge, MA 02140-1692 USA

Tel. 617-876-1400 Fax 617-498-4311

Service Centers

Grace maintains sales offices in every major metropolitan area. To contact your local Grace waterproofing representative, or to obtain additional product information call:

ASIA PACIFIC

Hong Kong

Grace (Hong Kong) Ltd. Fanling Tel. 852-2-675-7898 Fax 852-2-675-9193

Singapore

W. R. Grace (Singapore) Pte. Ltd. Singapore 609024 Tel. 65-6265-3033 Fax 65-6261-2325

EUROPE

United Kingdom

Grace Construction Products Slough Berks SL1 4BH Tel. 44-(0)-1753-692-929 Fax 44-(0)-1753-637-616

NORTH AMERICA CUSTOMER SERVICE CENTER

866-333-3SBM (3726)

Call Sweet's BuyLine number for the name and telephone number of your nearest Grace sales representative (800) 892-1165.



Visit our web sites at www.graceconstruction.com and www.graceathome.com

W. R. Grace & Co.-Conn

62 Whittemore Avenue

Cambridge, MA 02140

Grace Ice & Water Shield, Vycor, Vycor Deck Protector, Ripcord, Tri-Flex and Basik are registered trademarks and Advanced Bond Technology is a trademark of W. R. Grace & Co.-Conn. Cor-Ten is a registered trademark of USX Corporation.

We hope the information here will be helpful. It is based on data and knowledge considered to be true and accurate and is offered for the user's consideration, investigation and verification, but we do not warrant the results to be obtained. Please read all statements, recommendations and suggestions in conjunction with our Conditions of Sale which apply to all goods supplied by us. No statement, recommendation or suggestion is intended for any use which would infringe any patent or copyright. W. R. Grace & Co.-Conn., 62 Whittemore Avenue, Cambridge, MA 02140. In Canada, Grace Canada, Inc., 294 Clements Road West, Ajax, Ontario, Canada LIS 3C6.

© 2007 W. R. Grace & Co.-Conn. These products may be covered by patents pending. UL-500F Printed in U.S.A. 8/07 CD/MHC/10M