

PERM-A-BARRIER® Liquid Technical Letters

TL NUMBER	TITLE
TL-0002	Substrate Preparation for Application of PERM-A-BARRIER® Products to Glass-Mat Faced Gypsum Sheathing
TL-0003	The Evolution of GCP Applied Technologies' Vulcanized Latex Technology
TL-0004	Blistering and Pinholing of Fluid Applied Membranes
TL-0005	Adhesion Compatibility of PERM-A-BARRIER® Liquid with Sealants and Caulks
TL-0006	Substrate Preparation for PERM-A-BARRIER® Liquid Applications
TL-0007	Exotherm of PERM-A-BARRIER® Liquid Membranes
TL-0008	Disposal of PERM-A-BARRIER® Liquid Waste and Used Containers
TL-0009	Spraying PERM-A-BARRIER® Liquid at Low Temperatures
TL-0010	Spraying PERM-A-BARRIER® Liquid at High Temperatures
TL-0011	Adhesion of Rubberized Asphalt Membranes to PERM-A-BARRIER® Liquid in Air and Vapor Barrier Applications
TL-0012	Impact of Substrate Roughness and Coating Thickness on Fluid Applied Air Barrier Performance
TL-0017	Proof of Air Barrier Assembly Testing Performance ASTM E 2357 Testing



gcpat.com | North America Customer Service: 1 877-4AD-MIX1 (1 877-423-6491)

This document is only current as of the last updated date stated below and is valid only for use in the United States. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on www.gcpat.com. Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.

Last Updated: 2018-04-27

gcpat.com/solutions/products/perm-a-barrier-air-barrier-system/perm-a-barrier-liquid-technical-letters