

Printing date 05/30/2018

Version Number 1.0

Reviewed on 12/05/2017

Page 1/9

### **1 Identification**

## **Product identifier**

Trade name: Perm-A\_Barrier NPL 10LT

SDS ID Number: 2558

**Relevant identified uses of the substance or mixture, and uses advised against:** Specialty construction product. Not intended for other uses.

### Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

#### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

## 2 Hazard(s) identification

## Classification of the substance or mixture

Flammable liquid and vapor.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

### Hazard pictograms



Warning

Hazard statements Flammable liquid and vapor. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool.

Trade name: Perm-A Barrier NPL 10LT

Hazard description: Flammable NFPA ratings (scale 0 - 4)



FIRE

Health = 1Fire = 2Reactivity = 0

## HMIS-ratings (scale 0 - 4)

HEALTH 1 Health = 12 Flammability = 2Reactivity = 0REACTIVITY 0

# **Other hazards**

**Results of PBT and vPvB assessment** 

**PBT:** Not applicable. vPvB: Not applicable.

# **3** Composition/information on ingredients

## **Chemical characterization: Mixture**

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:

64-17-5 Ethanol

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

## **4 First-aid measures**

### **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

#### After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

#### After swallowing:

Rinse mouth.

Do NOT induce vomiting.

## **Information for doctor:**

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

USGHS (Cont. on page 3)

(Cont. from page 1)

Page 2/9

3.0-5.0%

Reviewed on 12/05/2017

# Trade name: Perm-A\_Barrier NPL 10LT

(Cont. from page 2)

Page 3/9

# **5** Fire-fighting measures

## **Extinguishing media**

### Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

## Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### Handling:

**Precautions for safe handling** Prevent static electric sparks. **Information about protection against explosions and fires:** 



Keep ignition sources away - Do not smoke.

Empty containers may retain hazardous residue, both liquid and vapor.

## Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Cont. on page 4) USGHS

Version Number 1.0

# Trade name: Perm-A\_Barrier NPL 10LT

**Control parameters** 

Control parameters			
Components with limit values that require monitoring at the workplace:			
64-17-5 Ethanol			
PEL (USA) Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm			
REL (USA) Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm			
TLV (USA) Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm			
67-56-1 Methanol			
PEL (USA) Long-term value: 260 mg/m <sup>3</sup> , 200 ppm			
REL (USA) Short-term value: 325 mg/m <sup>3</sup> , 250 ppm Long-term value: 260 mg/m <sup>3</sup> , 200 ppm Skin			
TLV (USA) Short-term value: 328 mg/m <sup>3</sup> , 250 ppm Long-term value: 262 mg/m <sup>3</sup> , 200 ppm Skin; BEI			
Ingredients with biological limit values:			
67-56-1 Methanol			
BEI (USA) 15 mg/L			
Medium: urine			
Time: end of shift			
Parameter: Methanol (background, nonspecific)			

Additional information: The lists that were valid during the creation were used as basis.

## **Exposure controls**

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

### **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

## Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

## **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

Reviewed on 12/05/2017

Page 5/9

(Cont. from page 4)

# Trade name: *Perm-A\_Barrier NPL 10LT*

9 Physical and chemical properties			
Information on basic physical	Information on basic physical and chemical properties		
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification Characteristic Not determined.		
pH-value (~) at 20 °C (68 °F):	8		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. 100 °C (212 °F) 48 °C (118.4 °F)		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:	Undetermined.		
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapor-air mixture.		
Explosion limits: Lower: Upper: VOC Content (max):	Not determined. Not determined. Not determined.		
Vapor pressure: Density: (~) Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not determined. Not determined.		
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.		
Partition coefficient (n-octanol/water	Partition coefficient (n-octanol/water): Not determined.		
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not applicable.		
Other information	No further relevant information available.		

## **10 Stability and reactivity**

**Reactivity** Stable under normal conditions.

**Chemical stability** 

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

**Incompatible materials:** No further relevant information available.

# Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Other potentially hazardous products may also be formed.

(Cont. on page 6) USGHS

Reviewed on 12/05/2017

# Trade name: Perm-A\_Barrier NPL 10LT

(Cont. from page 5)

Page 6/9

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

## **11** Toxicological information

## **Information on toxicological effects**

Acute toxicity:

LD/LC50 values relevant for classification:

 64-17-5 Ethanol

 Dermal
 LD50
 7060 mg/kg (rat)

Inhalation LC50, 4h 20000 mg/l (rat)

### **Primary irritant effect:**

on the skin: No irritating effect expected

on the eye: No irritating effect expected

inhalation: No irritating effect expected

Additional toxicological information: NOTE: IARC listing of ethanol is specific for ethanol in alcoholic beverages.

### **Carcinogenic categories**

Group 1- P	ernational Agency for Research on Cancer) Human Carcinogenicity: Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable		
64-17-5	Ethanol	1	
13463-67-7	Titanium dioxide	2B	
NTP (National Toxicology Program) K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic			
None of the ingredients is listed.			
OSHA-Ca (Occupational Safety & Health Administration)			
None of the	ingredients is listed.		

# **12 Ecological information**

## Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

## **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

## Additional ecological information:

General notes: Not known to be hazardous to water.

## **Results of PBT and vPvB assessment**

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

USGHS (Cont. on page 7)

Reviewed on 12/05/2017

# Trade name: Perm-A\_Barrier NPL 10LT

#### (Cont. from page 6)

# **13 Disposal considerations**

### **Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

## **Recommendation:**



\*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

## **Uncleaned packagings:**

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

Transport information			
UN-Number Remarks: DOT IMDG, IATA	See DOT remarks. Not applicable. UN1993		
UN proper shipping name DOT IMDG IATA	Not applicable. FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)) Flammable liquid, n.o.s. (Ethanol)		
Transport hazard class(es) DOT			
RAMMARE LOOD			
Class Label	3 Flammable liquids Flammable liquids		
IMDG, IATA			
Class Label	3 Flammable liquids 3		
Packing group DOT, IMDG, IATA	III		
<b>Environmental hazards:</b>	Not applicable.		
Special precautions for user Danger code (Kemler): EMS Number: Stowage Category	<b>r</b> Warning: Flammable liquids 30 F-E, <u>S-E</u> A		
Transport/Additional information:			
DOT	Combustible Liquid, Not Regulated under DOT when shipped in non bulk packaging by ground and rail.		

Version Number 1.0

Reviewed on 12/05/2017

Page 8/9

# Trade name: Perm-A\_Barrier NPL 10LT

	(Cont. Holi page 7)
IMDG	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, III

## **15 Regulatory information**

### SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories: Physical Hazard - Flammable (gases, aerosols, liquids, or solids)

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

**CEPA (Canadian DSL):** 

All ingredients are listed or exempt from listing unless otherwise noted below.

**Right to Know Ingredient Disclosure:** 

Proprietary Polymer - NJTS-50090

21645-51-2 Aluminium Trihydrate

13463-67-7 Titanium dioxide

7732-18-5 Water

#### California Proposition 65: (Substances <0.1% unless noted in Section 3)

Chemicals known to cause cancer:

4-Methyl-2-pentanone

Carbon black

Quartz (SiO2)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

67-56-1 Methanol

108-10-1 4-Methyl-2-pentanone

### **Carcinogenicity Categories**

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Ethanol

Titanium dioxide

NIOSH-Cancer (National Institute for Occupational Safety and Health)

13463-67-7 Titanium dioxide

Volatile Organic Compounds (VOC) reported per the Emission Standards. 73.2 g/L

## **16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, (Cont. on page 9)

A3

A4

Version Number 1.0

### Printing date 05/30/2018

Trade name: Perm-A\_Barrier NPL 10LT

right-to-know and environmental protection.

### **Department issuing SDS:**

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Date of preparation / last revision 05/30/2018 / -

**The first date of preparation** 09/21/2015

Number of revision times and the latest revision date 1.0 / 12/05/2017

Reviewed on 12/05/2017

(Cont. from page 8)

USGHS