

Safety Data Sheet

Printing date 05/21/2018

Version Number 1.4

Reviewed on 05/21/2018

Page 1/9

1 Identification

Product identifier

Trade name: Perm-A-Barrier VPL LT Part B

SDS ID Number: 2254

Relevant identified uses of the substance or mixture, and uses advised against: Specialty construction product. Not intended for other uses.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Flammable liquid and vapor. May cause cancer.

May cause damage to organs.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Danger

Hazard statements Flammable liquid and vapor. May cause cancer. May cause damage to organs. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection.

Trade name: Perm-A-Barrier VPL LT Part B

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed or concerned: Get medical advice/attention. Store in a well-ventilated place. Keep cool.

Hazard description: Flammable NFPA ratings (scale 0 - 4)



HMIS-ratings (scale 0 - 4)

HEALTH *1 Health = *13 Flammability = 3**REACTIVITY** 0 Reactivity = 0

Other hazards

FIRE

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:		
64-17-5	Ethanol	50-100%
67-56-1	Methanol	3.0-5.0%
108-10-1	4-Methyl-2-pentanone	1.0-3.0%
64742-89-8	Solvent naphtha (petroleum), light aliphatic	0.1-1.0%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

If symptoms develop, supply fresh air. If required, provide artificial respiration and seek immediate medical treatment.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact:

Rinse cautiously with water for several minutes.

Seek immediate medical advice.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

(Cont. from page 1)

Page 2/9

Printing date 05/21/2018

Trade name: Perm-A-Barrier VPL LT Part B

(Cont. from page 2)

Reviewed on 05/21/2018

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam. **For safety reasons unsuitable extinguishing agents:** Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Open and handle receptacle with care.

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums. **Information about protection against explosions and fires:**



Keep ignition sources away - Do not smoke.

Use only in explosion protected area.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Empty containers may retain hazardous residue, both liquid and vapor.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

(Cont. on page 4) USGHS

Reviewed on 05/21/2018

Trade name: Perm-A-Barrier VPL LT Part B

(Cont. from page 3)

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Use only in explosion protected area.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

-	arameters
	ts with limit values that require monitoring at the workplace:
64-17-5 Eth	
. ,	Long-term value: 1900 mg/m ³ , 1000 ppm
, ,	Long-term value: 1900 mg/m ³ , 1000 ppm
, ,	Short-term value: 1880 mg/m ³ , 1000 ppm
67-56-1 Me	thanol
PEL (USA)	Long-term value: 260 mg/m ³ , 200 ppm
REL (USA)	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin
	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI
108-10-1 4-3	Methyl-2-pentanone
PEL (USA)	Long-term value: 410 mg/m ³ , 100 ppm
REL (USA)	Short-term value: 300 mg/m ³ , 75 ppm Long-term value: 205 mg/m ³ , 50 ppm
TLV (USA)	Short-term value: 307 mg/m ³ , 75 ppm Long-term value: 82 mg/m ³ , 20 ppm BEI
Ingredients	with biological limit values:
67-56-1 Me	thanol
	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
108-10-1 4-	Methyl-2-pentanone
	1 mg/L Medium: urine Time: end of shift Parameter: MIBK

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Store protective clothing separately.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

Safety Data Sheet

Version Number 1.4

Printing date 05/21/2018

Reviewed on 05/21/2018

Trade name: *Perm-A-Barrier VPL LT Part B*

(Cont. from page 4)

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

7 I hysical and chemical proper		
Information on basic physical	and chemical properties	
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification Characteristic Not determined.	
pH-value (~):	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. 78 °C (172.4 °F) 32 °C (89.6 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	425 °C (797 °F)	
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapor-air mixture.	
Explosion limits: Lower: Upper: VOC Content (max):	3.5 Vol % 15.0 Vol % Not determined.	
Vapor pressure at 20 °C (68 °F): Density: (~) Relative density Vapor density Evaporation rate	59 hPa (44.3 mm Hg) Not determined. Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not applicable.	
		(Cont. on page 6)

USGHS =

Reviewed on 05/21/2018

Trade name: Perm-A-Barrier VPL LT Part B

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: Strong oxidizers.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Delayed and immediate effects and chronic effects from short or long term exposure May cause damage to organs.

Information on toxicological effects

Acute tox	icity:		
LD/LC50	values rele	evant for classification:	
64-17-5 E	thanol		
Dermal	LD50	7060 mg/kg (rat)	
Inhalation	LC50, 4h	20000 mg/l (rat)	
108-10-1	4-Methyl-2	2-pentanone	
Dermal	LD50	2100 mg/kg (rat)	
	LD50	16000 mg/kg (rabbit)	
Inhalation	LC50, 4h	8.3-16.6 mg/l (rat)	
Primary i	rritant eff	ect:	
on the ski	n: Harmful	in contact with skin.	
on the eye	e: May be in	rritating to the eyes.	
inhalatior	1: No irritat	ting effect expected	
Ingestion	: May be fa	tal if swallowed and enters airways.	
Additiona	l toxicolog	gical information: NOTE: IARC listing of ethanol is specific for ethanol in alcoholic beverages.	
Carcinog	enic catego	ories	
		l Agency for Research on Cancer) Human Carcinogenicity: Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable	
64-17-5	Ethanol		1
108-10-1	4-Methyl-2	2-pentanone	2B
K-Knowi	n to be car	cology Program) cinogenic, R–May reasonably be anticipated to be carcinogenic	
None of th	e ingredier	nts is listed.	
OSHA-Ca	a (Occupat	tional Safety & Health Administration)	
None of th	e ingredier	nts is listed.	
			USGHS

(Cont. on page 7)

Page 6/9

(Cont. from page 5)

Reviewed on 05/21/2018

Trade name: Perm-A-Barrier VPL LT Part B

(Cont. from page 6)

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information		
UN-Number DOT, IMDG, IATA	UN1992	
UN proper shipping name		
DOT	Flammable liquids, toxic, n.o.s. (Ethanol, Methanol)	
IMDG	FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHANOL (ETHYL ALCOHOL), METHANOL)	
IATA	FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHANOL, METHANOL)	
Transport hazard class(es)		
DOT		
RAMABLE LODO		
Class	3 Flammable liquids	
	(Cont. on pa	
	US	GHS =

Reviewed on 05/21/2018

Safety Data Sheet

Version Number 1.4

Printing date 05/21/2018

Trade name: *Perm-A-Barrier VPL LT Part B*

	(Cont. from page 7)
Label	3, 6.1
Class Label	3 Flammable liquids 3/6.1
Class Label	3 Flammable liquids 3 (6.1)
Packing group DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number: Stowage Category	Warning: Flammable liquids 36 F-E,S-D A
Transport/Additional information	on: Not classified as a dangerous good for transport by road, rail or air.
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1992 FLAMMABLE LIQUIDS, TOXIC, N.O.S. (ETHANOL, METHANOL), 3 (6.1), III

15 Regulatory information

Section 302/304 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):	
67-56-1 Methanol	3.39
108-10-1 4-Methyl-2-pentanone	1.6
SARA Section 312/Tier I & II Hazard Categories: Physical Hazard - Flammable (gases, aerosols, liquids, or solids) Health Hazard - Carcinogenicity Health Hazard - Specific target organ toxicity (single or repeated exposure)	
North America Chemical Inventory Status	
TSCA (Toxic Substances Control Act - United States):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
CEPA (Canadian DSL):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
	(Cont. on page

Safety Data Sheet

Version Number 1.4

Reviewed on 05/21/2018

Trade name: Perm-A-Barrier VPL LT Part B

	(Cont. from page
Right to Know Ingredient Disclosure:	
PROP00037	
7732-18-5 Water	
California Proposition 65: (Substances <0.1% unless noted in Section 3)	
Chemicals known to cause cancer:	
4-Methyl-2-pentanone	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
108-10-1 4-Methyl-2-pentanone	
Carcinogenicity Categories	
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	
Ethanol	A
NIOSH-Cancer (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Volatile Organic Compounds (VOC) reported per the Emission Standards. 71 g/L	

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Date of preparation / last revision 05/21/2018 / 1.3

The first date of preparation 08/15/2014

Number of revision times and the latest revision date 1.4 / 05/21/2018

USGHS