

Printing date 03/03/2016 Version Number 1.0 Reviewed on 03/03/2016

## 1 Identification

### **Product identifier**

Trade name: QUANTEC PL-450

SDS ID Number: 60159

Relevant identified uses of the substance or mixture, and uses advised against

Specialty construction product. Not intended for other uses

## Details of the supplier of the safety data sheet

**Manufacturer/Supplier:** GCP Applied Technologies

62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

## **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

**Transport Emergency:** Chemtrec +1-800-424-9300 (24 hours)

## 2 Hazard(s) identification

## Classification of the substance or mixture

Causes skin irritation.

Causes serious eye damage.

May cause damage to the kidneys, the liver and the blood through prolonged or repeated exposure. Route of exposure:

Oral.

## **Label elements:**

### Hazard pictograms





GHS05 GHS08

Danger

#### **Hazard statements**

Causes skin irritation.

Causes serious eye damage.

(Cont. on page 2)

Page 1/9

- USGHS

## Trade name: QUANTEC PL-450

(Cont. from page 1)

May cause damage to the kidneys, the liver and the blood through prolonged or repeated exposure. Route of exposure: Oral

### **Precautionary statements**

Wash thoroughly after handling.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of water.

If skin irritation occurs: Get medical advice/attention.

Immediately call a POISON CENTER/doctor.

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & Health = 2 \\ & Fire = 1 \\ & Reactivity = 0 \end{aligned}$ 

### HMIS-ratings (scale 0 - 4)



Health = \*2 Flammability = 1 Reactivity = 0

### Other hazards

### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 3 Composition/information on ingredients

### **Chemical characterization: Mixtures**

**Description:** Mixture of the substances listed below with additional nonhazardous ingredients.

Hazardous components:				
68603-42-9	Coconut fatty acid diethanolamide	10-20%		
111-42-2	Diethanolamine	2.0-5.0%		
127087-87-0	Poly(oxy-1,2-ethanediyl),alpha-(4-nonylphenyl)-omega-hydroxy-,branched	1.0-2.0%		

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

# 4 First-aid measures

## Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

### **After skin contact:**

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

## After eye contact:

Rinse opened eye for several minutes under running water.

(Cont. on page 3)

# Trade name: QUANTEC PL-450

(Cont. from page 2)

Seek immediate medical advice.

### After swallowing:

Wash out mouth with water

Do not induce vomiting; immediately call for medical help.

Never give anything by mouth to an unconscious person.

#### **Information for doctor:**

Most important symptoms and effects, both acute and delayed No further relevant information available.

# Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

**Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

# Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### **Handling:**

## Precautions for safe handling

Risk of serious damage to eyes.

Open and handle receptacle with care.

Prevent formation of aerosols.

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

(Cont. on page 4)

Trade name: QUANTEC PL-450

(Cont. from page 3)

Information about protection against explosions and fires: No special measures required.

## Conditions for safe storage, including any incompatibilities

## Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

## **Control parameters**

### Components with limit values that require monitoring at the workplace:

#### 111-42-2 Diethanolamine

REL (USA)	Long-term value: 15 mg/m³, 3 ppm
TLV (USA)	Long-term value: 1* mg/m³, 0.2* ppm
	Skin; *inhalable fraction and vapor

**Additional information:** The lists that were valid during the creation were used as basis.

### **Exposure controls**

### Personal protective equipment:

### General protective and hygienic measures:

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

### **Breathing equipment:**

Respiratory protection is not normally required. However, a chemical cartridge respirator with organic vapor cartridge and a prefilter for dusts/mists is required at or above the applicable exposure limits (consult exposure guidelines). If no limits exist, use an approved respirator whenever a vapor or mist is generated or if respiratory irritation occurs. Supplied air respirator (SCBA) is required at exposure levels above the capabilities of a chemical cartridge respirator.

### **Protection of hands:**

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

### **Eye protection:**



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

(Cont. on page 5)

Printing date 03/03/2016 Version Number 1.0 Reviewed on 03/03/2016

Trade name: QUANTEC PL-450

(Cont. from page 4)

## **Body protection:**

Protective work clothing

Use personal protective equipment as required.

Take off contaminated clothing.

Information on basic physical and chemical properties				
General Information				
Appearance:				
Form:	Liquid			
Color:	According to product specification			
Odor:	Characteristic			
Odor threshold:	Not determined.			
pH-value (~) at 20 $^{\circ}$ C (68 $^{\circ}$ F):	10			
Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	Undetermined.			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not applicable.			
<b>Decomposition temperature:</b>	Not determined.			
Auto igniting:	Product is not selfigniting.			
Danger of explosion:	Product does not present an explosion hazard.			
<b>Explosion limits:</b>				
Lower:	Not determined.			
Upper:	Not determined.			
<b>VOC Content (max):</b>	Not determined.			
Vapor pressure:	Not determined.			
<b>Density:</b> (~) at 20 °C (68 °F)	1.0 g/cm <sup>3</sup> (8.345 lbs/gal)			
Relative density	Not determined.			
Vapor density	Not determined.			
<b>Evaporation rate</b>	Not determined.			
Solubility in / Miscibility with				
Water:	Not miscible or difficult to mix.			
Partition coefficient (n-octanol/wat	er): Not determined.			
Viscosity:				
Dynamic:	Not determined.			
V: 4:	NI-4 datamata a			

Not determined.

No further relevant information available.

Not applicable.

# 10 Stability and reactivity

Other information

Kinematic:

Molecular weight

**Reactivity** Stable under normal conditions.

(Cont. on page 6)

Printing date 03/03/2016 Version Number 1.0 Reviewed on 03/03/2016

Trade name: QUANTEC PL-450

(Cont. from page 5)

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Conditions to avoid No further relevant information available.

**Incompatible materials:** No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

**Additional information:** See section 7 for information on handling, storage and conditions to be avoided.

# 11 Toxicological information

## Information on toxicological effects

Acute toxicity:

## LD/LC50 values relevant for classification:

## 111-42-2 Diethanolamine

Oral LD50 710 mg/kg (rat)

## Primary irritant effect:

on the skin: May cause sensitization by skin contact.

**on the eye:** Causes serious eye damage. **inhalation:** No irritating effect expected

Ingestion:

May cause damage to the kidneys, the liver and the blood through prolonged or repeated exposure. Route of exposure:

#### Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

68603-42-9 Coconut fatty acid diethanolamide

2B

## NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

# **Toxicity**

Aquatic toxicity: No further relevant information available.

**Persistence and degradability** No further relevant information available.

## **Behavior in environmental systems:**

**Bioaccumulative potential** No further relevant information available.

**Mobility in soil** No further relevant information available.

(Cont. on page 7)

Trade name: QUANTEC PL-450

(Cont. from page 6)

**Ecotoxical effects: Remark:** Harmful to fish

Additional ecological information:
General notes: Harmful to aquatic organisms
Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

# 13 Disposal considerations

Waste treatment methods Comply with Federal, State and local regulations.

**Recommendation:** 



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

# **Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

14 Transp	ort information
	_

UN-Number DOT, ADR, ADN, IMDG, IATA	Not applicable.			
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable.			
Transport hazard class(es)				
DOT, ADR, ADN, IMDG, IATA Class	Not applicable.			
Packing group DOT, ADR, IMDG, IATA	Not applicable.			
Environmental hazards: Marine pollutant:	No			
Special precautions for user	Not applicable.			
<b>Transport/Additional information:</b> Not classified as a dangerous good for transport by road, rail or air.				
DOT Remarks:	Not Regulated.			
UN "Model Regulation":	Not applicable.			

Trade name: QUANTEC PL-450

(Cont. from page 7)

## 15 Regulatory information

## SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

#### Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

## SARA Section 312/Tier I & II Hazard Categories:

Health Delayed (chronic) Yes
Health Immediate (acute) Yes
Flammable No
Reactive No
Pressure No

## **North America Chemical Inventory Status**

### TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

### **CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

### **Right to Know Ingredient Disclosure**

7732-18-5 Water

### California Proposition 65

### Chemicals known to cause cancer:

Coconut fatty acid diethanolamide

1,4-dioxane

Acetaldehyde

Ethylene oxide

propylene oxide

#### Chemicals known to cause reproductive toxicity for females:

75-21-8 Ethylene oxide

#### Chemicals known to cause reproductive toxicity for males:

75-21-8 Ethylene oxide

### Chemicals known to cause developmental toxicity:

75-21-8 Ethylene oxide

### **Carcinogenicity Categories**

#### EPA (Environmental Protection Agency)

None of the ingredients is listed.

# TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

### NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

## Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

## 16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to

- USGHS

Printing date 03/03/2016 Version Number 1.0 Reviewed on 03/03/2016

Trade name: QUANTEC PL-450

safety, occupational health, right-to-know and environmental protection.

(Cont. from page 8)

# **Department issuing SDS:**

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Date of preparation / last revision 03/03/2016 / -

The first date of preparation 03/29/2012

Number of revision times and the latest revision date 1.0 / 03/03/2016

USGHS